DCK

NEW


POWERED BY LI-ION TECHNOLOGY

4V Li-ion NEW

3-SPEED
match various applications






TYPE -C UNIVERSAL CHARGING INTERFACE
more convenient charging



LED LIGHT DESIGN
convenient for working in dark spaces



ERGONOMIC DESIGN
Perfectly fit our fingers and comfortable to hold

Milling Cutter/ Grinding Needle		
Sanding Ring		
Grinding Stone		
Cut-off Wheel		
Drill Bit		
Wire Brush Wheel/ Wool Felt Bush Wheel		



www.dcktool.com


Grind out wonderful

KDSJ0401
(TYPE E)
CORDLESS DIE GRINDER

Battery	4V/1.5Ah
Max. Collect Size	Φ3.2mm
No-load Speed	5000/12000/18000r/min
Speed Shifting Gears	1-2-3
Net Weight	133g

DCK

NEW EC BRUSHLESS MOTOR POWERED BY LI-ION TECHNOLOGY 20V MAX Li-ion



BRUSHLESS MOTOR

more powerful, higher efficiency
and longer runtime and lifetime



ULTRA-COMPACT BODY

easy to carry and comfortable to hold



0-45° BEVEL CUTTING

adjustable cutting depth,meet
different working requirement



LARGE VENTILATION VENTS

good load performance

ANTI-SELF LOCKING SWITCH

safer operation



www.dcktool.com

Majestic demeanor

KDZE125

(TYPE FK/EM/DM/Z)

CORDLESS BRUSHLESS MARBLE CUTTER

(TYPE FK) 5.0Ah×2, 4A Charger
(TYPE EM) 4.0Ah×2, 2A Charger
(TYPE DM) 4.0Ah×1, 2A Charger
(TYPE Z) Solo, Color Box Packing

Battery	20V MAX/5.0Ah×2/4.0Ah×2/4.0Ah×1/Solo
No-load Speed	9500r/min
Blade Dia	Φ125mm
Max. Cutting Capacity	41.5mm
Bevel Cutting Angle	0-45°
Net Weight	2.6/2.6/2.6/2.0kg

DCK

NEW

2000W


2000W HIGH POWER
powerful and efficient

DUAL-HEATING COIL
heating up faster

BUDGET FRIENDLY



3-GEAR ADJUSTABLE TEMPERATURE AND AIR FLOW
meet different working requirements



- > 550℃ — begin to deteriorate and carbonize
- 520-550℃ — remove paint, etc
- 480-510℃ — loosen rusty bolts
- 425-455℃ — loosen welded objects
- 230-290℃ — soften the stickies
- 200-230℃ — softened plastic products e.g water pipes
- 50-150℃ — thaw pipes



www.dcktool.com


Powerful and durable

KQB05-2000
HEAT GUN

Rated Poweful Input	2000W
Temperature	
Low Temperature	50℃
Middle Temperature	400℃
High Temperature	600℃
Air Flow	
Low Temperature	300L/min
Middle Temperature	300L/min
High Temperature	500L/min
Net Weight	0.57kg

DCK


NEW



BARREL STRUCTURE
sturdy and durable



SMALL AND COMPACT BODY
flexible operation



LARGE APERTURE AIR OUTLETS
prevent motor and bearing overheat



EXTERNAL CARBON BRUSH STRUCTURE DESIGN
More convenient to replace the carbon brush



METAL HANGING HOOK
for added convenience



www.dcktool.com


Efficient and accurate

KSJ04-10
DIE GRINDER

Rate Power Input	120W
No-load Speed	35000r/min
Max. Grinding Wheel Die	Φ10mm
Max. Collect Size	3mm
Net Weight	0.56kg

DCK

NEW



710W HIGH POWER
deliver 33000 no-load RPM
for grinding applications

METAL GEAR HOUSE
more sturdy and durable



MULTIPLE HEAT DISSIPATION STRUCTURE
prevent motor and bearing overheat



DETACHABLE DUSTPROOF NET
reduce damage to motor and bearing



AUTO STOP CARBON BRUSH
effective protection for the motor



www.dcktool.com

Built for heavy loads

KSJ08-25
DIE GRINDER

Rate Power Input	710W
No-load Speed	33000r/min
Max. Grinding Wheel Die	Φ25mm
Max. Collect Size	6mm
Net Weight	1.65kg

DCK

NEW

REFINED DESIGN AT ONLY 1.2 KG
for reduced operator fatigue



150MM LARGE PLATE DESIGN
more efficient grinding



TRIGGER SWITCH LOCK-ON BUTTON
for operator convenience

MOTOR-OVER-PAD DESIGN
for better balance



A 90° ARRANGEMENT OF HANDLE AND ADDITIONAL HANDLE
for great banlance and optimal operation



www.dcktool.com

Grinding expert

KSA02-150
DISK SANDER

Rated Power Input	440W
Orbits Frequency	4700r/min
Grinder Disc Dia.	Φ150mm
Net Weight	1.2kg

DCK

NEW

950W

POWERFUL 950W MOTOR
deliver 2100 RPM,for high output power



A 90° ARRANGEMENT OF HANDLE AND ADDITIONAL HANDLE
for great banlance and optimal operation

ELECTRONIC CONSTANT SPEED CONTROL
maintain constant speed under load



ADJUSTABLE SPEED
allow the users to match the speed of the polisher to the workpiece and task



MOTOR-OVER-PAD DESIGN
for better balance

www.dcktool.com

Good helper for polishing and sandering

KSP02-180S
POLISHER

Rated Power Input	950W
No-load Speed	600-2100r/min
Wheel Size	Φ180mm
Net Weight	2.3kg

DCK

NEW



3-MODE OPERATION
Drill, rotary hammer and demolition



MECHANICAL REVERSING DESIGN OF CARBON BRUSH
For fast switch of forward and reverse rotation



LIGHT-WEIGHT AND COMPACT
More suitable for home decoration, ceiling, etc.



RELIABLE SAFETY CLUTCH DESIGN
Effectively protect the safety of operators

DHE

HIGH EFFICIENT DRILLING SYSTEM

www.dcktool.com

Nothing but high efficient

KZC04-28
HAMMER DRILL

Rated Power Input		820W
Impact energy		3.3J
No-load Speed		0-1300r/min
Rated Impact Frequency		0-4200 /min
Max. Drilling Capacity	Concrete	Φ28mm
Net Weight		2.7kg