DCA


NEW

EC BRUSHLESS MOTOR

12v Lithium-Ion

DCA Global

FINE POLISHING AS YOU LIKE



BRUSHLESS MOTOR

Efficient and durable



COMPACT BODY

Suitable for small space



VELCRO PADDING

For easy replacement of accessories



A VARIETY OF ACCESSORIES

Suitable for different
Grinding and polishing operations



SOFT START

Start more smoothly

Target Users: Car Maintenance Worker · Furniture Painter

ADSP75

TYPE(EK/Z)

Cordless Brushless Polisher

(Type EK) 2.0Ahx2, 2ACharger
(Type Z) Solo, Color Box Packing

Battery	12V MAX/2.0Ah×2/Solo
Max. Power Output	230W
No-load Speed	0-2800/min
	0-8300/min
Polishing Disk Size	Φ75mm
Abrasive Disk Size	Φ50mm
Spindle Thread	5/16"-24UNF -2B
Net Weight	1.08/0.9kg



www.dcatools.com

DCA

NEW

EC BRUSHLESS MOTOR

20V MAX Lithium-Ion


DCA Global

COMPACT SIZE FOR USE IN CLOSE QUARTERS



POWERFUL BRUSHLESS MOTOR

Delivers 80N.m of max torque



COMPACT 56mm ANGLE HEAD HEIGHT


For use in close quarters



EXTENDED PADDLE SWITCH

For multiple grip positions





SMART LOOSEN MODE

Prevent nuts drop down accidently

Target Users: Electricians · Property&Plant · Manager Metal Worker+Locksmith · Plumber

ADPB80

TYPE(AM/Z)

Cordless Brushless Angle Impact Wrench

(Type AM) 2.0Ahx2, 2ACharger
(Type Z) Solo, Color Box Packing

Battery	20V MAX/2.0Ah×2/Solo	
Max. Power Output		160W
Square Drive Size		3/8"
No-load Speed	Low	0-1500/min
	High	0-2250/min
Rated Impact Frequency		
	Low	0-2400/min
	High	0-3400/min
Max. Torque	Low	45N.m
	High	80N.m
Net Weight		1.4/1.1kg



www.dcatools.com

DCA


NEW

EC BRUSHLESS MOTOR

20V MAX Lithium-Ion

DCA Global

COMPACT SIZE FOR USE IN CLOSE QUARTERS



POWERFUL BRUSHLESS MOTOR

Delivers 45N.m of max torque



COMPACT 59mm ANGLE HEAD HEIGHT


For use in close quarters



EXTENDED PADDLE SWITCH

For multiple grip positions





SMART LOOSEN MODE

Prevent nuts drop down accidently

Target Users: Electricians · Property&Plant · Manager Metal Worker+Locksmith · Plumber

ADPL05-8

TYPE(AM/Z)

Cordless Brushless Angle Impact Driver

(Type AM) 2.0Ahx2, 2ACharger
(Type Z) Solo, Color Box Packing

Battery		20V MAX/2.0Ah×2/Solo
Max. Power Output		160W
Clamping Capacity		6.35mm Hex
No-load Speed	Low	0-1500/min
	High	0-2250/min
Rated Impact Frequency		
	Low	0-2400/min
	High	0-3400/min
Max. Torque	Low	45N.m
	High	80N.m
Net Weight		1.4/1.1kg



www.dcatools.com

DCA

NEW

EC BRUSHLESS MOTOR

20V MAX Lithium-Ion

DCA Global

HOLD WITH EASE, LONG BATTERY LIFE




2.5KG LIGHTWEIGHT BODY

No fatigue during top operation



LONG BATTERY LIFE

Single 6.0Ah battery drilling 100holes（Load 5kg, Φ8mm, drilling70mm deep in C40 concrete）



DSC

Mechanical clutch and electronic anti torsion hand



20%

20% MORE EFFICIENCY (COMPARED WITH OLD MODEL)

Target Users: Outdoor Installation · Home Decoration

ADZC02-26

TYPE(H2K/EM/Z)

Cordless Brushless Rotary Hammer

(Type H2K) 6.0Ahx2, 2ACharger
(Type EM) 4.0Ahx2, 2ACharger
(Type Z) Solo, Color Box Packing

Battery	20V MAX/6.0Ah×2/ 4.0Ah×2/Solo
Impact Energy	3.1J
No-load Speed	0-960/min
Rated Impact Frequency	0-4260/min
Max. Drilling Capacity	
Concrete	Φ26mm
Steel	Φ13mm
Wood	Φ30mm
Net Weight	3.6/3.4/2.5kg



www.dcatools.com

DCA


NEW

BRUSHLESS MOTOR


20V MAX Lithium-Ion

DCA Global

UNLEASH SERIOUS POWER, UNLOCK UNLIMITED POTENTIAL



1000W BRUSHLESS MOTOR



2 MODES


Rotary hammer & Demolition hammer



DVR

Double anti-vibration structure

50% MORE EFFICIENCY (COMPARED WITH OLD MODEL)



DSC

Mechanical clutch and electronic anti torsion hand



Target Users: Outdoor Installation · Medium anchor hole drilling

ADZC02-28

TYPE(H2K/EM/Z)

Cordless Brushless Rotary Hammer

(Type H2K) 6.0Ahx2, 2ACharger
(Type EM) 4.0Ahx2, 2ACharger
(Type Z) Solo, Color Box Packing

Battery	20V MAX/6.0Ah×2/ 4.0Ah×2/Solo
Impact Energy	3.5J
No-load Speed	0-1150/min
Rated Impact Frequency	4400/min
Max. Drilling Capacity	
Concrete	Φ28mm
Steel	Φ13mm
Wood	Φ30mm
Net Weight	4.8/4.6/3.7kg



www.dcatools.com

DCA

NEW

DCA Global

ATTRACTIVE AND COMPETITIVE



FORWARD AND REVERSE ROTATION

Rotating brush holder structure,
low reverse current, and long motor life



QUICK CHANGE CHUCK


Optional quick change chuck style

* （Exclusive for AZC800-26Q）



VARIABLE SPEED

The working speed is determined by
the depth of the button pressed



3-MODE OPERATION

Drill， rotary hammer and demolition

800W

800W HIGH-QUALITY MOTOR

All-copper motor, excellent anti-aging performance
of the motor insulation layer

Plus

SDS-PLUS

AZC800-26



AZC800-26Q

AZC800-26/ AZC800-26Q

Eletric Rotary Hammer

Rated Power Input	800W
Impact Energy	2.7J
No-load Speed	1250/min
Rated Impact Frequency	4200/min
Max. Drilling Capacity	
	Concrete Φ26mm
Net Weight	2.9kg



www.dcatools.com

DCA

NEW 8V Lithium-Ion

DCA Global

LIGHTWEIGHT AND PORTABLE,DIVERSE FUNCTIONS



COMPACT AND EASY TO STORE

Easy to carry



AUTOMATIC PRESSURE MEASUREMENT

Full of that stop



EQUIPPED WITH LED LIGHTING

Fearless of darkness

8 INFLATION MODES

To meet different needs



TYPE C CHARGING INTERFACE

More convenient charging



Target Users: Car Owners · Motorcycle Owners

ADQE03-150

TYPE(E)

Cordless
Mulit-function
Air Pump

Battery	8V/2.0Ah
Max. output power	60W
Max. pressure	10.3bar
Sensor accuracy	± 1psi
Net Weight	0.45kg



www.dcatools.com