


DCA



DCA Global

ULTRAL SLIM AND POWERFUL



178mm SLIM BODY

Comfortable to hold and easy to control



570W HIGH POWER MOTOR



LABYRINTH DUSTPROOF STRUCTURE

Effectively extending the lifetime of products



HIGH STRENGTH GEARS

For longer lifetime

Target Users: Metalwork workers

ASM19-100
ASM19-100B
Angle Grinder



Rated Power Input	570W
No-load Speed	13000/min
Max. Wheel Dia.	Φ100mm
Hole Dia. of Wheel	Φ16mm
Spindle Thread	M10
Net Weight	1.4kg



www.dcatools.com

DCA



20^{MAX}V
Lithium-Ion




DCA Global

EXTREMELY ATTRACTIVE AND COMPETITIVE

40N.m

40N.m MAX TORQUE

Efficient output



2-SPEED ADJUSTMENT

Meet different requirements



RUBBERIZED HANDLE

Comfortable for gripping

18⁺

18+1 TORQUE SETTING

Applicable to different working conditions



Target Users: Electricians · Plumbers · Decorators

ADJZ2035

TYPE(ADM/**Z**)

Cordless Driver Drill

(Type ADM) 2.0Ahx1, 2ACharger
(Type Z) Solo, Color Box Packing



Battery	20V MAX/2.0Ah×1/ Solo
Max. Power Output	220W
Max. Chucking Capacity	10mm
No-load Speed	1st gear 0-400/min 2nd gear 0-1500/min
Max. Drilling Dia.	Steel Φ10mm Wood Φ22mm
Torque Setting	18+1
Max. Torque	40N.m
Net Weight	1.25/ 0.9 kg



www.dcatools.com

DCA




EC
BRUSHLESS

20^{MAX}V
Lithium-Ion



DCA Global

A STEP FURTHER IN EFFICIENCY



**1000W HIGH POWER
BRUSHLESS MOTOR**



TOOL-FREE ADJUSTMENT GUARD

Easy to adjust the angle of guard

1 Speed
4000/min

2 Speed
6500/min

3 Speed
9000/min

**3-SPEED ELECTRONIC
ADJUSTMENT(4000/6500/9000/MIN)**



DETACHABLE METAL DUSTPROOF FILTER

More convenient for cleaning

DSC SAFETY CONTROL TECHNOLOGY



Kickback control

Machine will shut down automatically to protect the user if built-in sensor detect a Kickback force



Drop control

Machine will shut down automatically to protect the user if built-in sensor detect a crash force



Overload restart control

Driven system will restart automatically if the cutting wheel released within 0.8s

Target Users: Metalworking Workers

**ADSM04-100/
115/125**

**TYPE(H2K/EM/Z)
Cordless Brushless
Angle Grinder**

(Type H2K) 6.0Ahx2, 4ACharger
(Type EM) 4.0Ahx2, 2ACharger
(Type Z) Solo, Carton Packing



Battery 20V MAX/6.0Ah×2/

4.0Ah×2/Solo

Rated Speed

4000/6500/9000 /min

Max. Wheel Dia. Φ100/115/125mm

Hole Dia. of Wheel Φ16/22/22mm

Spindle Thread M10/M14/M14

Net Weight 2.8/2.55/1.9kg



www.dcatools.com