
DCK

NEW · EC BRUSHLESS MOTOR · POWERED BY LI-ION TECHNOLOGY · 20V MAX Lithium-Ion



BRUSHLESS MOTOR
high efficiency,
powerful and durable



2-SPEED ADJUSTMENT
meet different requirements



20+1 TORQUE SETTING
applicable to different working conditions



ULTRA-COMPACT BODY
easy to carry and comfortable to hold



60N.m

60N.m MAX TORQUE
efficient output



www.dcktool.com

Compact body with powerful torque

KDJZ2060
(TYPE EM/ADM/Z)

CORDLESS BRUSHLESS DRIVER DRILL

(TYPE EM) 4.0Ah×2, 2A Charger
(TYPE ADM) 4.0Ah×1, 2A Charger
(TYPE Z) Solo, Plastic Case Packing

Battery		20V MAX/4.0Ah×2/2.0Ah×1/Solo
Max. Chucking Capacity		13mm
No-load Speed	1st gear	0-600/min
	2nd gear	0-2300/min
Max. Drilling Dia.	Steel	Φ13mm
	Wood	Φ38mm
Torque Setting		20+1
Max. Torque		60N.m
Net Weight		1.7/1.4/1.1kg


DCK

NEW · EC BRUSHLESS MOTOR · POWERED BY LI-ION TECHNOLOGY

20V MAX Lithium-Ion



BRUSHLESS MOTOR
high efficiency,
powerful and durable



2-SPEED ADJUSTMENT
meet different requirements



20+2 TORQUE SETTING
applicable to different working conditions





ULTRA-COMPACT BODY
easy to carry and comfortable to hold

60N.m

60N.m MAX TORQUE
efficient output



www.dcktool.com

Wireless and lightweight without losing the powerful impact

KDJZ2060i
(TYPE EM/ADM/Z)

CORDLESS BRUSHLESS DRIVER/HAMMER DRILL

(TYPE EM) 4.0Ah×2, 2A Charger
(TYPE ADM) 4.0Ah×1, 2A Charger
(TYPE Z) Solo, Plastic Case Packing


Battery		20V MAX/4.0Ah×2/2.0Ah×1/Solo
Max. Chucking Capacity		13mm
Rated Impact Frequency		0-34500/min
No-load Speed	1st gear	0-600/min
	2nd gear	0-2300/min
Max. Drilling Dia.	Steel	Φ13mm
	Brick wall	Φ13mm
	Wood	Φ38mm
Torque Setting		20+2
Max. Torque		60N.m
Net Weight		1.7/1.5/1.1kg

DCK

NEW EC BRUSHLESS MOTOR

POWERED BY LI-ION TECHNOLOGY

20V MAX Lithium-Ion



BRUSHLESS MOTOR
high efficiency,
powerful and durable



4-SPEED & TORQUE ADJUSTMEN
meet different working requirements



NEW OPTIMIZED AIR DUCT DESIGN





COMPACT BODY
easy to carry and
comfortable to hold

698N.m

698N.m MAX TORQUE
efficient output

www.dcktool.com

Ultra impact power brings more efficient experience

KDPB698
(TYPE HK/FK/DM/Z)

CORDLESS BRUSHLESS IMPACT WRENCH


(TYPE HK) 6.0Ah×2, 4A Charger
(TYPE FK) 5.0Ah×2, 4A Charger
(TYPE DM) 5.0Ah×1, 2A Charger
(TYPE Z) Solo, Color Box Packing

Battery	20V MAX/6.0Ahx2/5.0Ahx2/5.0Ahx1/Solo			
Square Drive Size	12.7mm(1/2")			
No-load Speed	1 gear	500/min	2 gear	1200/min
	3 gear	1900/min	4 gear	2200/min
Impact Frequency	1 gear	1000/min	2 gear	1700/min
	3 gear	2400/min	4 gear	2700/min
Torque Setting	1 gear	300N.m	2 gear	400N.m
	3 gear	500N.m	4 gear	698N.m
Nut-Busting Torque	910N.m			
Standard Bolt Size	M10-M24			
Net Weight	2.7/2.5/2.5/1.9kg			

DCK

NEW EC BRUSHLESS MOTOR POWERED BY LI-ION TECHNOLOGY

12V Lithium-Ion



BRUSHLESS MOTOR
high efficiency,
powerful and durable



2-SPEED ADJUSTMENT +SELF-TAPPING SCREW MODE
applicable to different working conditions





SINGLE BATTERY PACK PERFORMANCE
single fully charged 12V2.0Ah battery pack in H-gear, screw in approx. 105 ST6*50 screws



www.dcktool.com

125mm



COMPACT BODY (125MM)
easy to carry and comfortable to hold

Strong impact, efficient pioneer

KDPL04-8
(TYPE EK/Z)

CORDLESS BRUSHLESS IMPACT DRIVER

(TYPE EK) 2.0Ah×2, 3A Charger
(TYPE Z) Solo, Color Box Packing

Battery	12V MAX/2.0Ahx2/Solo
Clamping Capacity	6.35mm Hex
Standard Bolt Size	M5-M14
Max. Fastening Torque	140N.m
No-load Speed	0-1200/0-3300/min
Rated Impact Frequency	0-1600/0-4000/min
Net Weight	0.9/0.7kg

DCK

NEW

POWERED BY LI-ION TECHNOLOGY

20V MAX Lithium-Ion

OIL-FREE AND NOISELESS
providing cleaner gas

9 Bar

MAXIMUM AIR PRESSURE UP TO 9 Bar



ADJUSTABLE PRESSURE
meet different working requirements



SOFT START & CONSTANT SPEED CONTROL
faster and more stable inflating

www.dcktool.com

Compact and intelligent with multi- usage

KDQE550/6
(TYPE Z)
CORDLESS AIR PUMP

(TYPE Z) Solo, Plastic Case Packing

Battery	20V MAX/Solo
MAX.power output	500W
No load speed	1700/min
MAX.working pressure	9Bar
Capacity	6L
Displacement	35L/min
Net weight	11.8kg

DCK

NEW




STURDY AND DURABLE
with a load capacity of more than 200kg



BOXES CAN BE COMBINED WITH EACH OTHER
facilitate storage



DOUBLE-SIDED HANDLE
easy to carry



www.dcktool.com

Excellent box for your tools

K-STACK
STACKING BOXES

capacity	450×300×200mm
net weight	2kg

DCK

NEW

710W

710W HIGH POWER MOTOR

deliver 33000/min no-load speed
for grinding applications



EXTENDED OUTPUT SHAFT

suitable for grinding in narrow space




ANTI-SLIP SLIM BARREL

comfortable to hold

AUTO STOP

AUTO STOP CARBON BRUSH

effective protection for the motor



DETACHABLE DUSTPROOF NET

reduce damage to motor and bearing



www.dcktool.com

Great grinding performance in tight spaces

KSJ08-25L

DIE GRINDER

Rated Power Input	710W
No-load Speed	33000/min
Max.grinding Wheel Dia.	Φ25mm
Max. Collet Size	6mm
Net Weight	2.0kg

DCK

NEW

1500W

1500W SUPER POWER
more efficient

AUTO STOP

AUTO STOP CARBON BRUSH
effective protection for the motor

ELECTRONIC CONSTANT SPEED CONTRO
maintain constant speed under load

DOUBLE PROTECTION
anti-restart and soft start function



www.dcktool.com

Good balance between efficiency and comfort

KSM05-150
ANGLE GRINDER

Rated Power Input	1500W
Rated Speed	9000/min
Max.Wheel Dia.	Φ150mm
Hole Dia. Of Wheel	Φ22mm
Spindle Thread	M14
Net Weight	2.4Kg

DCK

NEW

UPGRADED MODEL FROM KZC03-26
for longer lifetime,
optimized sealing structure

NEW SAFETY RELEASE CLUTCH

SDS-PLUS

TWO FUNCTIONS

demolition

rotary hammer



www.dcktool.com

Kickback control & user friendly

KZC03-26SH

ELECTRIC ROTARY HAMMER

Rated Power Input	750W
Impact Energy	3.0J
No-load Speed	700/min
Rated Impact Frequency	3200/min
Max. Drilling Capacity	Concrete Φ26mm
Net Weight	5.0kg

DCK

NEW

960W

960W HIGH-QUALITY MOTOR

NEW SAFETY RELEASE CLUTCH

TWO FUNCTIONS

demolition

rotary hammer

Plus

SDS-PLUS



www.dcktool.com

Durable, efficient and professional

KZC02-28SH

ELECTRIC ROTARY HAMMER

Rated Power Input	960W
Impact Energy	3.2J
No-load Speed	1000/min
Rated Impact Frequency	5000/min
Max. Drilling Capacity	Concrete Φ28mm
Net Weight	5.0kg

DCK

NEW

1500W

1500W HIGH POWER



LIGHT-WEIGHT MODEL

adjustable bevel cutting angle between 0 to 45°



LARGE DUST OUTLET

smooth chip discharge

DOUBLE HANDLE

labor saving and high efficiency



www.dcktool.com

Cutting pioneer

KMY07-185

ELECTRIC CIRCULAR SAW

Rated Power Input	1500W
No-load Speed	5300/min
Blade Dia.	185mm
Max. Cutting Capacity	0° 64mm
	45° 45mm
Max. Cutting Angle	45°
Net Weight	4.1kg