
DCK

EC BRUSHLESS MOTOR

POWERED BY LI-ION TECHNOLOGY

20V MAX Li-ion



BRUSHLESS MOTOR DELIVERS UP TO 120N.M OF TORQUE AND UP TO 2000 RPM

more powerful and efficient



ALL-METAL SELF-LOCKING CHUCK

for more durability
and stronger clamping



DOUBLE TORQUE CUP

for the quickly switch of three modes: screwdriver, drill and impact drill



THE BARE TOOL WEIGHS ONLY 1600G AND 197MM (7.75") IN LENGTH

ultra-compact
and light-weight

Brushless motor,ultra-compact and efficient

KDJZ03-13

(TYPE FK/EM/DM/Z)

CORDLESS BRUSHLESS DRIVER/ HAMMER DRILL

Battery	20V/4.0Ahx2/Solo
Max. Chucking Capacity	13mm
Max. Screw Dia.	10mm
Impact Frequency	0-32000/min
No-load Speed	1st gear 0-500r/min 2nd gear 0-2000r/min
Max. Drilling Dia.	Steel Φ13mm Brick wall Φ13mm Wood Φ45mm
Torque Setting	24+2
Max. Torque	120N·m
Net Weight	2.2kg


DCK

EC BRUSHLESS MOTOR

NEW

POWERED BY LI-ION TECHNOLOGY

12V MAX Li-ion



BRUSHLESS MOTOR

more powerful, higher efficiency
and longer runtime and lifetime



ULTRA-COMPACT BODY

more comfortable to hold



20+1 TORQUE SETTING

multi-function

35N.M HIGH TORQUE OUT PUT

effectively protect the
safety of the operator

Brushless motor,ultra-compact and efficient

KDJZ23-10

(TYPE EK/Z)

CORDLESS BRUSHLESS
DRIVER DRILL


Battery				12V/2.0Ahx2/Solo
Max. Chucking Capacity				10mm
Max. Screw Dia.				7mm
No-load Speed	1st gear	0-460r/min	2nd gear	0-1600r/min
Max. Drilling Dia.		Steel Φ10m		Wood Φ20mm
Torque Setting				20+1
Max. Torque	1st gear	35N·m	2nd gear	16N·m
Net Weight				0.93kg

DCK

EC BRUSHLESS MOTOR

POWERED BY LI-ION TECHNOLOGY

14.4V Li-ion NEW



BRUSHLESS MOTOR

more powerful, higher efficiency
and longer runtime and lifetime



ULTRA-COMPACT BODY

more comfortable to hold



20+1 TORQUE SETTING

multi-function

40N.M HIGH TORQUE OUT PUT

effectively protect the
safety of the operator

Brushless motor,ultra-compact and powerful

KDJZ24-10

(TYPE EK/Z)

CORDLESS BRUSHLESS
DRIVER DRILL

Battery	14.4V/2.0Ahx2
Max. Chucking Capacity	10mm
Max. Screw Dia.	7mm
No-load Speed	1st gear 0-480r/min 2nd gear 0-1600r/min
Max. Drilling Dia.	Steel Φ10m Wood Φ20mm
Torque Setting	20+1
Max. Torque	1st gear 40N·m 2nd gear 20N·m
Net Weight	1.07kg

DCK

ECONOMICAL MODEL

POWERED BY LI-ION TECHNOLOGY

16V Li-ion NEW



ECONOMICAL MODEL

16V new battery pack platform

38N.M,HIGH TORQUE OUT PUT



18+1 TORQUE SETTING

multi-function



2-SPEED

meet different working requirements

RUBBER-COVERED HANDEL

anti-vibration and anti-slip,
comfortable for gripping



Economical and durable

KDJZ1602

(TYPE E)

CORDLESS BRUSHLESS DRIVER DRILL

Battery				16V/2.0Ahx2
Max. Chucking Capacity				10mm
Max. Screw Dia.				7mm
No-load Speed	1st gear	0-400r/min	2nd gear	0-1500r/min
Max. Drilling Dia.	Steel	Φ10m	Wood	Φ22mm
Torque Setting				18+1
Max. Torque	1st gear	38N·m	2nd gear	25N·m
Net Weight				1.05kg

DCK

EC BRUSHLESS MOTOR

POWERED BY LI-ION TECHNOLOGY

20V MAX Li-ion



BRUSHLESS MOTOR

more powerful, higher efficiency and longer runtime and lifetime



ULTRA-COMPACT BODY

easy to carry and comfortable to hold

ANTI-RESTART AND ELECTRONIC BRAKE FUNCTION

effectively protect the safety of the operator



ADJUSTTABLE 0-50° BEVER CUTTING ANGLE

meet different cutting requirements



MAX.CUTTING CAPACITY: 0° 59MM



Brushless motor,Light-weight and compact

KDMY165

(TYPE FK/BM/DM/Z)

CORDLESS BRUSHLESS CIRCULAR SAW

Battery	20V/4.0Ah×2/Solo
No-load Speed	5000r/min
Blade Dia.	165mm
Max.cutting Capacity	0° 59mm
Max.cutting Angle	50°
Net Weight	3.8kg

DCK

NEW

POWERED BY LI-ION TECHNOLOGY

12V MAX Li-ion



EASY TO OPERATE
IN A NARROW SPACE



RECESSED KNOB

quickly switch between
forward and reverse

45N.M HIGH TORQUE OUTPUT



ADJUSTABLE SPEED

match various applications



LOCK-ON SWITCH

effectively prevent
the misoperation

Light-weight and compact

KDPB02-10

(TYPE EK/Z)

CORDLESS RATCHET WRENCH

Battery	20V/5.0Ahx2/4.0Ahx2/4.0Ahx1/Solo
No-load Speed	5000-16000(Turbo Gear 21500)r/min
Air Volume	1.9-6.5(Turbo Gear 8.4)m³/min
Net Weight	1.9/1.9/1.9/1.3kg

DCK

EC BRUSHLESS MOTOR

POWERED BY LI-ION TECHNOLOGY

20V MAX Li-ion



BRUSHLESS MOTOR

greater power, higher efficiency
and longer runtime and lifetime



QUICK BLADE REPLACEMENT

more convenient and fast



DUAL SAFETY SWITCH

effectively avoid false start



ERGONOMIC BODY DESIGN

compact structure for a comfortable grip



Brushless motor,Light-weight and compact

KDYD25

(TYPE BM/Z)

CORDLESS BRUSHLESS PRUNER

Battery		20V/2.0Ah×2/Solo
Shearing Capacity	Dry Branch	Φ20mm
	Wet Branch	Φ25mm
Net Weight		1.2kg

DCK

NEW



ERGONOMIC BODY AND ACTIVE SUSPENSION DESIGN

effectively reduce operator fatigue



ADJUSTABLE DEPTH AND ANGLE BASE DESIGN

suitable for various cutting needs

1300W SUPER POWER

higher cutting efficiency



SDS QUICK CHANGE SYSTEM

faster blade replacement



Powerful and efficient

KJF02-30

RECIPROCATING SAW

Rated Power Input		1300W
No-load Strokes		0-2900/min
Length of Strokes		30mm
Max. Cutting Capacity	Steel	130mm
	Wood	255mm
Net Weight		3.8kg

DCK

NEW



HIGH-QUALITY ALUMINUM GUARD

greatly reducing product weight



RIGID ALUMINUM BASE

for fine cut



HANDY AND GREAT ERGONOMICS

Compact, robust, stronger yet light weighted



IMPROVED INTERNAL AIR PATH DESIGN

backward dust emission

stronger yet light weighted

KMY04-185

ELECTRIC CIRCULAR SAW

Rated Power Input	1100W
No-load Speed	6000r/min
Blade Dia.	185mm
Max. Cutting Capacity	68mm
Max. Cutting Angle	45°
Net Weight	3.4kg

DCK

NEW

INDUSTRIAL-GRADE BLOWER

WIDELY USED

such as dust removal,
snow blowing,
leaVES blowing, etc

MAX. AIR SPEED: 55m/s

strong wind



5-GEAR ADJUSTABLE AIR SPEED

match various applications

WITH THE SHOULDER STRAP CAN EFFECTIVELY REDUCE FATIGUE

Powerful and efficient

KQF120

BLOWER VACUUM

Rated Power Input	1200W
No-load Speed	8000-17000r/min
Air Volume	7.2-12m³/min
Air Speed	32-55m/s
Net Weight	2.9kg

DCK

NEW




DOUBLE LED LIGHT STRIP

no dead zone



SELF-VACUUM FUNCTION

effectively purify the operating environment



ADJUSTABLE SPEED

match various applications

Powerful and Efficient

KSF02-180

DRYWALL SANDER

Rated Power Input	750W
No-load Speed	1500-2700r/min
Grinding Disc Dia.	Φ180mm
Net Weight	2.3kg

DCK

NEW



MULTIPLE VIBRATION ABSORBING SYSTEM

effectively reduce operator fatigue



LARGE TRIGGER SWITCH SDS-PLUS



SINGLE FUNCTION

rotary hammer

NEW SAFETY RELEASE CLUTCH

effectively protect the safety of operators

SDS

Powerful and safe


KZC07-26

ELECTRIC ROTARY HAMMER

Rated Power Input	1010W
No-load Speed	1250r/min
Rated Impact Frequency	4750/min
Max. Drilling Capacity	Concrete Φ26mm
Net Weight	3.9kg

DCK

NEW



ANTI-SPLASH BOARD DESIGN

effectively optimizing the
operating environment

POWER UPGRADE FROM 1200W (KZE110) TO 1400W, HIGHER CUTTING EFFICIENCY

LABYRINTH DUSTPROOF STRUCTURE



REAR BARBED WIRE

effectively prevent small
particles from entering the motor



Newly upgraded

KZE110S

MARBLE CUTTER

Rated Power Input	1400W
No-load Speed	1300r/min
Blade Dia.	Φ110mm
Max. Cutting Capacity	30mm
Net Weight	2.9kg

DCK

NEW




ROBUST STRUCTURE DESIGN

meet demanding work requirements



NEWLY UPGRADED VIBRATION ABSORBING SYSTEM

effectively reduce operator fatigue



1400W SUPER POWER



35MM DIAMETER CYLINDER

double effciency of destructive power compared with 30mm diameter

17

Powerful at low vibration

KZG06-6S

PERCUSSION HAMMER

Rated Power Input	1400W
Rated Impact Frequency	3900/min
Net Weight	6.8kg

DCK

NEW



WARPED SWITCH

more convenient operation



EXTERNAL REFUELING PORT

for convenient refueling

1700W SURGING POWER

higher destructive power



EFFECTIVELY VIBRATION CONTROL SYSTEM

reduce harmful vibration

More destructive and powerful

KZG16

PERCUSSION HAMMER

Rated Power Input	1700W
Rated Impact Frequency	1300/min
Net Weight	18.8kg