
DCA

NEW

20V MAX Lithium-Ion


DCA Global

GOOD CHOICE FOR MULTI CUTTING



"Tool-less" blade change system
Allow for faster blade installation and removal

Anti self-locking switch
Prevent accidental contact and protect safety



Large ventilation vents
Efficient heat dissipation

Adjustable base plate
Change the available cutting position
and increase the cutting efficiency

Stepless speed adjustment
Applicable to different working conditions

ADJF02-28

(TYPE DM/EM/FK/Z)
Cordless Reciprocating Saw

(Type DM) 4.0Ahx1,2ACharger
(Type EM) 4.0Ahx2,2ACharger
(Type FK) 5.0Ahx2,4ACharger
(Type Z) Solo, Color Box Packing

Battery	20VMAX/4.0Ah×1/ 4.0Ah×2/5.0Ah×2/Solo
No-load Speed	0-3300/min
Length of Strokes	28mm
Max. Cutting Depth	
Steel	20mm
Wood	250mm
Tube	Φ130mm
Base Plate Ajustment	4
Net Weight	3.4/3.4/3.4/2.8kg



www.dcatools.com


DCA

NEW

12V MAX Lithium-Ion

DCA Global

EXTREME BUDGET FRIENDLY MODEL



Stepless speed adjustment
Applicable to different working conditions

"Tool-less" blade change system
Allow for faster blade installation and removal



Large ventilation vents
Efficient heat dissipation





Ultra-Compact body
Easy to carry and comfortable to hold



Anti self-locking switch
Prevent accidental contact and protect safety

ADJF03-15

(TYPE B/Z)

Cordless Sabre Saw

(Type B) 2.0Ahx2,1.3ACharger
(Type Z) Solo, Color Box Packing

Battery	12VMAX/2.0Ah×2/Solo
No-load Speed	0-3000/min
Length of Strokes	14.5mm
Max. Cutting Depth	
Steel	8mm
Wood	65mm
Tube	Φ50mm
Net Weight	1.2/1.0kg



www.dcatools.com

DCA

NEW


EC BRUSHLESS MOTOR

20V MAX Lithium-Ion

DCA Global

EFFICIENT OUTPUT, STRONG POWER

23+1 torque setting
Applicable to different working conditions



Brushless motor
High-efficiency，powerful and durable



120N.m Max torque
Efficient output



High-strength chuck
Prevent loosing and work more steadily

Extended auxiliary handle
Easy to handle high torque work



ADJZ02-16
(TYPE DM/EM/FK/Z)

Cordless Brushless Driver Drill

(Type DM) 4.0Ahx1,2ACharger
(Type EM) 4.0Ahx2,2ACharger
(Type FK) 5.0Ahx2,4ACharger
(Type Z) Solo, Color Box Packing

Battery		20VMAX/4.0Ah×1/ 4.0Ah×2/5.0Ah×2/Solo
Max. Chucking Capacity		16mm
Max. Screw Dia.		10mm
No-load Speed		
	1st gear	0-500/min
	2nd gear	0-2000/min
Max. Drilling Dia.		Steel Φ16mm
		Wood Φ45mm
Torque Setting		23+1
Max. Torque		120N.m
Net Weight		2.4/2.4/2.4/1.8kg



www.dcatools.com


DCA

NEW

20V MAX Lithium-Ion

DCA Global


CORDLESS CRIMPING, CONSISTENT POWER



The (open) crimping head, smoothly rotates by 350°
Convenient for working in narrow space



Micro bipolar hydraulic system
High performance motor, higher efficiency



Hydraulic system with automatic retraction function and manual reset function
Effectively protect the safety of the machine and operators





OLED display
Intuitive display of working status



LED lighting design
Convenient for working in dark space

ADYH300

TYPE(EM/Z)

Cordless Hydraulic Cable Crimping Tool

(Type EM) 4.0Ahx2,2ACharger
(Type Z) Solo, Color Box Packing

Battery	20V/4.0Ah×2/Solo
Max. Crimping force	60KN
Stroke	17mm
Max. Crimping Dia	
	Cu 300mm²/ Al 300mm²
Oil Capacity	≈115mL
Hydraulic Oil Suggestion	
	Shell Tellus S2V HV15
Crimping Cycle	
	2.5-5s (depend on size of cable)
Working Temperature	-10-40℃
Net Weight	4.6/4.0kg



www.dcatools.com

DCA

NEW


20V MAX
Lithium-Ion

DCA Global


CORDLESS CRIMPING, CONSISTENT POWER



The (open) crimping head, smoothly rotates by 350°
Convenient for working in narrow space




Micro bipolar hydraulic system
High performance motor, higher efficiency




Hydraulic system with automatic retraction function and manual reset function
Effectively protect the safety of the machine and operators





OLED display
Intuitive display of working status



LED lighting design
Convenient for working in dark space

ADYH400

TYPE(EM/Z)

Cordless Hydraulic Cable Crimping Tool

(Type EM) 4.0Ahx2,2ACharger
(Type Z) Solo, Color Box Packing

Battery	20V/4.0Ah×2/Solo
Max. Crimping force	120KN
Stroke	42mm
Max. Crimping Dia	Cu 400mm²/ Al 300mm²
Oil Capacity	≈160mL
Hydraulic Oil Suggestion	Shell Tellus S2V HV15
Crimping Cycle	5-15s (depend on size of cable)
Working Temperature	-10-40℃
Net Weight	7.3/6.7kg



www.dcatools.com

DCA

NEW


20V MAX
Lithium-Ion

DCA Global


CORDLESS CRIMPING, CONSISTENT POWER



The (open) crimping head, smoothly rotates by 350°
Convenient for working in narrow space




Micro bipolar hydraulic system
High performance motor, higher efficiency



Hydraulic system with automatic retraction function and manual reset function
Effectively protect the safety of the machine and operators



OLED display
Intuitive display of working status





LED lighting design
Convenient for working in dark space

ADYJ120

TYPE(EM/Z)

Cordless Hydraulic Cable Cutter

(Type EM) 4.0Ahx2,2ACharger
(Type Z) Solo, Color Box Packing

Battery	20VMAX/4.0Ah×2/Solo
Max. Crimping Force	140KN
Stroke	71.5mm
Max. Crimping Dia	Φ120mm
Oil Capacity	≈250mL
Hydraulic Oil Suggestion	Shell Tellus S2V HV15
Working Temperature	-10-40℃
Net Weight	11.4/10.8kg



www.dcatools.com

DCA


NEW

DCA Global

CUTTING AND GROOVING, CUTTING STONE LIKE MUD

13A

13A high power
More efficient



Large ventilation vents
Good load performance

Soft start
Effectively protect the safety of the operator

Adjustable holding angle
Convenient operation



100mm

100mm cutting depth
Meet different working requirement

AZE300
Marble Cutter

Rated Power Iuput	13A
No-load Speed	5000/min
Blade Dia.	Ø300mm
Max. Cutting Capacity	100mm
Net Weight	10.5kg



www.dcatools.com