DCA

NEW

20V MAX Lithium-Ion

DCA Global

STRONG POWER, FAST CRIMPING



350° FREE-ROTATING SHEARING HEAD
Applicable to different working scenarios



MICRO BIPOLAR HYDRAULIC SYSTEM
High performance motor,
higher efficiency



HYDRAULIC SYSTEM WITH AUTOMATIC RETRACTION FUNCTION AND MANUAL RESET FUNCTION
Effectively protect the safety of
the machine and operators





OLED DISPLAY
Intuitive display of working status

LED LIGHTING DESIGN
Convenient for working in dark space

ADYH630

TYPE(EM/Z)

Cordless Hydraulic Cable Crimping Tool

(Type EM) 4.0Ahx2,2ACharger
(Type Z) Solo, Plastic Case Packing

Battery	20VMAX/4.0Ah×2/Solo
Max. Crimping force	180KN
Stroke	27.5mm
Max. Crimping Dia	Cu 630mm²/ Al 500mm²
Oil Capacity	≈260mL
Hydraulic Oil Suggestion	Shell Tellus S2V HV15
Crimping Cycle	5-15s (depend on size of cable)
Working Temperature	-10-40 ℃
Net Weight	6.9/6.3kg



www.dcatools.com

DCA

NEW

20V MAX Lithium-Ion

DCA Global

EFFICIENT SHEARING, SAVING TIME AND EFFORT



350° FREE-ROTATING SHEARING HEAD
Applicable to different working scenarios



MICRO BIPOLAR HYDRAULIC SYSTEM
High performance motor,
higher efficiency



HYDRAULIC SYSTEM WITH AUTOMATIC RETRACTION FUNCTION AND MANUAL RESET FUNCTION
Effectively protect the safety of
the machine and operators





OLED DISPLAY
Intuitive display of working status



LED LIGHTING DESIGN
Convenient for working in dark space

ADYJ55

TYPE(EM/Z)

Cordless Hydraulic Cable Cutter

(Type EM) 4.0Ahx2,2ACharger
(Type Z) Solo, Plastic Case Packing

Battery	20VMAX/4.0Ah×2/Solo
Max. Crimping force	120KN
Stroke	58mm
Max. Crimping Dia	Φ55mm
Oil Capacity	≈260mL
Hydraulic Oil Suggestion5	
	Shell Tellus S2V HV15
Working Temperature	-10-40℃
Net Weight	7.8/7.2kg



www.dcatools.com

DCA


NEW

BRUSHLESS MOTOR

20V MAX Lithium-Ion

DCA Global

CUT STEEL, CUT LIKE A STREAM



BRUSHLESS MOTOR



CLOSED CABLE OUTLET BOX



FAST AND EFFICIENT

Threads wires at a speed of 40m/min



EXCELLENT CONTROL

Prevent overpulling or damage to the wire or the machine



ADCX600

TYPE(DM/BM/Z)
Cordless Brushless Wire Machine

(Type DM) 4.0Ahx1,2ACharger
(Type BM) 4.0Ahx2,2ACharger
(Type Z) Solo, Color Box Packing

Battery	20VMAX/4.0Ahx1/ 4.0Ahx2/solo
No-load Speed	0-40m/min
Pull Force	600N
Net Weight	5.4/5.4/4.8kg



www.dcatools.com

DCA

NEW

BRUSHLESS MOTOR

20V MAX Lithium-Ion

DCA Global

EASY CUTTING WITH LIGHT BODY

PARALLEL STRUCTURE DESIGN

Labor-saving and efficient



ANTI SELF-LOCKING SWITCH




2-SPEED

High: 6700/min Low: 4200/min





LED LIGHT



0-45 ° BEVEL ANGLE ADJUSTMENT

Meet different cutting requirements

ADMY140S

TYPE(DM/EM/FK/Z)

Cordless Brushless Circular Saw

(Type DM) 4.0Ahx1,2ACharger
(Type EM) 4.0Ahx2,2ACharger
(Type FK) 5.0Ahx2,4ACharger
(Type Z) Solo, Carton Packing

Battery		20VMAX/4.0Ah×1/ 4.0Ahx2/5.0Ahx2/Solo
No-load Speed	Low	4200/min
	High	6700/min
Blade Dia.		140mm
Max.Cutting Capacity		0° 51mm
		45° 35mm
Max.Cutting Angle		45°
Net Weight		2.6/2.6/2.6/2.0kg



www.dcatools.com

DCA

NEW

DCA Global

UNOBSTRUCTED CUTTING WITH EASE


1800W

1800W HIGH POWER



TRIGGER SWITCH WITH LOCK-ON BUTTON

ANTI-SPLASH BOARD DESIGN



0-45° BEVEL CUTTING
Adjustable cutting depth



0-38.5mm CUTTING DEPTH ADJUSTMENT



AZE03-125

Marble Cutter

Rated Power Input	1800W
No-load Speed	13500/min
Blade Dia.	Φ125mm
Max. Cutting Capacity	38.5mm
Bevel Cutting Angle	0-45°
Net Weight	3.3kg



www.dcatools.com

DCA

NEW

DCA Global


SAVE TIME AND EFFORT WITH ONE MOLDING



10A High power
One time forming



LONG HANDLE
Easy and comfortable to hold



ADJUSTABLE GROOVING DEPTH AND WIDTH





LARGE DIAMETER INLET AND OUTLET
Effectively extending the lifetime



The dust collecting mouth
External vacuum cleaner can be connected

AZR02-150S
Groove Cutter

Rated Power Input	10A
No-load Speed	7500/min
Blade Dia.	Φ150mm
Max. Cutting Capacity	30mm
Max. Cutting Width	32mm
Net Weight	8.2kg



www.dcatools.com

DCA


NEW

BRUSHLESS MOTOR

20V MAX Lithium-Ion

DCA Global

SMALL AND EFFICIENT PRUNING TOOL



BRUSHLESS MOTOR
Strong power, 10m/s high efficiency cutting



MANUAL OIL PUMPING



1.7KG ULTRA-COMPACT BODY AND LIGHT-WEIGHT
More comfortable to hold

TOOL-LESS CHAIN TIGHTNESS ADJUSTMENT
More convenient to use

ADML20081

TYPE(DM/EM/Z)
Cordless Brushless Chain Saw

(Type DM) 4.0Ahx1,2ACharger
(Type EM) 4.0Ahx2,2ACharger
(Type Z) Solo, Color Box Packing

Battery	20VMAX/4.0Ah×1/ 4.0Ahx2/Solo
No-load Speed	10m/s
Max. Length of Guide Bar	200mm
Net Weight	2.3/2.3/1.7kg



www.dcatools.com

DCA

NEW

BRUSHLESS MOTOR

20V MAX Lithium-Ion

DCA Global

WET/DRY DUST VACUUM, SWEEP THE DUST AWAY!




16KPa MAX. VACUUM PRESSURE

Brushless motor, strong power



COMPACT AND PORTABLE DESIGN


3.2kg body weight



HIGH QUALITY HEPA FILTER

Can filter 99% of 5 micron and above dust





INTELLIGENT WATER FULL MONITORING

Protect motor

ADVC800

TYPE(DM/Z)
Cordless Brushless Vacuum Cleaner

(Type DM) 4.0Ahx1,2ACharger
(Type Z) Solo, Color Box Packing

Battery	20VMAX/4.0Ahx1/Solo
Capacity	8L（water 3L）
Max. Vacuum Pressure	16KPa
Net Weight	3.2/2.6kg



www.dcatools.com

DCA

NEW

20V MAX Lithium-Ion

DCA Global

BRIGHTNESS COMES WITH YOU ANYTIME, ANYWHERE



30W HIGH POWER
Easy to operate in dark space

AC/DC POWER SETTING





360-DEGREE ADJUSTMENT
Match various applications

L M H

3-GEAR BRIGHTNESS
Flexible use in practice

ADWL20

TYPE(Z)
Cordless Work Light

(Type Z) Solo, Color Box Packing

Battery	20VMAX/Solo
Rated Power Input	30W
Color Temperature	6500K
Net Weight	1.6kg




www.dcatools.com

DCA

NEW

DCA Global

ECO-FRIENDLY AND LOW NOISE




MUTING , DUST-PROTECTED
Comfortable working

MINIATURE AND LIGHT WEIGHT
Easy to carry




FASTER AIR PUMPING SPEED
Meet usage requirements



AQE1608L

Oil-free Air Compressor

Rated Power Input	550W
Working Pressure	7Bar
Rated Speed	1400/min
Capacity	8L
Displacement	≥32L/min
Net Weight	14.2kg




www.dcatools.com

DCA

NEW

DCA Global

OIL-FREE, LOW NOISE AND DUSTPROOF



MUTING , DUST-PROTECTED
Comfortable working



FASTER PUMPING AIR SPEED
Foster user acceptance



24L CAPACITY
To meet the needs of multiple tools at the same time



AQE02-1824L

Oil-free Air Compressor

Rated Power Input	750W
Working Pressure	7Bar
Rated Speed	1400/min
Capacity	24L
Displacement	≥45L/min
Net Weight	17.7kg




www.dcatools.com

DCA


NEW

DCA Global

ONE MACHINE FOR MULTIPLE NEEDS



MUTING , DUST-PROTECTED
Comfortable working



DOUBLE AIR PUMP DESIGN
Faster pumping air speed



50L LARGE CAPACITY
To meet the needs of multiple tools at the same time



AQE02-2850L

Oil-free Air Compressor

Rated Power Input	750W×2
Working Pressure	7Bar
Rated Speed	1400/min
Capacity	50L
Displacement	≥95L/min
Net Weight	36.8kg



www.dcatools.com

DCA


NEW

DCA Global

STABLE PERFORMANCE AND LONGER LIFE

HIGH STRENGTH SLEEVE

Precise clamping to prevent looseness and work more stably




DVR HANDLE SHOCK ABSORPTION

Anti-vibration cushioning to improve operating comfort

STABLE PERFORMANCE AND LONGER SERVICE LIFE

Multiple parts improvements makes high durability



AUXILIARY HANDLE

It can rotate 360 ° to reduce work fatigue


Φ 54mm CYLINDER

Large impact and strong crushing capacity

AZG04-15S

Percussion Hammer

Rated input power	1700W
Rated Impact Frequency	1450/min
Impact energy	40J
Weight	15kg



www.dcatools.com

DCA

NEW

DCA Global

HIGH MATERIAL REMOVAL RATE

43J

43J MEASURED IMPACT ENERGY
Powerful demolitionability that can be felt

HIGH STRENGTH SLEEVE
Precise clamping to prevent looseness and work more stably



AUXILIARY HANDLE
It can rotate 360 ° to reduce work fatigue

SELF-LOCKING SWITCH
Easy to use and can reduce fatigue intensity

AZG05-15
Percussion Hammer

Rated Input Power	1600W
Rated Impact Frequency	1400/min
Impact Energy	43J
Weight	15kg



www.dcatools.com

DCA

NEW

DCA Global

STRONG POWER, CONTINUOUS CLEANING

LARGE AIR VOLUME AND HIGH WIND SPEED
High cleaning efficiency



LARGE CAPACITY FUEL TANK, LONG-LASTING POWER



MULTI - SECTION ADJUSTABLE AND LENGTHENED AIR DUCT

ACF19
Petrol Blower

Displacement	76cc
Max. Power	2600W
Max. Air Volume	19m³/min
Max. Speed	7000/min
Fuel Tank Capacity	2L
Net Weight	10.7kg



www.dcatools.com

DCA

NEW

DCA Global

POWERFUL WIND, EASY CLEANING

LARGE AIR VOLUME AND HIGH WIND SPEED
High cleaning efficiency



LARGE CAPACITY FUEL TANK, LONG-LASTING POWER



MULTI - SECTION ADJUSTABLE AND LENGTHENED AIR DUCT

ACF20
Petrol Blower

Displacement	63.3cc
Max. Power	2500W
Max. Air Volume	20m³/min
Max. Speed	6800/min
Fuel Tank Capacity	2L
Net Weight	8.9kg



www.dcatools.com

DCA

NEW

DCA Global

CUT THROUGH METAL LIKE BUTTER

GRIND IRON LIKE A MIRROR



GRINDING WHEEL			
Specification(mm)	colour	Qty in the carton(pcs)	Product Code
115×6×22.23	Black	150	30270500011
125×6×22.23	Black	150	30270500012




CUT OFF WHEEL				
Specification(mm)	colour	Qty in the carton(pcs)	Net	Product Code
105×1.2×16	Black	800	Double Net	30272100008
105×1.2×16	Green	800	Double Net	30272100009
115×1.2×22.23	Black	600	Double Net	30272100010
125×1.2×22.23	Black	600	Double Net	30272100011
355×3.0×25.4	Black	25	Double Net	30272100006
355×3.0×25.4	Green	25	Double Net	30272100007
355×2.5×25.4	Green	30	Single Net	30272100012

DCA

NEW

DCA Global

EACH SHOWING HIS SPECIAL PROWESS



Name of Commodity	Specification	PCS/ CTN	Commodity Code
HCS Plunge Cut Saw Blade (Wood)	32mm(1-1/4")	480	30272600010
BIM Plunge Cut Saw Blade (Wood and Soft Metal)	32mm(1-1/4")	480	30272600001
Segment Saw Blade (Wood and Soft Metal)	Φ85mm（3-1/4")	180	30272600003
Scraper	51×26mm	640	30272600002
Sanding Plate	Φ88mm	120	30272600004
Sanding Sheet P60	P60	1200	30272600005
Sanding Sheet P80	P80	1200	30272600006
Sanding Sheet P100	P100	1200	30272600007
Sanding Sheet P120	P120	1200	30272600008
Sanding Sheet P240	P240	1200	30272600009

DCA

NEW

20V MAX Lithium-Ion

DCA Global

BRIGHTNESS COMES WITH YOU ANYTIME, ANYWHERE



30W HIGH POWER
Easy to operate in dark space

AC/DC POWER SETTING





360-DEGREE ADJUSTMENT
Match various applications

L M H

3-GEAR BRIGHTNESS
Flexible use in practice

ADWL20

TYPE(Z)
Cordless Work Light

(Type Z) Solo, Color Box Packing

Battery	20VMAX/Solo
Rated Power Input	30W
Color Temperature	6500K
Net Weight	1.6kg



www.dcatools.com

DCA

NEW

DCA Global


ENVIRONMENTAL PROTECTION AND LOW NOISE

MUTE AND OIL-FREE
Reduce noise interference

MINIATURE AND LIGHT WEIGHT
Easy to carry




FASTER AIR PUMPING SPEED
Meet usage requirements



AQE1608L

Oil-free Air Compressor

Rated Power Input	550W
Working Pressure	7Bar
Rated Speed	1400/min
Capacity	8L
Displacement	≥32L/min
Net Weight	14.2kg



www.dcatools.com


DCA

NEW

DCA Global

OIL-FREE, BASS AND DUST-PROOF

MUTE AND OIL-FREE
Reduce noise interference



FASTER PUMPING AIR SPEED
Foster user acceptance

24L

24L CAPACITY
To meet the needs of multiple tools at the same time



AQE02-1824L

Oil-free Air Compressor

Rated Power Input	750W
Working Pressure	7Bar
Rated Speed	1400/min
Capacity	24L
Displacement	≥45L/min
Net Weight	17.7kg



www.dcatools.com


DCA

NEW

DCA Global

A VARIETY OF NEEDS, ONE MACHINE TO DEAL WITH

MUTE AND OIL-FREE
Reduce noise interference



DOUBLE AIR PUMP DESIGN
Faster pumping air speed

50L

50L LARGE CAPACITY
To meet the needs of multiple tools at the same time



AQE02-2850L

Oil-free Air Compressor

Rated Power Input	750W×2
Working Pressure	7Bar
Rated Speed	1400/min
Capacity	50L
Displacement	≥95L/min
Net Weight	36.8kg



www.dcatools.com

DCA


NEW

DCA Global

STABLE PERFORMANCE AND LONGER LIFE

HIGH STRENGTH SLEEVE

Precise clamping to prevent looseness and work more stably



DVR HANDLE SHOCK ABSORPTION

Anti-vibration cushioning to improve operating comfort

STABLE PERFORMANCE AND LONGER SERVICE LIFE

Multiple parts improvements makes high durability



AUXILIARY HANDLE

It can rotate 360 ° to reduce work fatigue


Φ 54mm CYLINDER

Large impact and strong crushing capacity

AZG04-15S

Percussion Hammer

Rated input power	1700W
Rated Impact Frequency	1450/min
Impact energy	40J
Weight	15kg



www.dcatools.com

DCA

NEW

DCA Global

HIGH MATERIAL REMOVAL RATE

42.8-48.5J MEASURED IMPACT ENERGY
Powerful demolitionability that can be felt

HIGH STRENGTH SLEEVE
Precise clamping to prevent looseness and work more stably



AUXILIARY HANDLE
It can rotate 360 ° to reduce work fatigue

SELF-LOCKING SWITCH
Easy to use and can reduce fatigue intensity

AZG05-15
Percussion Hammer

Rated Input Power	1600W
Rated Impact Frequency	1400/min
Impact Energy	43J
Weight	15kg



www.dcatools.com

DCA

NEW

DCA Global

STRONG POWER, CONTINUOUS CLEANING

LARGE AIR VOLUME AND HIGH WIND SPEED
High cleaning efficiency



LARGE CAPACITY FUEL TANK, LONG-LASTING POWER



MULTI - SECTION ADJUSTABLE AND LENGTHENED AIR DUCT

ACF19
Petrol Blower

Displacement	76cc
Max. Power	2600W
Max. Air Volume	19m³/min
Max. Speed	7000/min
Fuel Tank Capacity	2L
Net Weight	10.7kg



www.dcatools.com

DCA

NEW

DCA Global

POWERFUL WIND, EASY CLEANING

LARGE AIR VOLUME AND HIGH WIND SPEED
High cleaning efficiency



LARGE CAPACITY FUEL TANK, LONG-LASTING POWER



MULTI - SECTION ADJUSTABLE AND LENGTHENED AIR DUCT

ACF20
Petrol Blower

Displacement	63.3cc
Max. Power	2500W
Max. Air Volume	20m³/min
Max. Speed	6800/min
Fuel Tank Capacity	2L
Net Weight	8.9kg



www.dcatools.com

DCA

NEW

DCA Global

CUT THROUGH METAL LIKE BUTTER

GRIND IRON LIKE A MIRROR



GRINDING WHEEL			
Specification(mm)	colour	Qty in the carton(pcs)	Product Code
115×6×22.23	Black	150	30270500011
125×6×22.23	Black	150	30270500012




CUT OFF WHEEL				
Specification(mm)	colour	Qty in the carton(pcs)	Net	Product Code
105×1.2×16	Black	800	Double Net	30272100008
105×1.2×16	Green	800	Double Net	30272100009
115×1.2×22.23	Black	600	Double Net	30272100010
125×1.2×22.23	Black	600	Double Net	30272100011
355×3.0×25.4	Black	25	Double Net	30272100006
355×3.0×25.4	Green	25	Double Net	30272100007
355×2.5×25.4	Green	30	Single Net	30272100012

DCA

NEW

DCA Global

EACH SHOWING HIS SPECIAL PROWESS



Name of Commodity	Specification	PCS/ CTN	Commodity Code
HCS Plunge Cut Saw Blade (Wood)	32mm(1-1/4")	480	30272600010
BIM Plunge Cut Saw Blade (Wood and Soft Metal)	32mm(1-1/4")	480	30272600001
Segment Saw Blade (Wood and Soft Metal)	Φ85mm（3-1/4")	180	30272600003
Scraper	51×26mm	640	30272600002
Sanding Plate	Φ88mm	120	30272600004
Sanding Sheet P60	P60	1200	30272600005
Sanding Sheet P80	P80	1200	30272600006
Sanding Sheet P100	P100	1200	30272600007
Sanding Sheet P120	P120	1200	30272600008
Sanding Sheet P240	P240	1200	30272600009