DCA

NEW

EC BRUSHLESS MOTOR

20V MAX Lithium-Ion

DCA Global

COMPACT BODY WITH POWERFUL TORQUE



BRUSHLESS MOTOR

High efficiency， powerful and durable



20+1 TORQUE SETTING

Applicable to different working conditions

147mm



ULTRA-COMPACT BODY


Easy to carry and comfortable to hold





60N.m MAX TORQUE

Efficient output



2-SPEED ADJUSTMENT

Meet different requirements

ADJZ2060

TYPE(ADM/EM/Z)

Cordless Brushless Driver Drill

(Type ADM) 2.0Ahx1, 2ACharger
(Type EM) 4.0Ahx2, 2ACharger
(Type Z) Solo, Color Box Packing

Battery	20V MAX/2.0Ah×1/4.0Ah×2/Solo	
Max. Chucking Capacity		13mm
No-load Speed	1st gear	0-600/min
	2nd gear	0-2300/min
Max. Drilling Dia.	Steel	Φ13mm
	Wood	Φ38mm
Torque Setting		20+1
Max. Torque		60N.m
Net Weight		1.4/1.7/1.1kg



www.dcatools.com

DCA

NEW

EC BRUSHLESS MOTOR

20V MAX Lithium-Ion

DCA Global

WIRELESS AND LIGHTWEIGHT WITHOUT LOSING THE POWERFUL IMPACT



BRUSHLESS MOTOR

High efficiency， powerful and durable



20+2 TORQUE SETTING

Applicable to different working conditions



60N.m MAX TORQUE


Efficient output





ULTRA-COMPACT BODY

Easy to carry and comfortable to hold



2-SPEED ADJUSTMENT

Meet different requirements

ADJZ2060i

TYPE(ADM/EM/Z)
Cordless Brushless Driver/Hammer Drill

(Type ADM) 2.0Ahx1, 2ACharger
(Type EM) 4.0Ahx2, 2ACharger
(Type Z) Solo, Color Box Packing

Battery	20V MAX/2.0Ah×1/4.0Ah×2/Solo	
Max. Chucking Capacity		13mm
Rated Impact Frequency		0-34500/min
No-load Speed	1st gear	0-600/min
	2nd gear	0-2300/min
Max. Drilling Dia.	Steel	Φ13mm
	Brick wall	Φ13mm
	Wood	Φ38mm
Torque Setting		20+2
Max. Torque		60N.m
Net Weight		1.5/1.7/1.1kg



www.dcatools.com

DCA


NEW

EC BRUSHLESS MOTOR

20V MAX Lithium-Ion

DCA Global

ULTRA IMPACT POWER BRINGS MORE EFFICIENT EXPERIENCE



BRUSHLESS MOTOR

High efficiency， powerful and durable



NEW OPTIMIZED AIR DUCT DESIGN



698N.m MAX TORQUE

Efficient output





4-SPEED & TORQUEADJUSTMENT

Meet different working requirements



COMPACT BODY

Easy to carry and comfortable to hold

ADPB698

TYPE(DM/FK/HK/Z)

Cordless Brushless Impact Wrench

(Type DM) 5.0Ahx1, 2ACharger
(Type FK) 5.0Ahx2, 4ACharger
(Type HK) 6.0Ahx2, 4ACharger
(Type Z) Solo, Color Box Packing

Battery	20V MAX/5.0Ah×1/5.0Ah×2/6.0Ah×2/Solo	
Square Drive Size	12.7mm(1/2")	
No-load Speed	1 gear	500/min
	2 gear	1200/min
	3 gear	1900/min
	4 gear	2200/min
Rated Impact Frequency	1 gear	1000/min
	2 gear	1700/min
	3 gear	2400/min
	4 gear	2700/min
Torque Setting	1 gear	300N.m
	2 gear	400N.m
	3 gear	500N.m
	4 gear	698N.m
Nut-Busting Torque		910N.m
Standard Bolt Size		M10-M24
Net Weight		2.5/2.5/2.7/1.9kg



www.dcatools.com

DCA

NEW

EC BRUSHLESS MOTOR

12V Lithium-Ion

DCA Global

STRONG IMPACT, EFFICIENT PIONEER



BRUSHLESS MOTOR

High efficiency， powerful and durable



SINGLE BATTERY PACK PERFORMANCE

Single fully charged 12V2.0Ah battery pack in H-gear: screw in approx. 105 ST6*50 screws



COMPACT BODY

Easy to carry and comfortable to hold





2-SPEED ADJUSTMENT +SELF-TAPPING SCREW MODE

Applicable to different working conditions

ADPL04-8

TYPE(EK/Z)

Cordless Brushless Impact Driver

(Type EK) 2.0Ahx2, 3ACharger
(Type Z) Solo, Color Box Packing

Battery	12VMAX/2.0Ah×2/Solo
Standard Bolt Size	M5-M14mm
Clamping Capacity	6.35mm
No-load Speed	0-1200/0-3300/min
Rated Impact Frequency	0-1600/0-4000/min
Max. Fastening Torque	140N.m
Net Weight	0.9/0.7kg



www.dcatools.com

DCA

NEW

EC BRUSHLESS MOTOR

20V MAX Lithium-Ion

DCA Global

COMPACT AND INTELLIGENT WITH MULTI- USAGE

OIL-FREE AND NOISELESS
Providing Cleaner Gas



ADJUSTABLE PRESSURE
To meet different working requirements

SOFT START & CONSTANT SPEED CONTROL
Faster And More Stable Inflating



9Bar

MAXIMUM AIR PRESSURE UP TO 9 Bar

ADQE550/6

TYPE(Z)
Cordless Air Compressor

(Type Z) Solo, Color Box Packing

Battery	20V MAX/solo
Max. Power Output	500W
No load Speed	1700/min
Max. Working Pressure	9Bar
Capacity	6L
Displacement	35L/min
Net Weight	11.8kg



www.dcatools.com

DCA

NEW

DCA Global


CUTTING PIONEER

1500W

1500W HIGH POWER



LARGE DUST OUTLET
For smooth chip discharge



LIGHT-WEIGHT MODEL
Adjustable bevel cutting angle
Between 0 to 45°





DOUBLE HANDLE
Labor saving and high efficiency

AMY07-185
Electric Circular Saw

Rated Power Input	1500W
No-load Speed	5300/min
Blade Dia.	185mm
Max. Cutting Capacity	0° 64mm
	45° 45mm
Max. Cutting Angle	45°
Net Weight	4.1kg



www.dcatools.com

DCA

NEW


DCA Global

GREAT GRINDING PERFORMANCE IN TIGHT SPACES

710W

710W HIGH POWER MOTOR

Deliver 33000/min no-load speed
For grinding applications



DETACHABLE DUSTPROOF NET

Reduce damage to motor and bearing



AUTO STOP CARBON BRUSH

Effective protection for the motor





ANTI-SLIP SLIM BARREL

Comfortable to hold

EXTENDED OUTPUT SHAFT

Suitable for grinding in narrow space

ASJ08-25L

Die Grinder

Rated Power Input	710W
No-load Speed	33000/min
Max.grinding Wheel Dia.	Φ25mm
Max. Collet Size	6mm
Net Weight	2.0kg



www.dcatools.com

DCA

NEW

DCA Global

GOOD BALANCE
BETWEEN EFFICIENT AND COMFORTABLE

1500W

1500W SUPER POWER
More efficient

AUTO STOP

AUTO STOP CARBON BRUSH
Effective protection for the motor

DOUBLE PROTECTION
Anti-restart and soft start function



ELECTRONIC CONSTANT SPEED CONTROL
Maintains constant speed under load

ASM05-150
Angle Grinder

Rated Power Input	1500W
No-load Speed	9000 /min
Max.Wheel Dia.	Φ150mm
Hole Dia. of Wheel	Φ22mm
Spindle Thread	M14
Net Weight	2.4kg



www.dcatools.com

DCA

NEW

DCA Global

EXCELLENT BOX FOR YOUR TOOLS



STURDY AND DURABLE

With a load capacity of more than 200kg



BOXES CAN BE COMBINED WITH EACH OTHER TO FACILITATE STORAGE



DOUBLE-SIDED HANDLE

Easy to carry



A-STACK

Stacking Boxes

Capacity	450*300*200mm
Net Weight	2kg



www.dcatools.com

DCA

NEW

DCA Global

DURABLE, EFFICIENT AND PROFESSIONAL

960W

960W HIGH-QUALITY MOTOR

NEW SAFETY RELEASE CLUTCH



SDS

SDS-PLUS

rotary hammer

demolition

TWO FUNCTIONS

Rotary hammer and demolition

AZC02-28SH

Electric Rotary Hammer

Rated Power Input	960W
Impact Energy	3.2J
No-load Speed	1000/min
Rated Impact Frequency	5000/min
Max. Drilling Capacity	
	Concrete Φ28mm
Net Weight	5.0kg



www.dcatools.com