

DCA




20^{MAX}
V
Lithium-Ion



FACEBOOK
ACCOUNT

BRUSHLESS RECIPROCATING SAW WITH
OUTSTANDING SAWING POWER



Brushless motor
High efficiency



One-hand design
Easy and comfortable to hold



Newly upgraded vibration
absorbing system
Effectively reduce operator fatigue

"Tool-less" blade change system
Convenient and efficient

ADJF22 TYPE(DM/EM/FK/Z) Cordless Brushless Reciprocating Saw (Type DM) 4.0Ahx1,2ACharger (Type EM) 4.0Ahx2,2ACharger (Type FK) 5.0Ahx2,4ACharger (Type Z) Solo, Color Box Packing 	Battery	20VMAX/4.0Ahx1/ 4.0Ahx2/5.0Ahx2/Solo
	Stroke	22mm
	Max. Cutting Depth	
	Metal	Φ15mm
	Wood	Φ180mm
	Pipe	Φ100mm
	No-load Speed	0-3000r/min
	Net Weight	2.4/2.4/2.4/1.8kg



DCA



20^{MAX}V
Lithium-Ion



FACEBOOK
ACCOUNT

COMPACT BUT HIGH POWER



Brushless motor
High efficiency



Ultra-compact body
Easy to carry and comfortable to hold

50N.m Max torque
Efficient output

20+1、20+2 torque setting
Applicable to different working conditions

High-strength keyless chuck
Prevent loosing and work more steadily

ADJZ2050

ADJZ2050i



ADJZ2050/
ADJZ2050i

TYPE(DM/EM/Z)
Cordless Brushless
Driver/Hammer Drill

(Type DM) 2.0Ahx1,2ACharger
(Type EM) 4.0Ahx2,2ACharger
(Type Z) Solo, Color Box Packing



Battery 20VMAX/2.0Ah×1/4.0Ah×2/Solo		
Max. Chucking Capacity		13mm

No-load Speed	1st gear	0-600r/min
	2nd gear	0-2000r/min
Max. Drilling Dia. Steel		Φ13mm

	Wood	Φ32mm
Torque Setting		20+1
Max. Torque		50N.m
Net Weight		1.22/1.48/0.86kg

Battery 20VMAX/2.0Ah×1/4.0Ah×2/Solo		
Max. Chucking Capacity	13mm	
Rated Impact Frequency	0-27000/min	
No-load Speed	1st gear	0-550r/min
	2nd gear	0-1800r/min
Max. Drilling Dia. Steel	Φ13mm	
	Brick Wall	Φ13mm
	Wood	Φ32mm
Torque Setting	20+2	
Max. Torque	50N.m	
Net Weight	1.28/1.54/0.92kg	

DCA




20^{MAX}
V
Lithium-Ion




FACEBOOK
ACCOUNT

SMALL FIGURE, HIGH TORQUE




Brushless motor
High efficiency



Smart loosen function
Easy to disassemble



Compact body
Easy to carry and comfortable to hold



3-speed adjustment
Applicable to different working conditions



Steel bushing retaining ring
Effectively prevent the sleeve from loosening

ADPB488
TYPE(DM/EM/FK/Z)

**Cordless Brushless
Impact Wrench**

(Type DM) 4.0Ahx1,2ACharger
(Type EM) 4.0Ahx2,2ACharger
(Type FK) 5.0Ahx2,4ACharger
(Type Z) Solo, Color Box Packing



Battery	20VMAX/4.0Ahx1/ 4.0Ahx2/5.0Ahx2/Solo
Square Drive Size	12.7mm(1/2")
No-load Speed	Low 1800r/min Middle 2100r/min High 2400r/min
Impact Frequency	Low 2600/min Middle 3000/min High 3500/min
Torque Setting	Low 350N.m Middle 400N.m High 488N.m
Max. Torque	488N.m
Net Weight	2.0/2.0/2.0/1.4kg



DCA



FACEBOOK
ACCOUNT

GOOD BALANCE BETWEEN EFFICIENT AND COMFORTABLE



Auto stop carbon brush
Effectively extend the lifetime of motor



1500W Super power more efficient



Double protection
Anti-restart and soft start function

Electronic constant speed control
Maintains constant speed under load

Push button spindle lock
Convenient and efficient

ASM05-150 Angle Grinder



Rated Power Input	1500W
No-load Speed	9000r/min
Max.Wheel Dia.	Φ150mm
Hole Dia. of Wheel	Φ22mm
Net Weight	2.3kg



www.dcatools.com