DCA

NEW EC BRUSHLESS 20V MAX Lithium-Ion

DCA Global

ATTRACTIVE AND COMPETITIVE



HAMMER DRILL : VARIABLE 2-SPEED
1/2" HAMMER DRIVER-DRILL
(0-600& 0-2300 NO-LOAD SPEED);
60N.M OF MAX TORQUE



INCLUDES
ADJZ2060i(Z), ADPL208(Z)
20VMAX LITHIUM-ION BATTERIES
4.0AH *2, 4A CHARGER



IMPACT DRIVER : 3-SPEED
(0-1000/0-2600/0-3200 NO-LOAD SPEED
& 0-700/0-3600/0-4300 IMPACT
PER MINUTE) PROVIDES 208N.M
OF MAX TORQUE IN TOTAL
LENGTH 107MM



50%

EFFICIENCY : BRUSHLESS MOTOR
OPTIMIZES BATTERY ENERGY USE
FOR UP TO 50%
LONGER RUN TIME PER CHARGE

Target Users: Wood Workers

ADKIT26

Cordless Brushless Combo Kit

Battery	20VMAX/4.0Ah×2
Include	ADJZ2060i(Z)&ADPL208(Z)
Battery Charge Time (minutes)	65
Gross Weight	6.2kg



www.dcatools.com

DCA

NEW EC BRUSHLESS 20V MAX Lithium-Ion

DCA Global

20V LITHIUM-ION CORDLESS BRUSHLESS

2-PC.COMBO KIT(4.0AH×2)



IMPACT DRIVER

Powerful brushless motor delivers 208N.m
of max torque with a compact body of 107mm



ANGLE GRINDER

Ultra-compact and powerful
2.2Kg compact body
680W powerful brushless motor



INCLUDES

ADPL208(Z), ADSM03-100(Z),
20V MAX Lithium-Ion battery 4.0Ah×2,
4A Charger, D-STACK stacking box



50%

TECHNOLOGY

Electronically controlled brushless motor
optimizes battery energy use for
up to 50% longer run time

Target Users: Wood Workers Metalworking Workers

ADKIT27

(TYPE EK)

Cordless Brushless
Combo Kit

Battery	20V MAX/4.0Ah×2
Include	
ADPL208(Z) & ADSM03-100(Z)	
Battery Charge Time	65min
Gross Weight	7kg



www.dcatools.com

DCA

NEW EC BRUSHLESS 20V MAX Lithium-Ion

DCA Global

20V LITHIUM-ION CORDLESS BRUSHLESS

2-PC.COMBO KIT(4.0AH×2)



IMPACT WRENCH

Powerful brushless motor delivers 358N.m
of max torque with a compact body of 129mm



INCLUDES

ADPB358(Z), ADJZ2060i(Z),
20V MAX Lithium-Ion battery 4.0Ah×2,
4A Charger, D-STACK stacking box



HAMMER DRILL

Powerful brushless motor delivers 60N.m
of max torque with a compact body of 152mm



50%

TECHNOLOGY

Electronically controlled brushless motor
optimizes battery energy use for
up to 50% longer run time

Target Users: Wood Workers · Automobile Maintenance

ADKIT28
(TYPE EK)
Cordless Brushless
Combo Kit

Battery	20V MAX/4.0Ah×2
Include	ADPL358(Z) & ADJZ2060i(Z)
Battery Charge Time	65min
Gross Weight	6.6kg



www.dcatools.com

DCA

NEW EC BRUSHLESS 20V MAX Lithium-Ion

DCA Global

20V LITHIUM-ION CORDLESS BRUSHLESS 2-PC.COMBO KIT(4.0AH×2)



IMPACT WRENCH

Powerful brushless motor delivers 358N.m of max torque with a compact body of 129mm



INCLUDES

ADPB358(Z), ADPL208(Z),
20V MAX Lithium-Ion battery 4.0Ah×2,
4A Charger, D-STACK stacking box



IMPACT DRIVER

Powerful brushless motor delivers 208N.m of max torque with a compact body of 107mm



50%

TECHNOLOGY

Electronically controlled brushless motor optimizes battery energy use for up to 50% longer run time

Target Users: Wood Workers Automobile Maintenance

ADKIT29
(TYPE EK)
Cordless Brushless Combo Kit

Battery	20V MAX/4.0Ah×2
Include	ADPB358(Z) & ADPL208(Z)
Battery Charge Time	65min
Gross Weight	6.6kg




www.dcatools.com

DCA


NEW EC BRUSHLESS 20V MAX Lithium-Ion

DCA Global

UNRESTRICTED, PLANING WOOD EXPERT



HIGH TORQUE INTEGRATED MOTOR



BELT DRIVE
Good toughness and
wear resistance, easy to replace

AUXILIARY INVERTED RULER
To ensure straight planing



TWO-WAY DUST GENERATION



DOUBLE ROLLING BLADES
Easy planing wood



Target Users: Furniture Factory Workers · Woodworking Factory Workers · Interior Decoration Workers

ADMB82

TYPE(BM/DM/Z)

Cordless Brushless Planer

(Type BM) 4.0Ahx2, 2ACharger
(Type DM) 4.0Ahx1, 2ACharger
(Type Z) Solo, Color Box Packing

Battery	20V MAX/4.0Ah×2/ 4.0Ah×1/Solo
Max. Power Output	600W
No-load speed	14500/min
Max.Planing Width	82mm
Max.Planing Depth	2mm
Net Weight	2.9/2.9/2.3kg




www.dcatools.com

DCA


NEW EC BRUSHLESS 20V MAX Lithium-Ion

DCA Global

NEWLY UPGRADED, WOOD BUSTER




840W POWERFUL MOTOR
High efficiency cutting



ADJUSTABLE 0-50°
BEVEL CUTTING ANGLE

LED WORKING LIGHT
Meet the poor lighting
working conditions



RUBBERIZED HANDLE
Comfortable operation



0-59MM ADJUSTABLE CUTTING DEPTH
Quickly Return To Work



Target Users: Furniture Factory Workers · Woodworking Factory Workers · Interior Decoration Workers

ADMY165S

TYPE(FK/BM/DM/Z)
Cordless Brushless
Circular Saw

(Type FK) 5.0Ahx2, 4ACharger
(Type BM) 4.0Ahx2, 2ACharger
(Type DM) 4.0Ahx1, 2ACharger
(Type Z) Solo, Color Box Packing

Battery	20V MAX/5.0Ah×2/ 4.0Ah×2/4.0Ah×1/Solo
Max. Power Output	840W
No-load Speed	5000/min
Blade Dia.	165mm
Blade Bore.	Φ20 mm
Max. Cutting Capacity	0° 59mm
	45° 43mm
	50° 39mm
Max. Cutting Angle	50°
Net Weight	3.8/3.8/3.8/3.2kg




www.dcatools.com

DCA

NEW

DCA Global

HIGH POWER, HIGH EFFICIENCY



2200W POWERFUL MOTOR

Cutting efficiency



SEPARATE AUXILIARY HANDLE

More portable and comfortable to operate



ALUMINUM HOUSING

Durable and good heat dissipation





THICKENED BASE PLATE

Cutting stability

Target Users: Furniture Factory Workers · Woodworking Factory Workers · Interior Decoration Workers

AMY04-235

Electric Circular Saw

Rated Power Input	2200W
No-load Speed	4000/min
Blade Dia.	235mm
Blade Bore.	Φ25.4 mm
Max. cutting Capacity	90° 84.5mm
	45° 62mm
Max. cutting Angle	45°
Net Weight	7.3kg



www.dcatools.com

DCA

NEW

DCA Global

LIGHT-WEIGHT BUT POWERFUL

8Bar

8BAR WORKING PRESSURE OUTPUT



HIGH QUALITY NOISE REDUCTION MODULE


Providing a quiet working environment

36s

36 SECOND FILLING TIME

OIL FREE DESIGN

Maintenance-free, cleaner air source



DUAL CYLINDER COMPRESSION DESIGN

For faster air intake speed



Target Users: Wood Wtorkers ·Painter

AQE1100/8L

Oil-Free Air Compressor

Rated Power Input	1100W
No-load Speed	2850 /min
Working Pressure	8Bar
Capacity	8L
Displacement	70L/min
Net Weight	14.2kg



www.dcatools.com

DCA

NEW

DCA Global

POWERFUL , HIGH-SPEED AIR INFLATION

8Bar

8BAR WORKING PRESSURE OUTPUT



HIGH QUALITY NOISE REDUCTION MODULE


Providing a quiet working environment

85s

85 SECOND FILLING TIME

OIL FREE DESIGN

Maintenance-free, cleaner air source



DUAL CYLINDER COMPRESSION DESIGN

For faster air intake speed



Target Users: Wood Workers Painter

AQE1100/24L

Oil-Free Air Compressor

Rated Power Input	1100W
No-load Speed	2850/min
Working Pressure	8Bar
Capacity	24L
Displacement	70L/min
Net Weight	18.2kg




www.dcatools.com

DCA

NEW

DCA Global

ULTRAL-SLIM AND POWERFUL



178mm ULTRA-SLIM BODY

Comfortable hold makes easy control



860W POWERFUL MOTOR

For optimum performance



LABYRINTH DUSTPROOF STRUCTURE

Protect bearings and gears



HIGH STRENGTH GEARS

For longer lifetime

Target Users: Metalworking Workers

ASM18-100/ ASM18-115

Angle Grinder

Rated Power Input	860W
No-load Speed	13000/11800min
Max.Wheel Dia.	Φ100/Φ115mm
Hole Dia. of Wheel	Φ16/Φ22mm
Spindle Thread	M10/M14
Net Weight	1.4kg



www.dcatools.com

DCA


NEW

DCA Global


EFFICIENT DRILLING AND EXCELLENT DUST COLLECTION SYSTEM



800W HIGH POWER
Work more efficiently




VISUAL DUST COLLECTION BOX
Easy cleaning at the touch of a button




1200/MIN MAXIMUM NO-LOAD SPEED
1200/min creates a wind pressure that collects dust efficiently





125MM MAX. DUST-COLLECTING DRILLING STROKE



99.97% DUST BARRIER OF HEPA FILTER

Target Users: Home Decorators Construction Workers

AZC05-26XC
HAMMER DRILL

Rated Power Input	800W
Impact Energy	3.1J
No-load Speed	0-1200/min
Rated Impact Frequency	0-4000/min
Max. Drilling Dia.(Concrete)	
With Dust Extraction	Φ16mm
Solo	Φ26mm
Net Weight	3.7kg



www.dcatools.com

DCA


NEW

DCA Global

PRACTICAL TOOLS FOR POURING BEAMS AND GROUTING



1200W HIGH POWER MOTOR




LOCKING BUTTON

To reduce the intensity of operation



RUBBERIZED HANDLE

Comfortable grip



LARGE COOLING HOLES

To avoid burning



CAST ALUMINUM HEAD

Strong and durable



Target Users: Construction Workers · Road Pouring

AZD35

Hand-held Electric Concrete Vibrator

Rated current Input	1200W
No-load Speed	4300/min
Output shaft specification	8mm
Net Weight	2.0kg



www.dcatools.com

DCA

NEW

DCA Global

SOLID AS A ROCK, HOLDING ON TIGHT



10mm
METAL DRILL CHUCK
(KEYLESS & SELF-LOCKING)



10mm
METAL DRILL CHUCK
(KEYLESS)



13mm
METAL DRILL CHUCK
(KEYLESS & SELF-LOCKING)

FEATURES

1 **Full metal shell with high strength:** strong and durable

2 **Ratchet self-locking device:** not easy to slip

3 **Surface with knurled design:** flexible operation


Model	Name	Specification	Product Code
	Metal Drill Chuck(keyless & Self-locking	10mm 3/8-24UNF-2B	30271200025
	Metal Drill Chuck(keyless)	10mm 3/8-24UNF-2B	30271200026
	Metal Drill Chuck(keyless & Self-locking)	13mm 1/2-20UNF-2B	30271200027


DCA

NEW

DCA Global

THIN AND SHARP; SMOOTH CUTTING





Microlite stone cutting



Tile cutting



Floor tile cutting

FEATURES

1 **Dry cutting without cracking**

2 **High effective cutting with water**

Diamond Saw Blade				Ring		Packing	Product Code
Diameter (mm)	Tooth Thickness (mm)	Hole Diameter (mm)	Application Scenarios	Outer Diameter (mm)	Hole Diameter (mm)	PCS/CTN	
Φ105	1.2	20	Vitrified brick	20	16	200	30270100038

DCA

NEW

DCA Global

EACH SHOWING HIS SPECIAL PROWESS





wood



nailed wood



metal



soft brick

FEATURES

1 **Wide applicability:** A variety of materials easy to handle

2 **With recessed serrations:** sharper, smoother cutting

3 **High quality materials:** More durable, high hardness and toughness

Model	Overall Length (mm)	Application	Tooth Material	Tooth Per Inch	Product Code
No.21	125(5")	Metal	BIM	24	30270800006
No.22	165(6-1/2")	Metal	BIM	14	30270800007
No.23	165(6-1/2")	Wood+Nail	BIM	10	30270800008
DC1411D	300(12")	Wood	HCS	6	30270800010
DC1531L	240(9-1/2")	Wood	HCS	5	30270800011
DC644D	150(6")	Wood	HCS	6	30270800009
DC1111DF	225(9")	Wood+Nail	BIM	6	30270800015
DC1122BF	225(9")	Metal	BIM	14	30270800012
DC1122EF	225(9")	Metal	BIM	18	30270800013
DC1225VF	300(12")	Metal	BIM	14	30270800014
DC2243HM	455(18")	Aerated Concrete / Soft Brick	HM/TC	2	30270800018
DC1243HM	305(12")	Aerated Concrete / Soft Brick	HM/TC	2	30270800017
DC1543HM	240(10")	Aerated Concrete / Soft Brick	HM/TC	2	30270800016