DCA

NEW EC BRUSHLESS 12V MAX Lithium-Ion

DCA Global

EXTREMELY ATTRACTIVE AND COMPETITIVE

35N·m

35N.m MAX TORQUE

Efficient output



BRUSHLESS MOTOR

High efficiency, powerful and durable

18+1

18+1 TORQUE SETTING

Applicable to different working conditions

0.9KG LIGHT-WEIGHT BODY



HIGH TORQUE FOR SCREW DRIVING
HIGH SPEED FOR DRILLING

With 2-speed gearbox



Target Users: Electricians · Plumbers · Decorators

ADJZ1203

TYPE(E)

Cordless Brushless Driver Drill

(Type E) 2.0Ahx2, 1.3ACharger

Battey	12VMAX/2.0Ah×2
Max. Power Output	230W
Max. Chucking Capacity	10mm
Max. Screw Dia.	7mm
No-load Speed	
1st gear	0-500/min
2nd gear	0-1800/min
Max. Drilling Dia.	Steel Φ10mm
	Wood Φ20mm
Torque Setting	18+1
Max. Torque	35N.m
Net Weight	0.9 kg



www.dcatools.com

DCA

NEW

EC BRUSHLESS

16v Lithium-Ion

DCA Global

EXTREMELY ATTRACTIVE AND COMPETITIVE

40N·m

40N·m MAX TORQUE

Efficient output



BRUSHLESS MOTOR

High efficiency, powerful and durable



18+1

18+1 TORQUE SETTING

Applicable to different working conditions

1.0KG LIGHT-WEIGHT BODY



HIGH TORQUE FOR SCREW DRIVING
HIGH SPEED FOR DRILLING

With 2-speed gearbox

Target Users: Electricians · Plumbers · Decorators

ADJZ1604

TYPE(E)

Cordless Brushless Driver Drill

(Type E) 2.0Ahx2, 1.3ACharger

Battery	16V/2.0Ah×2
Max. Power Output	250W
Max. Chucking Capacity	10mm
Max. Screw Dia.	7mm
No-load Speed	
1st gear	0-500/min
2nd gear	0-1800/min
Max. Drilling Dia.	Steel Φ10mm
	Wood Φ20mm
Torque Setting	18+1
Max. Torque	40N.m
Net Weight	1.0 kg



www.dcatools.com

DCA

NEW

EC BRUSHLESS

16v Lithium-Ion


DCA Global

EXTREMELY ATTRACTIVE AND COMPETITIVE

40N·m

40N·m MAX TORQUE

Efficient output



BRUSHLESS MOTOR

High efficiency, powerful and durable

1.1KG LIGHT-WEIGHT BODY

18+2

18+2 TORQUE SETTING

Applicable to different working conditions



10MM METAL CHUCK

For clamping more steadily

Target Users: Electricians · Plumbers · Decorators

ADJZ1604i

TYPE(E)

Cordless Brushless Driver/ Hammer Drill

(Type E) 2.0Ahx2, 1.3ACharger

Battery	16V/2.0Ah×2
Max. Power Output	250W
Max. Chucking Capacity	10mm
Max. Screw Dia.	7mm
Impact Frequency	0-27000/min
No-load Speed	
1st gear	0-500/min
2nd gear	0-1800/min
Max. Drilling Dia. Steel	Φ10mm
Brick wall	Φ8mm
Wood	Φ20mm
Torque Setting	18+2
Max. Torque	40N·m
Net Weight	1.1kg




www.dcatools.com

DCA

NEW

DCA Global


WOOD AND ALUMINUM BUSTERS



1800W POWERFUL MOTOR


GEAR TRANSMISSION STRUCTURE

Good durability



0-45° BEVEL CUTTING





RUBBERIZED HANDLE

For comfortable grip

WIDENED DIE CAST BASE

Good cutting stability

Target Users : Wood Workers · Aluminum Processing Workers

AJX09-255

Electric Miter Saw

Rated Power Input	1800W
No-load Speed	5300/min
Hole Dia. Of Blade	Φ25.4mm
Blade Dia.	255mm
Net Weight	10.5kg

Max.Cutting Capacity（H×W）	Miter Angle	0°	45° Left and Right
	Bevel Angle		
	0°	70×140mm	70×100mm
	45°Left	48×135mm	48×98mm


www.dcatools.com

DCA

NEW

DCA Global

WOOD AND ALUMINUM BUSTERS



1800W POWERFUL MOTOR




RUBBERIZED HANDLE

For comfortable grip

GEAR TRANSMISSION STRUCTURE

Good durability




WIDENED DIE CAST BASE

Good cutting stability



0-45° BEVEL CUTTING



SLIDING RAIL DEVICE

Wider cutting range

Target Users: Wood Workers · Aluminum Processing Workers

AJX10-255

Slide Compound Miter Saw

Rated Power Input			1800W
No-load Speed			5300/min
Hole Dia. Of Blade			Φ25.4mm
Blade Dia.			255mm
Net Weight			13.7kg
Max.Cutting Capacity (H×W)	Miter Angle	0°	45° Left and Right
	Bevel Angle		
	0°	89×320mm	89×210mm
	45°Left	42×320mm	42×210mm



www.dcatools.com