

DCA



EC
BRUSHLESS

12v
Lithium-Ion




DCA Global

168N.m TORQUE WITH POCKET SIZE BODY



BRUSHLESS MOTOR

Delivering to 168N.m fastening torque



2-MODE CONTROL

Providing excellent control over output speed/torque for different working conditions



125mm COMPACT BODY

Perfect control in narrow spaces



Target Users: *Construction Workers*

ADPB168

TYPE(EK/Z)

Cordless Brushless
Impact Wrench

(Type EK) 2.0Ahx2, 3A Charger

(Type Z) Solo



Battery	12V MAX/2.0Ah×2/ Solo
Max. Power Output	300W
Square Drive Size	9.5mm(3/8")
No-load Speed	
L gear	1600/min
H gear	2950/min
Impact Frequency	
L gear	1800/min
H gear	3600/min
Max. Torque	168N.m
Nut-Busting Torque	220N.m
Standard Bolt Size	M5-M14
Net Weight	0.9/ 0.7 kg



www.dcatools.com

DCA



EC
BRUSHLESS

20^{MAX}V
Lithium-Ion



DCA Global

HIGH TORQUE WITH LIGHT-WEIGHT BODY



BRUSHLESS MOTOR

Delivering up to 165N.m of torque




125mm COMPACT BODY

Perfect control in narrow spaces



SELF-TAPPING MODE

Soft start for accurate positioning



3-MODE CONTROL

Providing excellent control over output speed/torque for different working conditions

Target Users: Woodworkers · Decoration Workers

ADPL165

TYPE(ADM/EM/Z)

Cordless Brushless Impact Driver

(Type ADM) 2.0Ahx1, 2A Charger
(Type EM) 4.0Ahx2, 2A Charger
(Type Z) Solo



Battery	20V MAX/2.0Ah×1/ 4.0Ah×2/Solo
Max. Power Output	450W
Standard Bolt Size	M5-M16
Clamping Capacity	6.35mm
No-load Speed	
L gear	0-1200/min
M gear	0-2100/min
H gear	0-3300/min
Impact Frequency	
L gear	0-1300/min
M gear	0-3300/min
H gear	0-4300/min
Max. Fastening Torque	165N.m
Net Weight	1.2/1.4/0.8kg



www.dcatools.com

DCA



20^{MAX}V
Lithium-Ion



DCA Global

40N.m HIGH TORQUE OUTPUT



40N.m HIGH TORQUE OUTPUT


18⁺2

18+2 TORQUE SETTING

Applicable to different working conditions



13mm HIGH-STRENGTH KEYLESS CHUCK



2-SPEED ADJUSTMENT

High torque for screw driving, high speed for drilling



RUBBERIZED HANDLE

Comfortable to hold



Target Users: *Woodworkers · Electricians*

ADJZ2035i13

TYPE(ADM/AM/Z)

Cordless Driver/
Hammer Drill

(Type ADM) 2.0Ahx1, 2A Charger
(Type AM) 2.0Ahx2, 2A Charger
(Type Z) Solo



Battery	20V MAX/2.0Ah×1/ 2.0Ah×2/Solo
Max. Power Output	220W
Max. Chucking Capacity	13mm
No-load Speed	1st gear 0-400/min 2nd gear 0-1500/min
Impact Frequency	0-22500/min
Max. Drilling Dia.	Steel Φ13mm Brick Wall Φ8mm Wood Φ20mm
Torque Setting	18+2
Max. Torque	40N·m
Net Weight	1.3/1.3/1.0kg



www.dcatools.com

DCA



EC
BRUSHLESS

20^{MAX}V
Lithium-Ion



DCA Global

HIGH ACCURACY AND EFFICIENCY



EXTERNAL DUST COLLECTION EQUIPMENT

Can be connected



TOOL-LESS BLADE CHANGE SYSTEM

Allow for faster blade installation and removal



4 ORBITAL-ACTION SETTINGS

For increased cutting performance



6-SPEED ADJUSTMENT

Applicable to different working conditions



Target Users: Woodworkers · Door or Window Installers · Kitchenware Installers · Cabinet Builders · Finish or Trim Carpenters

ADMQ85

TYPE(FK/EM/Z)

Cordless Brushless
Jig Saw

(Type FK) 5.0Ahx2, 4A Charger
(Type EM) 4.0Ahx2, 2A Charger
(Type Z) Solo



Battery 20V MAX/5.0Ahx2/

4.0Ahx2/Solo

Max. Power Output 420W

No-load Speed 800-3500/min

Length of Strokes 26mm

Max. Cutting Depth

Steel 10mm

Aluminum 20mm

Wood 120mm

Max. Cutting Angle 45°Left/Right

Net Weight 2.8/2.8/2.2kg



www.dcatools.com

DCA




EC
BRUSHLESS

20^{MAX}V
Lithium-Ion



DCA Global


HIGH CUTTING CAPACITY WITH LIGHT WEIGHT BODY



Max. CUTTING CAPACITY OF
1.6mm IN ALUMINUM



HIGH-QUALITY CUTTING BLADE
Sharp and durable



VARIABLE SPEED TRIGGER
To match cutting speed with application

ERGONOMIC DESIGN
Parallel structure enhance control accuracy



BRUSHLESS MOTOR
High-efficiency, powerful and durable



Target Users: Metal Workers · Installers

ADJJ1.6

TYPE(AM/EM/Z)

Cordless Brushless
Metal Shear

(Type AM) 2.0Ahx2, 2A Charger
(Type EM) 4.0Ahx2, 2A Charger
(Type Z) Solo



Battery	20V MAX/2.0Ah×2/ 4.0Ah×2/Solo
Max. Power Output	400W
No-load Speed	0-2500/min
Shearing Capacity	
Aluminum	1.6mm
Stainless Steel	0.8mm
Net Weight	1.7/2.0/1.4kg



www.dcatools.com

DCA



EC
BRUSHLESS

20^{MAX}V
Lithium-Ion



DCA Global

POWERFUL METAL CUTTING WITH HIGH EFFICIENCY



3.2mm Max. CUTTING CAPACITY
IN ALUMINUM



HIGH STRENGTH ALUMINUM GEAR HOUSING
Sturdy and durable



LARGE HAND GUARD
For maximum safety
in cutting direction



Target Users: Plumbers · Metal Workers · Installers

ADJJ2.5

TYPE(EM/Z)

Cordless Brushless
Metal Shear

(Type EM) 4.0Ahx2, 2A Charger
(Type Z) Solo



Battery	20V MAX/4.0Ahx2/ Solo
Max. Power Output	700W
No-load Speed	0-1500/min
Shearing Capacity	
Aluminum	3.2mm
Stainless Steel	2.5mm
Net Weight	2.8/ 2.2 kg



www.dcatools.com

DCA



DCA Global

POWERFUL WOOD CUTTING WITH HIGH EFFICIENCY



6-SPEED ADJUSTMENT

Applicable to different working conditions



4 ORBITAL-ACTION SETTINGS

For increased cutting performance



TOOL-LESS BLADE CHANGE SYSTEM

For faster blade installation and removal

0-45° BEVEL ANGLE ADJUSTABLE

To meet different cutting requirements



580W POWERFUL MOTOR



Target Users: Woodworkers

AMQ02-65

Jig Saw



Rated Power Input	580W
No-load Strokes	800-3000/min
Bevel Cutting Angle	0-45°Left/Right
Max. Cutting Capacity	
Steel	6mm
Wood	65mm
Net Weight	2.5kg



www.dcatools.com