DCK

NEW

POWERED BY Li-ION TECHNOLOGY

20V MAX

HIGH TORQUE WITH LIGHT-WEIGHT BODY

BRUSHLESS MOTOR
delivering up to 165N.m of torque



125mm COMPACT BODY
perfect control in narrow spaces

SELF-TAPPING MODE
soft start for accurate positioning



3-MODE CONTROL
providing excellent control over output speed/ torque for different working conditions



www.dcktool.com



BRUSHLESS MOTOR

TARGET USERS

Woodworkers
Decoration Workers

KDPL165
(TYPE EM/ADM/Z)

CORDLESS BRUSHLESS IMPACT DRIVER

(TYPE EM) 4.0Ah×2, 2A Charger
(TYPE ADM) 2.0Ah×1, 2A Charger
(TYPE Z) Solo, Color Box Packing

Battery	20V MAX/4.0Ah×2/2.0Ah×1/Solo
Max. Power Output	450W
Standard Bolt Size	M5-M16
Clamping Capacity	6.35mm
No-load Speed	L gear:0-1200/min M gear:0-2100/min H gear:0-3300/min
Impact frequency	L gear:0-1300/min M gear:0-3300/min H gear:0-4300/min
Max. Fastening Torque	165N.m
Net Weight	1.4/1.2/0.8kg


DCK

NEW


POWERED BY Li-ION TECHNOLOGY

20V MAX

HIGH ACCURACY AND EFFICIENCY



4 ORBITAL-ACTION SETTINGS
for increased cutting performance



EXTERNAL DUST COLLECTION EQUIPMENT
can be connected



6-SPEED ADJUSTMENT
applicable to different working conditions



TOOL-LESS BLADE CHANGE SYSTEM
allow for faster blade installation and removal





BRUSHLESS MOTOR

www.dcktool.com

TARGET USERS

Woodworkers
Door or Window Installers
Kitchenware Installers
Cabinet Builders
Finish or Trim Carpenters

KDMQ85
(TYPE FK/EM/Z)

CORDLESS BRUSHLESS JIG SAW

(TYPE FK) 5.0Ah×2, 4A Charger
(TYPE EM) 4.0Ah×2, 2A Charger
(TYPE Z) Solo, Color Box Packing

Battery		20V MAX/5.0Ah×2/4.0Ah×2/Solo
Max. Power Output		420W
No-load Speed		800-3500/min
Length of Strokes		26mm
Max. Cutting Depth	Steel	10mm
	Aluminum	20mm
	Wood	120mm
Max. Cutting Angle		45°Left/Right
Net Weight		2.8/2.8/2.2kg

DCK


NEW

POWERED BY Li-ION TECHNOLOGY

12V MAX

168N.m TORQUE WITH POCKET SIZE BODY

BRUSHLESS MOTOR
delivering to 168N.m fastening torque



2-MODE CONTROL
providing excellent control over output speed/torque for different working conditions



125mm COMPACT BODY
perfect control in narrow spaces



BRUSHLESS MOTOR



www.dcktool.com

TARGET USERS
Construction Workers

KDPB168
(TYPE EK/Z)

CORDLESS BRUSHLESS IMPACT WRENCH

(TYPE EK) 2.0Ah×2, 3A Charger
(TYPE Z) Solo, Color Box Packing

Battery		12V MAX/2.0Ah×2/Solo
Max. Power Output		300W
Square Drive Size		9.5mm(3/8")
No-load Speed	L gear:1600/min	H gear:2950/min
Impact Frequency	L gear:1800/min	H gear:3600/min
Max. Torque		168N.m
Nut-Busting Torque		220N.m
Standard Bolt Size		M5-M14
Net Weight		0.9/0.7kg

DCK

NEW

POWERED BY Li-ION TECHNOLOGY

20V MAX

HIGH CUTTING CAPACITY WITH LIGHT WEIGHT BODY

BRUSHLESS MOTOR
high-efficiency， powerful and durable




ERGONOMIC DESIGN
parallel structure enhance control accuracy



MAX. CUTTING CAPACITY OF 1.6mm IN ALUMINUM



HIGH-QUALITY CUTTING BLADE
sharp and durable



VARIABLE SPEED TRIGGER
to match cutting speed with application



BRUSHLESS MOTOR

www.dcktool.com



TARGET USERS

Metal Workers
Installers

KDJJ1.6
(TYPE EM/AM/Z)

CORDLESS BRUSHLESS METAL SHEAR

(TYPE EM) 4.0Ah×2, 2A Charger
(TYPE AM) 2.0Ah×2, 2A Charger
(TYPE Z) Solo, Color Box Packing

Battery	20V MAX/4.0Ah×2/2.0Ah×2/Solo
Max. Power Output	400W
No-load speed	0-2500/min
Shearing Capacity	Aluminum 1.6mm
	Stainless steel 0.8mm
Net Weight	2.0/1.7/1.4kg

DCK

NEW

POWERED BY Li-ION TECHNOLOGY

20V MAX

POWERFUL METAL CUTTING WITH HIGH EFFICIENCY


BRUSHLESS MOTOR
efficient, powerful and durable

HIGH STRENGTH ALUMINUM GEAR HOUSING
sturdy and durable



3.2mm MAX. CUTTING CAPACITY IN ALUMINUM





LARGE HAND GUARD
for maximum safety in cutting direction

BRUSHLESS MOTOR

www.dcktool.com

TARGET USERS

Plumbers
Metal Workers
Installers

KDJJ2.5
(TYPE EM/Z)

CORDLESS BRUSHLESS METAL SHEAR

(TYPE EM) 4.0Ah×2, 2A Charger
(TYPE Z) Solo, Color Box Packing

Battery	20V MAX/4.0Ah×2/Solo
Max. Power Output	700W
No-load speed	0-1500/min
Shearing Capacity	Aluminum 3.2mm
	Stainless steel 2.5mm
Net Weight	2.8/2.2kg

DCK

NEW

CONQUER MORE WITH LESS EFFORT

2600W POWERFUL BRUSHLESS MOTOR
material removal rate is 60% higher than brushed motor



FOUR-FINGER TRIGGER SWITCH WITH LOCK-ON FUNCTION
Comfortable to hold and suitable for long time use



LED TOOL STATUS INDICATOR
monitoring tool status in real time



DETECTABLE METAL DUST PROOF FILTER
more convenient for cleaning



BRUSHLESS MOTOR

www.dcktool.com

TARGET USERS

Shipwrights

KSM180BL

BRUSHLESS ANGLE GRINDER

Rated Power Input	2600W
Rated Speed	8500/min
Max. Wheel Dia.	Φ180mm
Hole Dia. of Wheel	Φ22mm
Spindle Thread	M14
Net Weight	5.8kg