
DCA

NEW EC BRUSHLESS 20V MAX Lithium-Ion

DCA Global

EXCELLENT IN SUSTAINED HEAVY-DUTY WORK



BRUSHLESS MOTOR

Delivering up to 160N·m of torque and 2100/min no-load speed



DSC: SAFETY CONTROL TECHNOLOGY

Protecting the machine and user when the drill bit gets stuck

19+2 TORQUE SETTING

For a variety of applications

SELF-TAPPING MODE

Soft start for accurate positioning

Target Users: Woodworkers, Door or Window Installer, Decoration Workers, Electricians

ADJZ20160i

CORDLESS BRUSHLESS DRIVER/HAMMER DRILL

TYPE(FK/EM/Z)

[Type FK] 5.0Ahx2, 4A Charger
[Type EM] 4.0Ahx2, 2A Charger
[Type Z] Solo, Carton Packing

Battery	20V MAX/5.0Ah×2/4.0Ah×2/Solo	
Max. Power Output		1000W
Max. Chucking Capacity		13mm
No-load Speed	1st gear	0-500/min
	2nd gear	0-2100/min
Rated Impact Frequency		0-33600/min
Max. Drilling Dia.	Steel	Φ13mm
	Brick Wall	Φ16mm
	Wood	Φ65mm
Torque Setting		19+2
Max. Torque		160N·m
Net Weight		2.4/2.4/1.8kg



www.dcatools.com

DCA

NEW

EC BRUSHLESS

20V MAX Lithium-Ion

DCA Global

YOUR EXCELLENT COMBO KIT CHOICE



INCLUDES:

ADPL208Z, ADJZ2060iZ
20VMAX Lithium-Ion battery 2.0Ah×2
2A Charger



IMPACT DRIVER:

Brushless outer rotor motor
Delivering up to 208N·m of torque
107mm ultra compact body
Perfect control in narrow space
Self-Tapping Mode
Soft start for accurate positioning





DRIVER/HAMMER DRILL:

13mm ratchet metal chuck: Sturdy and durable
152mm compact body: Perfect control in narrow space
20+2 torque setting: For a variety of applications
Brushless motor: Delivering up to 60N·m of torque and 2300/min no-load speed

Target Users: Decoration Workers, Woodworkers

ADKIT26

CORDLESS BRUSHLESS COMBO KIT

TYPE(AM)

Battery	20VMAX/2.0Ah×2
Include	ADPL208Z&ADJZ2060iZ
Battery Charge Time (minute)	65



www.dcatools.com

DCA

NEW

EC BRUSHLESS

20V MAX Lithium-Ion

DCA Global

POWERFUL AIRFLOW FOR EFFICIENT CLEANING



BRUSHLESS OUTER ROTOR MOTOR

High efficiency, powerful and durable

480CFM

MAX. AIR VOLUME

38m/s

MAX. AIR SPEED

2.1kg LIGHTWEIGHT DESIGN (WITH A 4.0AH BATTERY)

For effortless operation



VARIABLE SPEED

For variety of cleaning tasks

Target Users: Household, Gardener

ADLB20142

CORDLESS BRUSHLESS BLOWER

TYPE(FDK/BM/Z)

[Type FDK] 5.0Ahx1, 4A Charger
[Type BM] 4.0Ahx2, 2A Charger
[Type Z] Solo, Carton Packing

Battery	20V MAX/5.0Ahx1/4.0Ahx2/Solo
Max. Power Output	400W
Max. Air Speed	38m/s
Max. Air Volume	480CFM(13.7m³/min)
Net Weight	2.1/2.1/1.5kg



www.dcatools.com

DCA


NEW

EC BRUSHLESS

20V MAX Lithium-Ion

DCA Global

ONE TRIMMER FOR MULTIPLE REQUIREMENTS



600W BRUSHLESS MOTOR



DUST-FREE WORKING

Connected to dust collection system



6

6 SPEED ELECTRONIC CONSTANT SPEED CONTROL

Applicable to different working conditions

DUAL LED WORKING LIGHT



MULTIPLE OPTIONAL BASES

Target Users: Woodworkers

ADMP6

CORDLESS BRUSHLESS TRIMMER

TYPE(FK/BM/Z)

[Type FK] 5.0Ahx2, 4A Charger
[Type BM] 4.0Ahx2, 2A Charger
[Type Z] Solo, Carton Packing

Battery	20V MAX/5.0Ahx2/4.0Ahx2/Solo
Max. Power Output	600W
No-load Speed	10000-30000/min
Collet Size	Φ6-Φ8mm
Net Weight	2.1/2.1/1.5kg



www.dcatools.com

DCA

NEW 4V Lithium-Ion

DCA Global

3×360°GREEN LINE LASER—ALL-ROUND LEVELLING SOLUTION

REMOTE CONTROL
Convenient and efficient

SMART PENDULUM SYSTEM
Self levels and indicates
out-of-level condition up to ±3°

INTELLIGENT DIGITAL DISPLAY
Real-time monitoring of battery



FLEXIBLE MOUNTING DEVICE
Applicable to a variety of working conditions

3R LEVEL HIGH INTENSITY GREEN LASER
For clearer display

Target Users: Installation of Doors and Windows, Tile Placement, Mural Installation

ADTX4V-12D

GREEN LASER LEVEL

Battery	4V/4.0Ah
Laser Diode	512nm
Accuracy	±0.3mm/m
Auto-leveling Range	±3°
Width of Laser Line	4mm at distance of 10m
Operating Temperature	-10°C—40°C
Laser Class	3R
Tripod Thread	1/4"
Net Weight	0.6kg



DCA

NEW

4V Lithium-Ion

DCA Global

3×360°GREEN LINE LASER—ALL-ROUND LEVELLING SOLUTION

REMOTE CONTROL
Convenient and efficient

SMART PENDULUM SYSTEM
Self levels and indicates
out-of-level condition up to ±3°

INTELLIGENT DIGITAL DISPLAY
Real-time monitoring of battery



FLEXIBLE MOUNTING DEVICE
Applicable to a variety of working conditions

3R LEVEL HIGH INTENSITY GREEN LASER
For clearer display

Target Users: Installation of Doors and Windows, Tile Placement, Mural Installation

ADTX4V-12Q

GREEN LASER LEVEL

Battery	4V/4.0Ah
Laser Diode	512nm
Accuracy	±0.3mm/m
Auto-leveling Range	±3°
Width of Laser Line	4mm at distance of 10m
Operating Temperature	-10°C—40°C
Laser Class	3R
Tripod Thread	1/4"
Net Weight	0.6kg



www.dcatools.com

DCA

NEW 4V Lithium-Ion

DCA Global

4×360°GREEN LINE LASER—ALL-ROUND LEVELLING SOLUTION

REMOTE CONTROL
Convenient and efficient

SMART PENDULUM SYSTEM
Self levels and indicates
out-of-level condition up to ±3°

INTELLIGENT DIGITAL DISPLAY
Real-time monitoring of battery



FLEXIBLE MOUNTING DEVICE
Applicable to a variety of working conditions

3R LEVEL HIGH INTENSITY GREEN LASER
For clearer display

Target Users: Installation of Doors and Windows, Tile Placement, Mural Installation

ADTX4V-16
GREEN LASER LEVEL

Battery	4V/4.0Ah
Laser Diode	512nm
Accuracy	±0.3mm/m
Auto-leveling Range	±3°
Width of Laser Line	4mm at distance of 10m
Operating Temperature	-10°C—40°C
Laser Class	3R
Tripod Thread	1/4"
Net Weight	0.6kg



www.dcatools.com

DCA

NEW

DCA Global

CREATE SMOOTH AND PRECISE WOODWORKING



1850W POWERFUL MOTOR

1mm

1mm DEPTH PRECISE CONTROL

Meeting your needs for fine carving

THICKENED BASE

Sturdy and durable

LABYRINTH DUSTPROOF STRUCTURE

Effectively extending the lifetime of products



Target Users: Woodworkers

AMR02-12B

WOOD ROUTER

Rated Power Input	1850W
Max. Milling Cutter Dia.	Φ12.7mm
No-load Speed	22000/min
Net Weight	6.0kg



www.dcatools.com

DCA

NEW


DCA Global

POWERFUL AND EFFICIENT, SAFE AND DURABLE




1300W INDUCTION MOTOR

Efficient and durable



DUAL-CYLINDER COMPRESSION DESIGN

For fast inflation



8 bar

8bar WORKING PRESSURE OUTPUT

OIL-FREE DESIGN

Providing clean air source

HIGH QUALITY NOISE REDUCTION MODULE

Providing a quiet working environment

Target Users: Car Repairman, Factory Painter

AQE1300/40L

OIL-FREE AIR COMPRESSOR

Rated Power Input	1300W
Rated Speed	2850/min
Working Pressure	8bar
Capacity	40L
Displacement	78L/min
Net Weight	21.6kg

