DCK DCK

Authorized Dealer:

Product Catalogue

Garden Tools

Accessories Catalogue

Armature & Stator Catalogue

2025

PRODUCT CATALOG



JIANGSU DONGCHENG M&E TOOLS CO.,LTD.

Power Tools Industrial Park of Tianfen, Qidong City,Jiangsu Province

2025.04

DCK

PRODUCT CATALOG



2025.04



ABOUT US

Brand of Jiangsu Dongcheng Power Tools Co., Ltd.

1995	350,000 m^2	390,000 m^2	5500+	80+
Establishment	Manufacturing Base	Construction Area	Employees	Countries And Regions

PRODUCTION BASES

Square meters of the construction area across the **3** DongCheng production bases





Jiangsu Dongcheng Power Tools Co., Ltd., founded in **1995**, is one of the key backbone enterprises of the professional power tools manufacturing industry in China, the vice chairman unit of Power Tools Institute of China Electrical Equipment Industrial Association. The company covers an area of **350,000** square meters. With modern plants, first-class production and testing equipment, the construction area is **390,000** square meters. Meanwhile, there are more than **5,500** staff in the company, including a group of professional senior engineers and a senior management and technical team.


Dongcheng Company manufactures various types of power tools and sets up franchised dealers around the major cities of China, and its sales networks cover more than **80** countries and regions worldwide, such as Southeast Asia, South Asia, the Middle East, Europe and America, etc.

DCK is a brand of Dongcheng Company. By learning and adopting international advanced technology and production concepts, DCK is committed to providing high-end power tools and professional solutions for professional customers. DCK power tools are widely used in railway construction, stone processing, shipbuilding and water conservancy projects.

With excellent products and professional service, DCK has become one of the most outstanding brands of professional grade power tools. In the future, it will continue adhering to the company mission of "Professional Power Tools, Keep Improving Unceasingly" and strive to manufacture higher end power tools to global users.

MANUFACTURE ABILITY

Full production process control





The Fully Automated Motor Production Line

> Hobbing and grindingmachines
> Rotor production line
> The precision machining line for rotors
> Automated stator production assembly line
> Product discharging
> Automatic assembly equipment for rotor components



Power Tools Automated Assembly Line

> A specialized highly automated production line equipped with scientific and efficient automatic assembly equipment greatly reduces errors and increases production capacity



Mold Design & Manufacture

> By utilizing imported high-precision machine tools and a team of highly skilled and specialized mold engineers, we design and manufacture electric tool molds based on precision mold concepts. This ensures that our high-end mold production maintains high precision, high efficiency, automation, low cost, and high quality.
- 18 imported high-speed machining centers
- 16 imported EDM machines
- 9 imported wire-cut EDM machines
- Imported coordinate measuring machines (CMMs)



Precision Injection Molding

> Centralized feed pipeline
> Cooling circulation pipeline
> Fully automatic injection molding system
> Dual-color (two-material) product molding



Automated Aluminum Processing

> The fully automated aluminum processing equipment improves the machining accuracy of the product and further ensures the assembly dimensions. ABB robots are used to grab parts, which improves processingefficiency, reduces human error, and ensures stable processing quality



Battery Pack And Charger Automatic Assembly Line

> Battery cell sorting machine
> Battery cell spot welding machine
> Battery module handling line
> Testing system
> Product discharging
> Battery labelling machine

TEST LABORATARY

DongCheng Tools promotes dedicated quality assurances and testing

> Safety (CE/GS/IEC/EN/UL)
> Electromagnetic compatibility
> Optimum operating conditions
> Performance
> Load durability
> Lithium battery testing
> Rohs compliance



CNAS Accreditation




Intertek Certification



TUV Rheinland









CONTENTS & KEY

- Brushless Motor
- High Efficiency
- Vibration Reduction
- Active Vac
- Safety Control
- Heavy Duty
- Vibration Absorbing System
- Double Insulation
- Variable Speed
- Froward/ Reverse Rotation
- Soft Start
- Overcurrent Protection
- Over Discharge Protection
- Overcharge Protection
- Over-temperature Protection
- Power-off Protection
- Short-circuit Protection
- Double Protection
- Drop Control
- Kickback Control
- Overload Protection
- Electronic Protection
- Overload Restart
- Spindle Lock
- Damping System
- Safety Clutch
- Impact Function
- Dual Function
- Triple Function
- SDS Plus
- SDS Max
- 65 Chisel
- Hex
- Quick Change Workhead
- AC/DC Dual Use
- Speed Gear Shift
- Electronic Gear Shift
- Mechanical Gear Shift
- 4-speed Adjustment
- Auto-stop Carbon Brush
- LED Light
- Digital Display
- Bevel Cutting
- Battery Indicator
- Eco Mode
- Brake
- Constant Speed
- Tool-Free Tension
- Quick Disassembly
- Mute
- Dust Collecting
- Suction& Blowing
- Quick Clamping System
- Reverse Rotation Stop
- Froward Rotation Stop
- Electronic Torque Control
- Wide Voltage
- Active Feedback Sensing Technology
- Electrical Speed Breaking Control Technology
- Hydraulic System
- Waterproof and Dustproof
- Wi-Fi
- Voice Broadcasting
- Infrared Assistant
- Bluetooth
- USB Charging Port
- Type-C Port
- Voltage Testing
- Green Laser
- Automatic Oiling



CONTENTS



CORDLESS TOOLS

DRILLING AND FASTENING

CORDLESS SCREWDRIVER 03

CORDLESS BRUSHLESS IMPACT DRIVER 04-06

CORDLESS BRUSHLESS ANGLE IMPACT DRIVER 04

CORDLESS BRUSHLESS IMPACT WRENCH 08-11

CORDLESS BRUSHLESS ANGLE IMPACT WRENCH 12

CORDLESS BRUSHLESS RATCHET WRENCH 12

CORDLESS BRUSHLESS DRIVER DRILL 13-14

CORDLESS BRUSHLESS DRIVER/ HAMMER DRILL 15-17

CONCRETE & MASONRY TOOLS

CORDLESS BRUSHLESS ROTARY HAMMER 17-20

GRINDING & SANDING & POLISHING

CORDLESS BRUSHLESS ANGLE GRINDER 20-23

CORDLESS BRUSHLESS POLISHER 23

SAWS & CUTTERS

CORDLESS BRUSHLESS CIRCULAR SAW 24-26

CORDLESS SABRE SAW 26

CORDLESS BRUSHLESS RECIPROCATING SAW 27

CORDLESS BRUSHLESS JIG SAW 28

CORDLESS BRUSHLESS METAL SHEAR 28

PLANNING & CUTTING

CORDLESS BRUSHLESS OSCILLATING MULTI-TOOL 29

CLEANING

CORDLESS BRUSHLESS VACUUM CLEANER 29

LITHIUM-ION GARDEN TOOLS

CORDLESS BRUSHLESS PRUNER 30

CORDLESS BRUSHLESS CHAIN SAW 30-31

CORDLESS BRUSHLESS BLOWER 31

OTHERS

CORDLESS BLIND RIVETING GUN 32

CORDLESS CAULK GUN 32

CORDLESS GREASE GUN 32

CORDLESS BRUSHLESS COMBO KIT 33-34

CORDED TOOLS

DRILLING AND FASTENING

CONSTANT TORQUE SCREWDRIVER 39

IMPACT SCREWDRIVER 39

ELECTRIC WRENCH 39-40

SHEAR WRENCH 40

ELECTRIC DRILL 40-42

ELECTRIC IMPACT DRILL 42-43

DIAMOND DRILL WITH WATER SOURCE 43-45

MAGNETIC DRILL 45-46

CONCRETE & MASONRY TOOLS

HAMMER DRILL 51-52

ELECTRIC ROTARY HAMMER 52-55

PERCUSSION HAMMER 57-59

GRINDING & SANDING & POLISHING

ANGLE GRINDER 63-69

BRUSHLESS ANGLE GRINDER 65-69

POLISHER 70

DIE GRINDER 70-72

RANDOM ORBIT SANDER 72

ORBITAL SANDER 72-73

BELT SANDER 73

DRYWALL SANDER 73

SAWS & CUTTERS

ELECTRIC CIRCULAR SAW 74

RECIPROCATING SAW 70

JIG SAW 75

MARBLE CUTTER 76-78

GROOVE CUTTER 78

BRUSHLESS GROOVE CUTTER 78

ELECTRIC MITRE SAW 78

ELECTRIC BRUSHLESS MITRE SAW 78

SLIDE COMPOUND MITER SAW 78

ELECTRIC CUT-OFF MACHINE 79-80

ELECTRIC SHEAR 81

ELECTRIC NIBBLER 81

PLANNING & CUTTING

MULTI-TOOL 81

ELECTRIC PLANER 81

TRIMMER 81-82

WOOD ROUTER 82-83

CLEANING

VACUUM CLEANER 84

GARDEN TOOLS

BLOWER VACUUM 84

ELECTRIC CHAIN SAW 84-85

OTHERS

ELECTRIC MIXER 85

HEAT GUN 85

PTNEUMATIC


OIL-FREE AIR COMPRESSOR 88



ONE SYSTEM OVER

DURABLE SPECIALLY

FOR 20V LITHIUM BATTERIES



BATTERY SLIDE

Firmly connect batteries and tools for high intensity work

LOCK WITH ONE FINGER

UNIT CELL

NICKEL PLATE

BATTERY INDICATOR

REINFORCED PROTECTIVE WALL

Effectively extend the service life of the terminal

PROTECTIVE BARRIER

Effectively prevent dust from entering the battery pack

SEALING SILICONE

Effectively protect the chip from dust or metal damage

STURDY HOUSING AND BATTERY PROTECTION BRACKET

Good vibration resistancecan, can effectively alleviate the damage of external shock to the battery

OVERLOAD PROTECTION

OVERCHARGE PROTECTION

OVER-DISCHARGE PROTECTION

- Single cell charging protection;
- Single cell discharging protection;
- Battery pack with temperature on-board detection is more accurate than detected by external tools.

20V MAX Lithium-Ion

DCK


KDPB698


KDPB968


KDPB1218


KDPB1288


KDPB80


KDJZ2060


KDJZ2090


KDJZ2060i


KDJZ20160i


KDPL05-8


KDPL208


KDPB488


KDPB358


KDVC800




KDMY125


KDMY140S

KDMY165S


KDMY02-185


KDQF32


KDSM04-100/ 04-115/ 04-125


KDGG500


KDSM04-100P/ 04-115P/ 04-125P


KDZC04-24


KDMQ85


KRH20V-26


KDSP02-180


KDMD20


KDJJ2.5


KDJJ1.6


KDCS20122


KRH20V-28


KDJF22


KDJF32


KDYD35S


KDCS20061


KDML20081

01
Select the model you need



Cordless Brushless Impact Driver
KDPL208(TYPE Z)



KDJZ2060 (TYPE Z) · KDJZ2090 (TYPE Z) · KDJZ2060i (TYPE Z) · KDJZ20160i (TYPE Z) · KDPL05-8 (TYPE Z) · KDJJ1.6 (TYPE Z)



KDZC04-24 (TYPE Z) · KRH20V-26 (TYPE Z) · KRH20V-28 (TYPE Z) · KDMQ85 (TYPE Z)



KDPB80 (TYPE Z) · KDPL208 (TYPE Z) · KDPB358 (TYPE Z) · KDPB488 (TYPE Z) · KDPB698 (TYPE Z) · KDPB968 (TYPE Z) · KDPB1218 (TYPE Z) · KDPB1288 (TYPE Z)



KDSP02-180 (TYPE Z) · KDJF22 (TYPE Z) · KDJF32 (TYPE Z) · KDMY140S (TYPE Z) · KDMY165S (TYPE Z) · KDMY02-185 (TYPE Z)

02
Select the battery you need



FFBL2040

2.0Ah/2.5Ah not applicable to high-power tools




FFBL2020 2.0Ah · FFBL2025 2.5Ah · FFBL2040 4.0Ah · FFBL2050 5.0Ah · FFBL2060 6.0Ah · FFBL2075 7.5Ah · FFBL2080 8.0Ah

03
Select the charger you need



FFCL20-02



FFCL20-02 2.0A · FFCL20-04 4.0A · FFCL2040-2 Dual4.0A · FFCL2080-02 8.0A

Voltage	Battery Model	Battery Capacity	Charger			
			FFCL20-02/2A	FFCL20-04/4A	FFCL2040-2/Dual 4A	FFCL2080-02/8A
20V MAX	FFBL2020	2.0Ah	≈60min	≈35min	≈35min	≈35min
	FFBL2025	2.5Ah	≈75min	≈45min	≈45min	≈45min
	FFBL2040	4.0Ah	≈120min	≈65min	≈65min	≈40min
	FFBL2050	5.0Ah	≈150min	≈80min	≈80min	≈50min
	FFBL2060	6.0Ah	≈180min	≈95min	≈95min	≈60min
	FFBL2075	7.5Ah	≈225min	≈115min	≈115min	≈75min
	FFBL2080	8.0Ah	≈240min	≈125min	≈125min	≈80min



RECOMMENDED BATTERIES FOR 20VMAX SERIES TOOLS

MODE	2.0Ah FFBL2020	2.5Ah FFBL2025	4.0Ah FFBL2040	5.0Ah FFBL2050	6.0Ah FFBL2060	7.5Ah FFBL2075	8.0Ah FFBL2080
KDPL05-8	●●●	●●●	●●●	●●	●●	●●	●●
KDPL208	●●●	●●●	●●●	●●●	●●	●●	●●
KDPB358	●●	●●	●●●	●●●	●●●	●●	●●
KDPB488	×	×	●●●	●●●	●●●	●●	●●
KDPB698	×	×	●●●	●●●	●●●	●●	●●
KDPB968	×	×	●	●●●	●●●	●●	●●
KDPB1218	×	×	●	●●●	●●●	●●	●●
KDPB1288	×	×	●	●●●	●●●	●●	●●
KDPB80	●●●	●●●	●●●	●●●	●●	●●	●●
KDJZ2060	●●●	●●●	●●●	●●●	●●●	●●	●●
KDJZ2090	●●●	●●●	●●●	●●●	●●●	●●	●●
KDJZ2060i	●●●	●●●	●●●	●●●	●●●	●●	●●
KDJZ20160i	●	●	●●●	●●●	●●●	●●	●●
KDZC04-24	×	×	●●●	●●●	●●●	●●	●●
KRH20V-26	×	×	●	●	●●●	●●●	●●●
KRH20V-28	×	×	●	●	●●●	●●●	●●●
KDMY125	×	×	●●●	●●●	●●●	●●●	●●
KDMY140S	×	×	●●●	●●●	●●●	●●●	●●
KDMY165S	×	×	●●●	●●●	●●●	●●●	●●
KDMY02-185	×	×	●●●	●●●	●●●	●●●	●●
KDJF22	●	●	●●●	●●●	●●●	●●	●●
KDJF32	●	●	●●●	●●●	●●●	●●	●●
KDMQ85	●	●	●●●	●●●	●●●	●●	●●
KDJJ1.6	●●●	●●●	●●●	●●●	●●	●●	●●
KDJJ2.5	●	●	●●	●●	●●●	●●●	●●●
KDSM04-100	●	●	●●●	●●●	●●●	●●●	●●●
KDSM04-115	●	●	●●●	●●●	●●●	●●●	●●●
KDSM04-125	●	●	●●●	●●●	●●●	●●●	●●●
KDSM04-100P	●	●	●●●	●●●	●●●	●●●	●●●
KDSM04-115P	●	●	●●●	●●●	●●●	●●●	●●●
KDSM04-125P	●	●	●●●	●●●	●●●	●●●	●●●
KDSP02-180	●	●	●●●	●●●	●●●	●●●	●●●
KDMD20	×	×	●●●	●●●	●●●	●●	●●
KDQF32	●	●	●●●	●●●	●●●	●●	●●
KDGG500	●●●	●●●	●●●	●●●	●●	●●	●●
KDVC800	●	●	●●●	●●●	×	×	×
KDYD35S	●●●	●●●	●●	●●	●●	●●	●●
KDML20081	●	●	●●●	●●●	●●●	●●	●●

●●●superior performance ●●good performance ●No load operation only ×Not Recommended

12V Lithium-Ion

DCK



01

Select the model you need



Cordless Brushless Impact Driver

KDPL04-8(TYPE Z)



02

Select the battery you need



LB1220-1



LB1220-1

2.0Ah

03

Select the charger you need



FFCL12-4



FFCL12-4


Voltage	Battery Model	Battery Capacity	Charger
			FFCL12-4/3.0A
12V MAX	LB1220-1	2.0Ah	≈40min

AC BRUSHLESS MOTOR

AC brushless motors are highly energy efficient, small in size, reliable in performance, low in failure rate, and have a longer lifetime. AC brushless motors can also avoid the common failures of brushed motors such as rotor burnout, short circuit between turns, and commutator wear. It also does not require regular brush inspection and replacement, which represents an important development direction for power tool motors.

>10% *
INCREASE IN EFFICIENCY

≈33% *
VOLUME REDUCTION



3-5 *
TIMES LONGER LIFE



KSM16-100/16-115
/16-125



KSM180BL



KZR195BL



KJX05-255

* Compared to conventional AC brushed products

BRUSHLESS DC MOTOR

- **HIGH EFFICIENCY**

  Delivering more power and torque for excellent application performance.

- **HIGH DURABILITY**

  Maintenance-free and long lifetime.

- **SUITABLE FOR LONG-TERM USE**

  Less heat generation and less energy wear and tear, extended battery life.



BRUSHLESS OUTER ROTOR MOTOR

- **HIGH POWER DENSITY**

  Providing higher output power and torque compared with the same size normal brushless motor.



- **PRECISE CONTROL**

  More precise speed and torque control



KDCS20061




KDQF32



KDPL208

DSC SAFETY CONTROL TECHNOLOGY



RESPONSIVE

Advanced six-axis sensor with 10 millisecond class transmission.

SMART AND SECURE

It will stop once the acceleration is bigger than 7G or the angular velocity mutation rate is more than 2000°/s.



Kickback Control



Drop Control

ELECTRONIC SPRAIN PREVENTION

It will automatically stop when the sensor detects an angular acceleration of more than 15°.


MECHANICAL CLUTCH

Utilizing the steel ball as the torque transmission component, according to the relative position of the steel ball in the arc-shaped groove, through the slotted butterfly spring to accurately control the torque limit value, when the torque exceeds a certain limit value, it can quickly and accurately play a role in the protection (separation), with high precision and reliable work.




SVC SUPER VIBRATION CONTROL TECHNOLOGY

SVC (Super Vibration Control Technology), which can effectively reduce the fatigue of the operator, and is currently one of the best vibration control technologies in the industry.



DOUBLE GEARS DRIVE THE BALANCING BLOCK

- No-load vibration of only 4.1m/s², 66% less vibration than last generation.



DHE HIGH EFFICIENCY TECHNOLOGY

- KDPB05-10, which is equipped with, DHE is 136% faster than KDPB02-10





DVR VIBRATION REDUCTION TECHNOLOGY

The outstanding suspension structure is armed with vibration-reduction and isolation modules.

ADVANTAGES:

- Work more comfortably and slow down your physical fatigue during operation;
- Indirectly increase your work efficiency.



DAV ACTIVE VAC TECHNOLOGY

Active vac technology uses the tool's own dust collection system or external equipment to actively collect dust in the work environment, thereby protecting human health and improving the cleanliness of the work environment.



DCK

DC TOOL

Specifications may differ from country to country.

LIST OF IMPACT DRIVERS SPECIFICATIONS

Mode	Product Picture	No-load Speed	Voltage	Max. Fastening Torque	Length (mm)	Net Weight	Led Working Lights Number	Speed Mode Setting	Brushless Internal Rotor Motor	Brushless External Rotor Motor
KDPL04-8		0-1200 /0-3300	12V MAX	140	125mm	0.7-0.9	1	2-speed+self-tapping mode	●	
KDPL05-8		0-1500 /0-2250	20V MAX	80	58mm	1.1-1.4	1	2-speed+smart loosen mode	●	
KDPL208		0-1000 /0-2600 /0-3200	20V MAX	208	107mm	1.0-1.7	3	3-speed+self-tapping mode		●

*self-tapping mode: Offering Soft START and perfect ACCELERATION to help you drive screws with precise positioning

KDPL04-8(TYPE EK/Z)

CORDLESS BRUSHLESS IMPACT DRIVER

12V



BRUSHLESS MOTOR

Brushless motor
high efficiency, powerful and durable

2-speed & Self-tapping mode
for a variety of applications

125mm


125mm compact body
perfect control in narrow spaces

140N.m with pocket size body

VELOCITY PROFILE

SELF TAPPING MODE

Offering soft start and perfect acceleration to help you drive screws with precise positioning





Screws in up to **105pcs** M6×50mm wood screws with a 2.0Ah battery pack

Accessories & Package

• Driver Bit • Hook • Plastic Case Packing (Except Type Z)

Battery	12V MAX/2.0Ah×2/Solo
Max. Power Output	250W
Clamping Capacity	6.35mm Hex
Standard Bolt Size	M5-M14
Max. Fastening Torque	140N.m
No-load Speed	L gear 0-1200/min
	H gear 0-3300/min
Impact Frequency	L gear 0-1600/min
	H gear 0-4000/min
Net Weight	0.9/0.7kg

(Type EK) 2.0Ahx2, 3A Charger
(Type Z) Solo, Color Box Packing

KDPL04-5(TYPE E)

CORDLESS SCREWDRIVER

4V



Battery	4V/2.0Ah
Max. Power Output	36W
Clamping Capacity	6.35mm Hex
Max. Screw Dia.	5mm
Max. Torque	5N.m
No-load Speed	300/min
Torque Setting	3(1-2-3)
Net Weight	0.29kg

Features

1. Small and compact, 3-Gear torque adjustment;
2. Double LED lighting, Rubberized body;
3. Type-C Cable charging.



Screws in up to **233pcs** ST4.2×25mm wood screws per charge

Accessories & Package

• Type-C Cable • Driver Bits Set • Plastic Case Packing

KDPL05-8(TYPE AM/Z)

CORDLESS BRUSHLESS ANGLE IMPACT DRIVER

20V MAX



BRUSHLESS MOTOR

Battery	20V MAX/2.0Ah×2/Solo
Max. Power Output	160W
Clamping Capacity	6.35mm Hex
No-load Speed	L gear 0-1500/min
	H gear 0-2250/min
Impact Frequency	L gear 0-2400/min
	H gear 0-3400/min
Max. Torque	L gear 45N.m
	H gear 80N.m
Net Weight	1.4/1.1kg

(Type AM) 2.0Ahx2, 2A Charger
(Type Z) Solo, Color Box Packing

Features

1. Powerful Brushless Motor delivers 80N.m of max torque;
2. Compact 58mm angle head height for use in close quarters;
3. Extended paddle switch for multiple grip positions;
4. Smart loosen mode prevent nuts drop down accidently.



Screws in up to **200pcs** M4×50mm wood screws with a 2.0Ah battery pack

Accessories & Package

• Driver Bit • Plastic Case Packing (Except Type Z)

*Specifications may differ from country to country.



KDPL208 (TYPE EM/ADM/Z)


CORDLESS BRUSHLESS IMPACT DRIVER

BRUSHLESS MOTOR

107mm

Screws in up to 300pcs M6×50mm wood screws with a 4.0Ah battery pack

SPEED TREND CHART



SPEED CONVERSION L M H MODE

UNIQUE DESIGN OF SELF TAPPING SCREW MODE & ULTRA-LOW STARTING SPEED

for accurate positioning

208N.m

MAXIMUM OUTPUT TORQUE OF 208N.m

easy to loosen/tighten thick and long screws



TRIANGLE SHADOWLESS LIGHT

easy to work in dark place



107mm COMPACT BODY

perfect control in narrow spaces



INNOVATIVE BRUSHLESS OUTER ROTOR MOTOR

high-efficiency, powerful and durable

KDPL208(TYPE EM/ADM/Z)

20V MAX

CORDLESS BRUSHLESS IMPACT DRIVER

BRUSHLESS MOTOR

107mm




(Type ADM)2.0Ahx1, 2A Charger
(Type EM)4.0Ahx2,2A Charger
(Type Z)Solo, Color Box Packing

Battery	20V MAX/4.0Ah×2/2.0Ah×1/Solo
Max. Power Output	600W
Clamping Capacity	6.35mm Hex
Standard Bolt Size	M5-M16
Torque Setting	L gear 28N.m
	M gear 170N.m
	H gear 208N.m
No-load Speed	L gear 0-1000/min
	M gear 0-2600/min
	H gear 0-3200/min
Impact Frequency	L gear 0-700/min
	M gear 0-3600/min
	H gear 0-4300/min
Net Weight	1.6/1.3/1.0kg

Features

1. Powerful brushless motor delivers 208N.m of max torque;
2. 107mm compact body;
3. Self-tapping mode for precise operation;
4. Tri-LED lighting illuminates the area of work while eliminating shadows.



Screws in up to 300pcs M6×50mm wood screws with a 4.0Ah battery pack

Accessories & Package

• Driver Bit • Belt Clip • Plastic Case Packing (Except Type Z)

RECOMMENDED ACCESSORIES

Image	Head	Specification	Product Code	PCS/CTN
	Double	PH2×65	30570900010	1000
	Single	PH1×25	30570900023	2000
	Single	PH2×50	30570900025	1000
	Single	H4×50	30570900027	1000
	Double	PH2×65	30570900033	1200

*Specifications may differ from country to country.

LIST OF IMPACT WRENCH SPECIFICATIONS

Mode	Product Picture	No-load Speed (/min)	Square Drive	Voltage	Max. Fastening Torque(N.M)	Nut-busting Torque (N.m)	Net Weight (kg)	Brushless Motor	Standard Bolt Specifications
KDPB358		0-2000/ 0-2500	1/2″ (12.7mm)	20V MAX	358	500	1.1-1.7	●	M12-M18
KDPB488		0-1800/ 0-2100 / 0-2400	1/2″ (12.7mm)	20V MAX	488	682	1.4-2.0	●	M12-M20
KDPB698		0-500/ 0-1200 / 0-1900/ 0-2200	1/2″ (12.7mm)	20V MAX	698	910	1.9-2.7	●	M10-M24
KDPB968		0-1400/ 0-1650 / 0-1900	1/2″ (12.7mm)	20V MAX	968	1700	2.5-3.4	●	M10-M24
KDPB1218		0-1200/ 0-1400 / 0-1700	1/2″ (12.7mm)	20V MAX	1218	1700	2.9-3.8	●	M12-M33
KDPB1288		0-1200/ 0-1400 / 0-1700	3/4″ (19mm)	20V MAX	1288	1700	3.0-3.9	●	M12-M33
KDPB1718		0-1100/ 0-1500 / 0-1800	3/4″ (19mm)	40V MAX	1718	2000	3.2-4.2	●	M12-M36
KDPB80		0-1500/ 0-2250	3/8″ (9.5mm)	20V MAX	80	80	1.1-1.4	●	M4-M12

KDPB358(TYPE FK/EM/Z)


20V MAX

CORDLESS BRUSHLESS IMPACT WRENCH




BRUSHLESS MOTOR

Brushless motor
delivers to 358N.m fastening torque



Smart-loosen mode
preventing nuts from dropping down accidentally



2-mode control
providing excellent control over output speed /torque for different working conditions



129mm compact body
perfect control in narrow spaces



ECO mode
increasing the battery life by 30%



Tightens and loosens up to **580pcs** M16 bolt with a 4.0Ah battery pack

Accessories & Package

• Socket • Belt Clip • Plastic Case Packing (Except Type Z)

Battery	20V MAX/5.0Ah×2/4.0Ah×2/Solo
Max. Power Output	400W
Square Drive Size	12.7mm(1/2")
No-load Speed	L gear 0-2000/min
	H gear 0-2500/min
Impact Frequency	L gear 0-2700 /min
	H gear 0-3100 /min
Torque Setting	L gear 300N.m
	H gear 358N.m
Nut-Busting Torque	500N.m
Standard Bolt Size	M12-M18
Net Weight	1.7/1.7/1.1kg

(Type EM) 4.0Ahx2, 2A Charger
(Type FK) 5.0Ahx2, 4A Charger
(Type Z) Solo, Color Box Packing

KDPB488(TYPE FK/EM/DM/Z)

20V MAX

CORDLESS BRUSHLESS IMPACT WRENCH

BRUSHLESS MOTOR



(Type DM) 4.0Ahx1, 2A Charger
(Type EM) 4.0Ahx2, 2A Charger
(Type FK) 5.0Ahx2, 4A Charger
(Type Z) Solo, Color Box Packing

Battery	20V MAX/5.0Ahx2/4.0Ah×2 /4.0Ah×1/Solo
Max. Power Output	450W
Square Drive Size	12.7mm(1/2")
No-load Speed	L gear 0-1800/min
	M gear 0-2100/min
	H gear 0-2400/min
Impact Frequency	L gear 0-2600/min
	M gear 0-3000/min
	H gear 0-3500/min
Torque Setting	L gear 350N.m
	M gear 400N.m
	H gear 488N.m
Nut-Busting Torque	682N.m
Standard Bolt Size	M12-M20
Net Weight	2.0/2.0/2.0/1.4kg

Features

1. Brushless motor: High efficiency, powerful and durable;
2. 3 speed adjustment: Meet different working requirements;
3. Smart-loosen mode;
4. Compact body: Easy to carry and comfortable to hold.



Tightens and loosens up to **420pcs** M16 bolt with a 4.0Ah battery pack

Accessories & Package

• Socket • Belt Clip • Plastic Case Packing (Except Type Z)

*Specifications may differ from country to country.



KDPB1218(TYPE H2K/FK/Z)

20V MAX

CORDLESS BRUSHLESS IMPACT WRENCH

NEW BRUSHLESS MOTOR

DVR



(Type H2K)6.0Ahx2, 4A Charger,
Battery packs sold separately
(Type FK)5.0Ahx2, 4A Charger
(Type Z)Solo, Color Box Packing

Battery	20VMAX/6.0Ah×2/5.0Ah×2/Solo
Max. Power Output	800W
Square Drive Size	12.7mm(1/2")
No-load Speed	0-1,200/ 0-1,400/ 0-1,700/min
Impact Frequency	0-1,800/ 0-2,000/ 0-2,300/min
Torque setting	600/900/1,218N.m
Nut-Busting Torque	1,700Nm
Standard Bolt Size	M12-M33
Net Weight	3.8/3.5/2.9kg

Features

1. Heavy duty performance up to 1218N.m fastening torque and 1700N.m nut-busting torqye;
2. DVR:Vibration Reduction Technology;
3. 3-Speed & Torque adjustment: providing excellent control over output speed/torque for high versatility;
4. Smart-loosen mode: preventing nuts from dropping down accidentally.



Tightens and loosens up to 310pcs M24 bolt with a 6.0 Ah battery pack

Accessories & Package

• Plastic Case Packing (Except Type Z)

KDPB698(TYPE H2K/FK/DM/Z)

20V MAX

CORDLESS BRUSHLESS IMPACT WRENCH

BRUSHLESS MOTOR



(Type H2K)6.0Ahx2, 4A Charger,
Battery packs sold separately
(Type FK)5.0Ahx2, 4A Charger
(Type DM)5.0Ahx1, 2A Charger
(Type Z)Solo, Color Box Packing

Battery	20V MAX/6.0Ah×2/5.0Ah×2 /5.0Ah×1/Solo	
Max. Power Output	750W	
Square Drive Size	12.7mm(1/2")	
No-load Speed	L gear	0-500/min
	M gear	0-1200/min
	H gear	0-1900/min
	T gear	0-2200/min
Impact Frequency	L gear	0-1000/min
	M gear	0-1700/min
	H gear	0-2400/min
	T gear	0-2700/min
Torque Setting	L gear	300N.m
	M gear	400N.m
	H gear	550N.m
	T gear	698N.m
Nut-Busting Torque	910N.m	
Standard Bolt Size	M10-M24	
Net Weight	2.7/2.5/2.5/1.9kg	

Features

1. Brushless motor: High efficiency, powerful and durable;
2. New optimize air duct design;
3. Compact body: Easy to carry and comfortable to hold;
4. 4-speed & torque adjustment: Meet different working requirements;
5. 698N.m Max torque: Efficient output.



Tightens and loosens up to 350pcs M20 bolt with a 6.0 Ah battery pack

Accessories & Package

• Plastic Case Packing (Except Type Z)

KDPB968(TYPE H2K/FK/Z)

20V MAX

CORDLESS BRUSHLESS IMPACT WRENCH

NEW COMING SOON BRUSHLESS MOTOR

DVR



(Type H2K)6.0Ahx2, 4A Charger,
Battery packs sold separately
(Type FK)5.0Ahx2, 4A Charger
(Type Z)Solo, Color Box Packing

Battery	20VMAX/6.0AH×2/5.0Ah×2/Solo
Max. Power Output	900W
Square Drive Size	12.7mm(1/2")
Standard Bolt Size	M10-M24
No-load Speed	L gear 0-1400/min
	M gear 0-11650/min
	H gear 0-11900/min
Impact Frequency	L gear 0-11900/min
	M gear 0-12100/min
	H gear 0-12650/min
Torque Setting	L gear 600N.m
	M gear 800N.m
	H gear 968N.m
Nut-Busting Torque	1700N.m
Net Weight	3.4/3.1/2.5kg

Features

1. Heavy duty performance up to 968N.m fastening torque and 1700N.m nut-busting torqye;
2. DVR:Vibration Reduction Technology;
3. 3-Speed & Torque adjustment: providing excellent control over output speed/torque for high versatility;
4. Smart-loosen mode: preventing nuts from dropping down accidentally.



Tightens and loosens up to 350pcs M20 bolt with a 6.0 Ah battery pack

Accessories & Package

• Plastic Case Packing (Except Type Z)

KDPB1288(TYPE H2K/FK/Z)

20V MAX

CORDLESS BRUSHLESS IMPACT WRENCH



1700N.m

Heavy duty performance
up to 1288N.m fastening torque and 1700N.m nut-busting torque

DVR

DVR: Vibration Reduction Technology
improving operation comfort

SPEED CONVERSION 1 2 3

3-Speed & Torque adjustment
providing excellent control over output speed/torque for high versatility

Smart-loosen mode
preventing nuts from dropping down accidentally

BRUSHLESS MOTOR

Brushless motor
high efficiency, powerful and durable



Anvil type
3/4" friction ring



Tightens and loosens up to 380pcs M24 bolt with a 6.0 Ah battery pack

Accessories & Package

• Plastic Case Packing (Except Type Z)

Battery	20V MAX/6.0Ah×2/5.0Ah×2/Solo	
Max. power output	800W	
Square Drive Size	19mm(3/4")	
No-load Speed	L gear	0-1200/min
	M gear	0-1400/min
	H gear	0-1700/min
Impact Frequency	L gear	0-1800/min
	M gear	0-2000/min
	H gear	0-2300/min
Max torque	1288N.m	
Nut-Busting Torquet	1700N.m	
Standard Bolt Size	M12-M33	
Net Weight	3.9/3.6/3.0kg	

(Type H2K)6.0Ahx2, 4A Charger, Battery packs sold separately
(Type FK)5.0Ahx2, 4A Charger
(Type Z)Solo, Color Box Packing

*Specifications may differ from country to country.

KDPB1718(TYPE EK/Z)

40V MAX

CORDLESS BRUSHLESS IMPACT WRENCH

NEW




DVR

BRUSHLESS MOTOR

Battery	40V MAX/4.0Ah×2/Solo
Max. Power Output	1200W
Square Drive Size	19mm(3/4")
No-load Speed	L gear 0-1100/min
	M gear 0-1500/min
	H gear 0-1800/min
Impact Frequency	L gear 0-1800min
	M gear 0-2200min
	H gear 0-2500min
Max. Torque	1718N.m
Nut-Busting Torque	2000N.m
Standard Bolt Size	M12-M36
Net Weight	4.2/3.2kg

(Type EK) 4.0Ahx2, 6A Charger
(Type Z) Solo, Color Box Packing



Tightens and loosens up to 490pcs M24 bolt with a 4.0Ah battery pack

Features

1. Brushless motor: High efficiency,powerful and durable;
2. New DVR handle shock absorbers ensures low vibration and comfort during operation;
3. LED lighting design: Convenient for working in dark space;
4. 3-speed adjustment: Meet different working requirements;
5. Smart-loosen mode: preventing nuts from dropping down accidentally.

Accessories & Package

- 6A Battery Charger • 4.0Ah Battery Pack(2pcs)
- Plastic Case Packing(Except Type Z)

40VMAX HPT BATTERY PACK


. HIGH SAFETY . HIGH PERFORMANCE . HIGH DURABILITY

SPECIALLY DESIGNED FOR 40VMAX LI-ION PRODUCTS



FFBL4040

4.0AH BATTERY PACK



UNIQUE AIR DUCT DESIGN
Effective heat dissipation



HIGH STRENGTH STAINLESS STEEL SLIDE RAIL
Durable slide in battery rail that holds the battery and the tools firmly



HIGH STRENGTH CONNECTOR TERMINALS
Smaller contact resistance, longer service life

INTELLIGENT MONITORING SYSTEM
Real-time monitoring of battery status, effectively protect the battery

40VMAX HPT CHARGER

. SAFE AND EFFICIENT

COMPATIBLE WITH 20VMAX BATTERY PACK CHARGING

OMNIBEARING PROTECTION FUNCTION

SMART CHARGING
Real-time detection and communication. Adapt charging methods according to the different status of the battery and charge

TRIPLE ELECTRONIC PROTECTIONS
PWM current control
Temperature protection
Over voltage protection

INTELLIGENT CONTROL OF AIR-COOLED HEAT DISSIPATION
Dual-fan design provides heat dissipation for the battery pack and charger separately, to improve charging efficiency and reduce temperature rise

FAST CHARGING ≈45 MINUTES
To fully charge a 40V 4.0Ah battery



FFCL4060-02

6A FAST CHARGER

KDPB80(TYPE AM/Z)

20V MAX

CORDLESS BRUSHLESS ANGLE IMPACT WRENCH

BRUSHLESS MOTOR



Battery	20V MAX/2.0Ah×2/Solo
Max. Power Output	160W
No-load Speed	L gear 0-1500/min
	H gear 0-2250/min
Impact Frequency	L gear 0-2400/min
	H gear 0-3400/min
Max. Torque	L gear 45N.m
	H gear 80N.m
Square Drive Size	9.5mm(3/8")
Net weight	1.4/1.1kg

(Type AM) 2.0Ahx2, 2A Charger
(Type Z) Solo, Color Box Packing



Tightens and loosens up to 537pcs M12 bolt with a 2.0Ah battery pack

Features

1. Powerful brushless motor delivers 80N.m of max torque;
2. Compact 56mm angle head height for use in close quarters;
3. Extended paddle switch for multiple grip positions;
4. Smart-loosen mode: preventing nuts from dropping down accidentally.

Accessories & Package

• Square Drive Adapter • Plastic Case Packing(Except Type Z)

KDPB04-10(TYPE EK/Z)

12V

CORDLESS BRUSHLESS RATCHET WRENCH

BRUSHLESS MOTOR



Battery	12V MAX/2.0Ah×2/Solo
Max. Power Output	220W
No-load Speed	0-280/min
Max. Torque	54N.m
Square Drive Size	9.5mm(3/8")
Standard Bolt Size	M5-M12
Net weight	1.0/0.8kg

(Type EK) 2.0Ahx2, 3A Charger
(Type Z) Solo, Color Box Packing

Features

1. Powerful brushless motor delivers 54N.m of max torque;
2. Extended reach ratchet adding additional for access into tight spaces;
3. Variable speed trigger provides ultimate control of the tool;
4. Ideal fastening solution for automotive mechanics, maintenance and repair professionals.



Tightens and loosens up to 192pcs M12 bolt with a 2.0Ah battery pack

Accessories & Package

• Plastic Case Packing(Except Type Z)

KDPB05-10(TYPE EK/Z)

12V

CORDLESS BRUSHLESS RATCHET WRENCH

BRUSHLESS MOTOR

DHE




Battery	12V MAX/2.0Ah×2/Solo
Max. Power Output	260W
No-load Speed	0-480/min
Max. Torque	47N.m
Square Drive Size	9.5mm(3/8")
Standard Bolt Size	M5-M12
Net weight	1.0/0.8kg

(Type EK) 2.0Ahx2, 3A Charger
(Type Z) Solo, Color Box Packing

Features

1. Powerful brushless motor delivers 47N.m of max torque;
2. Extended reach ratchet adding additional for access into tight spaces;
3. Variable speed trigger provides ultimate control of the tool;
4. Ideal fastening solution for automotive mechanics, maintenance and repair professionals.



Tightens and loosens up to 260pcs M12 bolt with a 2.0Ah battery pack

Accessories & Package

• Plastic Case Packing(Except Type Z)

*Specifications may differ from country to country.

LIST OF CORDLESS DRIVER/HAMMER DRILL SPECIFICATIONS

Mode	Product Picture	Voltage	Max. Power Output (W)	Max. Torque (N.m)	Main Function								Torque Setting	Scenarios Of Use
					F/r Change	Overcurrent Protection	Variable Speed	Mechanical Gear Shift	METAL Keyless Chuck	2-speed Adjustment	BI Motor	Impact Function		
KDJZ1250		12V	280	50	●	●	●	●	●	●	●		21+1	home improvement
KDJZ2060		20V MAX	500	60	●	●	●	●	●	●	●		20+1	home improvement assemble and install
KDJZ2090		20V MAX	700	90	●	●	●	●	●	●	●		19+1	home improvement assemble and install
KDJZ1250i		12V	280	50	●	●	●	●	●	●	●	●	21+2	home improvement assemble and install
KDJZ2060i		20V MAX	500	60	●	●	●	●	●	●	●	●	20+2	home improvement assemble and install
KDJZ20160i		20V MAX	1000	160	●	●	●	●	●	●	●	●	19+2	home improvement (large torque)

KDJZ2060(TYPE EM/AM/ADM/Z)

20V MAX

CORDLESS BRUSHLESS DRIVER DRILL



20+1



20+1 torque setting
applicable to different working conditions

1 1st gear 0-600/min

2 2nd gear 0-2300/min

2-speed adjustment
high torque for screw driving, high speed for drilling

BRUSHLESS MOTOR

Brushless motor
high efficiency, powerful and durable

13mm metal ratchet chuck
sturdy, durable and strong clamping

147mm



147mm compact body
perfect control in narrow spaces



Screws in and out up to **186pcs** ST6×50mm wood screws in 40mm pine board with a 2.0Ah battery pack

Accessories & Package

•Belt Clip • Driver Bit • Plastic Case Packing (Except Type Z)

Battery	20V MAX/4.0Ah×2/2.0Ah×2
	/2.0Ah×1/Solo
Max. Power Output	500W
Max. Chucking Capacity	13mm
No-load Speed	1st gear 0-600/min
	2nd gear 0-2300/min
Max. Drilling Dia.	Steel Φ13mm
	Wood Φ38mm
Torque Setting	20+1
Max. Torque	60N.m
Net Weight	1.6/1.3/1.3/1.0kg

(Type EM) 4.0Ahx2,2A Charger
(Type AM) 2.0Ahx2, 2A Charger
(Type ADM) 2.0Ahx1, 2A Charger
(Type Z) Solo, Color Box Packing

KDJZ1250(TYPE EK/Z)

12V

CORDLESS BRUSHLESS DRIVER DRILL

BRUSHLESS MOTOR




Battery	12V MAX/2.0Ah×2/Solo
Max. Power Output	280W
Max. Chucking Capacity	10mm
No-load Speed	1st gear 0-500/min
	2nd gear 0-1800/min
Max. Drilling Dia.	Steel Φ10mm
	Wood Φ32mm
Torque Setting	21+1
Max. Torque	50N.m
Net Weight	1.0/0.8kg

(Type EK) 2.0Ahx2, 3A Charger
(Type Z) Solo, Color Box Packing

Features

1. Brushless motor: High efficiency, powerful and durable;
2. 50N.m Max torque: Efficient output;
3. 21+1 torque setting for a variety of application;
4. 141mm compact body perfect control in narrow space;
5. Reinforced tail cap for durability.



Screws in and out up to **812pcs** ST4.2×25mm wood screws in 40mm pine board with a 2.0Ah battery pack

Accessories & Package

• Driver Bit • Plastic Case Packing (Except Type Z)

KDJZ2090(TYPE EM/AM/Z)

20V MAX

CORDLESS BRUSHLESS DRIVER DRILL

NEW BRUSHLESS MOTOR



DSC

Battery	20V MAX/4.0Ah×2/2.0Ah×2/Solo
Max. Chucking Capacity	13mm
Max. Power Output	700W
No-load Speed	1st gear 0-500/min
	2nd gear 0-2200/min
Max. Drilling Dia.	Steel Φ13mm
	Wood Φ52mm
Torque Setting	19+1
Max. Torque	90N.m
Net Weight	1.8/1.5/1.2kg

(Type EM) 4.0Ahx2, 2A Charger
(Type AM) 2.0Ahx2, 4A Charger
(Type Z) Solo, Color Box Packing

Features

1. Brushless motor: High efficiency, powerful and durable;
2. 149mm compact body: Perfect control in narrow space;
3. 19+1 torque setting: For a variety of application;
4. 2-speed adjustment: High torque for screw driving, high speed for drilling;
5. DSC safety control technology.



Screws in and out up to **470pcs** ST6×50mm wood screws in 50mm pine board with a 4.0Ah battery pack

Accessories & Package

•Belt Clip • Driver Bit • Plastic Case Packing (Except Type Z)

*Specifications may differ from country to country.

KDJZ1250i(TYPE EK/Z)

12V

CORDLESS BRUSHLESS DRIVER/ HAMMER DRILL

BRUSHLESS MOTOR



Battery	12V MAX/2.0Ahx2/Solo
Max. Power Output	280W
Max. Chucking Capacity	10mm
Impact Frequency	0-28800/min
No-load Speed	1st gear 0-500/min
	2nd gear 0-1800/min
Max. Drilling Dia.	Steel Φ10mm
	Brick wall Φ10mm
	Wood Φ32mm
Torque Setting	21+2
Max. Torque	50N.m
Net Weight	1.05/0.85kg

(Type EK) 2.0Ahx2, 3A Charger
(Type Z) Solo, Color Box Packing

Features

1. Brushless motor: High efficiency, powerful and durable;
2. 50N.m, Max torque: Efficient output;
3. 21+2 torque setting: Applicable to different working conditions;
4. 2-speed adjustment: Meet different requirements.



Screws in and out up to 612pcs ST4.2×25mm wood screws in 40mm pine board with a 2.0Ah battery pack

Accessories & Package

• Belt Clip • Driver Bit • Plastic Case Packing (Except Type Z)

KDJZ2060i(TYPE EM/AM/ADM/Z)

20V MAX

CORDLESS BRUSHLESS DRIVER/ HAMMER DRILL



20+2

20+2 torque setting
applicable to different working conditions

1st gear 0-600/min
2nd gear 0-2300/min

2-speed adjustment
high torque for screw driving, high speed for drilling

BRUSHLESS MOTOR

Brushless motor
high efficiency, powerful and durable

13mm metal ratchet chuck
sturdy, durable and strong clamping



152mm compact body
perfect control in narrow spaces



Screws in and out up to 186pcs ST6×50mm wood screws in 40mm pine board with a 2.0Ah battery pack

Accessories & Package

• Driver Bit • Belt Clip • Plastic Case Packing (Except Type Z)

Battery	20V MAX/4.0Ah×2/2.0Ah×2
	/2.0Ah×1/Solo
Max. Power Output	500W
Max. Chucking Capacity	13mm
Rated Impact Frequency	0-34500/min
No-load Speed	1st gear 0-600/min
	2nd gear 0-2300/min
Max. Drilling Dia.	Steel Φ13mm
	Brick wall Φ13mm
	Wood Φ38mm
Torque Setting	20+2
Max. Torque	60N.m
Net Weight	1.7/1.5/1.5/1.1kg

(Type EM) 4.0Ahx2, 2A Charger
(Type AM) 2.0Ahx2, 2A Charger
(Type ADM) 2.0Ahx1, 2A Charger
(Type Z) Solo, Color Box Packing

EXCELLENT PERFORMANCE IN CONTINUOUS HEAVY-DUTY WORK

20V MAX

YouTube
Watch the video



NEW

KDJZ20160i
(TYPE FK/EM/Z)

CORDLESS BRUSHLESS DRIVER/ HAMMER DRILL

BRUSHLESS MOTOR

DSC

Drills up to 50pcs Φ35mm holes with Hinge boring bit in 40mm pine board with a 4.0Ah battery pack

BRUSHLESS MOTOR WITH A MAX. 160N.m OUTPUT TORQUE

19+2



19+2 TORQUE SETTING
for a variety of application

DSC: SAFETY CONTROL TECHNOLOGY
mechanical clutch and electric sprain prevention

SELF TAPPING MODE
soft start for accurate positioning



Φ16 MAX. DRILL CAPACITY ON BRICK WALL

2 SPEED

2-SPEED ADJUSTMENT
high torque for screw driving, high speed for drilling

*Specifications may differ from country to country.

KDJZ20160i(TYPE FK/EM/Z)

20V MAX

CORDLESS BRUSHLESS DRIVER/ HAMMER DRILL

NEW BRUSHLESS MOTOR



DSC

Battery	20V MAX/5.0Ah×2/4.0Ah×2/Solo
Max. Chucking Capacity	13mm
Max. Power Output	1000W
No-load Speed	1st gear 0-500/min
	2nd gear 0-2100/min
Rated Impact Frequency	0-33600/min
Max. Drilling Dia.	Steel Φ13mm
	Brick wall Φ16mm
	Wood Φ65mm
Torque Setting	19+2
Max. Torque	160N.m
Net Weight	2.4/2.4/1.8kg

(Type EM) 4.0Ahx2, 2A Charger
(Type FK) 5.0Ahx2, 4A Charger
(Type Z) Solo, Color Box Packing

Features

1. Powerful: Brushless Motor delivers 160N.m of max torque;
2. DSC: safety control technology;
3. 19+2 torque setting: Applicable to different working conditions;
4. 2-speed adjustment: Meet different requirements;



Drills up to 50pcs Φ35mm holes with Hinge boring bit in 40mm pine board with a 4.0Ah battery pack

Accessories & Package

•Auxillary Handle • Driver Bit • Belt Cilp • Plastic Case Packing (Except Type Z)

KDZC04-24(TYPE FK/EM/Z)

20V MAX

CORDLESS BRUSHLESS ROTARY HAMMER

BRUSHLESS MOTOR

Battery	20V MAX/5.0Ahx2/4.0Ah×2/Solo
Max. Power Output	500W
Impact Energy	2.8J
No-load Speed	0-1000/min
Rated Impact Frequency	0-4500/min
Max. Drilling Capacity	Concrete Φ24mm
	Steel Φ13mm
	Wood Φ28mm
Net Weight	3.2/3.2/2.6kg

(Type FK) 5.0Ahx2, 4ACharger
(Type EM) 4.0Ahx2, 2ACharger
(Type Z) Solo, Color Box Packing

Features

1. Brushless motor;
2. 3-Mode operation, drill, rotary hammer and demolition;
3. Electronic constant speed control;
4. Mechanical clutch design.



Drills up to 48pcs Φ8×70mm holes in C40 concrete with a 4.0Ah battery pack

Accessories & Package

• Auxiliary Handle • Depth Gauge • Plastic Case Packing (Except Type Z)

KRH20V-26(TYPE R2K/H2K/Z)

20V MAX

CORDLESS BRUSHLESS ROTARY HAMMER

BRUSHLESS MOTOR



HEAVY DUTY

DVR DSC

Battery	20V MAX/8.0Ahx2/6.0Ah×2/Solo
Max. Power Output	750W
Impact Energy	2.8J
No-load Speed	0-1125/min
Rated Impact Frequency	0-5100/min
Max. Drilling Capacity	Concrete Φ26mm
Net Weight	4.3/4.2/3.1kg

(Type R2K) 8.0Ahx2, 4ACharger, Battery packs sold separately
(Type H2K) 6.0Ahx2, 4ACharger, Battery packs sold separately
(Type Z) Solo, Color Box Packing

Features

1. Brushless motor;
2. Dual protection: Mechanical and KickBack Control technology;
3. Quick change chuck;
4. 3-Mode operation, drill, rotary hammer and demolition.



Drills up to 87pcs Φ10×70mm holes in C40 concrete with a 8.0Ah battery charge

Accessories & Package

• Grease • Oil Absorber Cloth • Auxiliary Handle • Depth Gauge
• Tool Carrying Bag • Plastic Case Packing (Except Type Z)

PROVIDING YOU WITH EXTRAORDINARY WORK CONVENIENCE

20V MAX

YouTube
Watch the video



KRH20V-26
(TYPE R2K/H2K/Z)

CORDLESS BRUSHLESS ROTARY HAMMER

DVR DSC

BRUSHLESS MOTOR

HEAVY DUTY

Drills up to 87pcs Φ10×70mm holes in C40 concrete with a 8.0Ah battery charge



QUICK CHANGE CHUCK
quick replacement, convenient maintenance, and universal platform

MECHANICAL CLUTCH AND ELECTRONIC SPRAIN PROTECTION



DVR: VIBRATION REDUCTION TECHNOLOGY
improving operation comfort



DUST-FREE DRILLING
access to the dust collection system to achieve dust-free drilling



LONG WORKING LIFE
excellent electronic control

*Specifications may differ from country to country.

PROVIDING YOU WITH EXTRAORDINARY WORK EFFICIENCY

20V MAX

YouTube
Watch the video



KRH20V-28
(TYPE R2K/H2K/Z)

CORDLESS BRUSHLESS ROTARY HAMMER

BRUSHLESS MOTOR

HEAVY DUTY

Drills up to 45pcs Φ16×70mm holes in C40 concrete with a 8.0Ah battery charge



HIGH EFFICIENCY
excellent performance in drilling 16-22mm holes



QUICK CHANGE CHUCK
quick replacement, convenient maintenance, and universal platform

MECHANICAL CLUTCH AND ELECTRONIC SPRAIN PROTECTION



DVR: VIBRATION REDUCTION TECHNOLOGY
improving operation comfort

3.5kg

3.5kg LIGHTWEIGHT BODY
making it easy to work on top and outdoors

KDE20V-16

DUST EXTRACTOR



Max. speed output	21000rpm
Max. working stroke	130mm
Dust collection box capacity	240cm³
Max. drilling diameter	16mm
No-load current	3.2A
L x W x H	396x88x240mm
Net weight	1.2kg

Features

1. Virtually dustless: drilling: 97% dust collection rate;
2. 130mm maximum drilling depth;
3. 240cm³ effective dust collection volume.



KRH20V-28(TYPE R2K/H2K/Z)

CORDLESS BRUSHLESS ROTARY HAMMER

BRUSHLESS MOTOR



Battery	20V MAX/8.0Ahx2/6.0Ah×2/Solo
Max. Power Output	850W
Impact Energy	3.6J
No-load Speed	0-780/min
Rated Impact Frequency	0-4500/min
Max. Drilling Capacity	Concrete Φ28mm
Net Weight	4.8/4.6/3.5kg

(Type R2K) 8.0Ahx2, 4ACharger, Battery packs sold separately
(Type H2K) 6.0Ahx2, 4ACharger, Battery packs sold separately
(Type Z) Solo,Color Box Packin

HEAVY DUTY

Features

1. Brushless motor;
2. Dual protection: Mechanical and KickBack Control technology;
3. Quick change chuck;
4. 3-Mode operation, drill, rotary hammer and demolition.



Drills up to 45pcs Φ16×70mm holes in C40 concrete with a 8.0Ah battery charge

Accessories & Package

• Grease • Oil Absorber Cloth • Auxiliary Handle • Depth Gauge
• Tool Carrying Bag • Plastic Case Packing (Except Type Z)

KDSM04-100(TYPE H2K/FK/EM/Z)

CORDLESS BRUSHLESS ANGLE GRINDER

NEW



Battery	20V MAX/6.0Ahx2/5.0Ah×2/4.0Ah×2/Solo
Max. Power Input	1000W
Max. Wheel Dia.	Φ100mm
Rated Speed	4000/6500/9000/min
Spindle Thread	M10
Net Weight	2.7/2.4/2.4/1.8kg

(Type H2K) 6.0Ahx2,4A charger, Battery packs sold separately
(Type FK) 5.0Ahx2,4A charger
(Type EM) 4.0Ahx2,2A charger
(Type Z) Solo ,Color Box Packing

BRUSHLESS MOTOR

Features

1. Brushless motor, 1000W equivalent max power;
2. Tool-free adjustment guard, easy to adjust the angle of the guard;
3. 3-speed eletronic gear shift, meet different working conditions;
4. Kickback Control & Drop Control & Overload Restart;
5. Detachable metal dustproof filter.



Up to 100 cuts of Φ12mm rebar with a 6.0 Ah battery pack

Accessories & Package

• Auxiliary Handle • Wrench • Tool-free Adjustment Guard
• Plastic Case Packing (Except Type Z)

*Specifications may differ from country to country.

A STEP FURTHER IN EFFICIENCY

20V MAX



KDSM04-100 /115/125

(TYPE H2K/FK/EM/Z)

CORDLESS BRUSHLESS ANGLE GRINDER

BRUSHLESS MOTOR

DSC

DSC SAFETY CONTROL TECHNOLOGY

KICKBACK CONTROL:
machine will shut down automatically to protect the user if built-in sensor detect a kickback force

DROP CONTROL:
machine will shut down automatically to protect the user if built-in sensor detect a crash force

OVERLOAD RESTART:
driven system will restart automatically if the cutting wheel released within 0.8s



3-SPEED ELECTRONIC GEAR SHIFT
4000/6500/9000/min
meeting different working conditions




BRUSHLESS MOTOR
1000W powerful brushless motor

Up to 100 cuts of Φ12mm rebar with a 6.0 Ah battery pack



TOOL-LESS ADJUSTMENT GUARD
easy to adjust the angle of the guard



DETACHABLE METAL DUSTPROOF FILTER
more convenient for cleaning

KDSM04-115(TYPE H2K/FK/EM/Z)

20V MAX

CORDLESS BRUSHLESS ANGLE GRINDER

NEW



Battery	20V MAX/6.0Ahx2/5.0Ah×2/4.0Ah×2/Solo
Max. Power Input	1000W
Max. Wheel Dia.	Φ115mm
Rated Speed	4000/6500/9000/min
Spindle Thread	M14
Net Weight	2.8/2.5/2.5/1.9kg

(Type H2K) 6.0Ah×2,4A charger, Battery packs sold separately
(Type FK) 5.0Ah×2,4A charger
(Type EM) 4.0Ah×2,2A charger
(Type Z) Solo ,Color Box Packing

DSC BRUSHLESS MOTOR

Features

1. Brushless motor, 1000W equivalent max power;
2. Tool-free adjustment guard, easy to adjust the angle of the guard;
3. 3-speed eletronic gear shift, meet different working conditions;
4. Kickback Control & Drop Control & Overload Restart;
5. Detachable metal dustproof filter.



Up to 100 cuts of Φ12mm rebar with a 6.0 Ah battery pack

Accessories & Package

- Auxiliary Handle • Wrench • Tool-free Adjustment Guard
- Plastic Case Packing (Except Type Z)

KDSM04-125(TYPE H2K/FK/EM/Z)

20V MAX

CORDLESS BRUSHLESS ANGLE GRINDER

NEW



Battery	20V MAX/6.0Ahx2/5.0Ah×2/4.0Ah×2/Solo
Max. Power Input	1000W
Max. Wheel Dia.	Φ125mm
Rated Speed	4000/6500/9000/min
Spindle Thread	M14
Net Weight	2.8/2.5/2.5/1.9kg

(Type H2K) 6.0Ah×2,4A charger, Battery packs sold separately
(Type FK) 5.0Ah×2,4A charger
(Type EM) 4.0Ah×2,2A charger
(Type Z) Solo ,Color Box Packing

DSC BRUSHLESS MOTOR

Features

1. Brushless motor, 1000W equivalent max power;
2. Tool-free adjustment guard, easy to adjust the angle of the guard;
3. 3-speed eletronic gear shift, meet different working conditions;
4. Kickback Control & Drop Control & Overload Restart;
5. Detachable metal dustproof filter.



Up to 100 cuts of Φ12mm rebar with a 6.0 Ah battery pack

Accessories & Package

- Auxiliary Handle • Wrench • Tool-free Adjustment Guard
- Plastic Case Packing (Except Type Z)

KDSM04-100P(TYPE H2K/FK/EM/Z)

20V MAX

CORDLESS BRUSHLESS ANGLE GRINDER

NEW



Battery	20V MAX/6.0Ahx2/5.0Ah×2/4.0Ah×2/Solo
Max. Power Input	1000W
Max. Wheel Dia.	Φ100mm
Rated Speed	4000/6500/9000/min
Spindle Thread	M10
Net Weight	2.8/2.5/2.5/1.9kg

(Type H2K) 6.0Ah×2,4A charger, Battery packs sold separately
(Type FK) 5.0Ah×2,4A charger
(Type EM) 4.0Ah×2,2A charger
(Type Z) Solo ,Color Box Packing

DSC BRUSHLESS MOTOR

Features

1. Brushless motor, 1000W equivalent max power;
2. Tool-free adjustment guard, easy to adjust the angle of the guard;
3. 3-speed eletronic gear shift, meet different working conditions;
4. Kickback Control & Brake & Overload Restart;
5. Detachable metal dustproof filter, paddle switch.



Up to 100 cuts of Φ12mm rebar with a 6.0 Ah battery pack

Accessories & Package

- Auxiliary Handle • Wrench • Tool-free Adjustment Guard
- Plastic Case Packing (Except Type Z)

*Specifications may differ from country to country.

KDSM04-115P(TYPE H2K/FK/EM/Z)

20V MAX

CORDLESS BRUSHLESS ANGLE GRINDER

NEW




Battery	20V MAX/6.0Ahx2/5.0Ah×2/4.0Ah×2/Solo
Max. Power Input	1000W
Max. Wheel Dia.	Φ115mm
Rated Speed	4000/6500/9000/min
Spindle Thread	M14
Net Weight	2.9/2.6/2.6/2.0kg

(Type H2K) 6.0Ah×2,4A charger, Battery packs sold separately
(Type FK) 5.0Ah×2,4A charger
(Type EM) 4.0Ah×2,2A charger
(Type Z) Solo ,Color Box Packing

BRUSHLESS MOTOR

Features

1. Brushless motor, 1000W equivalent max power;
2. Tool-free adjustment guard, easy to adjust the angle of the guard;
3. 3-speed eletronic gear shift, meet different working conditions;
4. Kickback Control & Brake & Overload Restart;
5. Detachable metal dustproof filter, paddle switch.



Up to 100 cuts of Φ12mm rebar with a 6.0 Ah battery pack

Accessories & Package

• Auxiliary Handle • Wrench • Tool-free Adjustment Guard
• Plastic Case Packing (Except Type Z)

KDSM04-125P(TYPE H2K/FK/EM/Z)

20V MAX

CORDLESS BRUSHLESS ANGLE GRINDER

NEW



Battery	20V MAX/6.0Ahx2/5.0Ah×2/4.0Ah×2/Solo
Max. Power Input	1000W
Max. Wheel Dia.	Φ125mm
Rated Speed	4000/6500/9000/min
Spindle Thread	M14
Net Weight	2.9/2.6/2.6/2.0kg

(Type H2K) 6.0Ah×2,4A charger, Battery packs sold separately
(Type FK) 5.0Ah×2,4A charger
(Type EM) 4.0Ah×2,2A charger
(Type Z) Solo ,Color Box Packing

BRUSHLESS MOTOR

Features

1. Brushless motor, 1000W equivalent max power;
2. Tool-free adjustment guard, easy to adjust the angle of the guard;
3. 3-speed eletronic gear shift, meet different working conditions;
4. Kickback Control & Brake & Overload Restart;
5. Detachable metal dustproof filter, paddle switch.



Up to 100 cuts of Φ12mm rebar with a 6.0 Ah battery pack

Accessories & Package

• Auxiliary Handle • Wrench • Tool-free Adjustment Guard
• Plastic Case Packing (Except Type Z)

KDSP02-180(TYPE FK/BM/Z)

20V MAX

CORDLESS BRUSHLESS POLISHER

NEW



Battery	20V MAX/5.0Ahx2/4.0Ahx2/Solo
Max. Power Output	600W
No-load Speed	500-3000 /min
Wheel Size	Φ180mm
Speed Mode	1-2-3-4-5-6
Spindle Thread	M14/ 5/8"-11UNC
Net Weight	2.1/2.1/1.5kg

(TYPE FK) 5.0Ah×2,4A charger
(Type BM) 4.0Ah×2,2A charger
(Type Z) Solo ,Color Box Packing

BRUSHLESS MOTOR

Features

1. Brushless motor, efficient and durable;
2. 6-speed gear shift, meet different working conditions;
3. Eletronic constant speed control, maintain constant speed under load;
4. Soft start function, effectively protect the safety of the operator.



Polishs iron plate for up to 12 minutes in 6th speed gear with sponge disk with a 4.0Ah battery pack

Accessories & Package

• Backing Plate • Polishing Sponge • Auxiliary Handle
• Hex Wrench • Color Box Packing



KDMY140S
(TYPE FK/EM/Z)

CORDLESS BRUSHLESS CIRCULAR SAW

STOP

BRUSHLESS MOTOR

Up to 35 cuts of 200×40mm pine board with a 4.0Ah battery pack

ERGONOMIC DESIGN
parallel structure enhance control accuracy

2 SPEED ADJUSTMENT
applicable to different working conditions

0-45° ADJUSTABLE BEVEL ANGLE
meeting different working condition

2.3kg

2.3kg LIGHTWEIGHT BODY
more effortless for single hand

LED WORKING LIGHT
easy to work in dark place

*Specifications may differ from country to country.

KDMY125(TYPE FK/EM/Z)

20V MAX

CORDLESS BRUSHLESS CIRCULAR SAW



Battery	20V MAX/5.0Ah×2/4.0Ah×2/Solo
Max. Power Output	800W
No-load Speed	Low 4200/min
	High 6700/min
Blade Dia.	Φ125mm
Blade Bore	Φ20 mm
Max.Cutting Capacity	0° 45mm
	45° 33mm
Max.Cutting Angle	45°
Net Weight	2.4/2.4/1.8kg

(Type FK) 5.0Ah×2, 4A Charger , Color Box Packing
(Type BM) 4.0Ah×2, 2A Charger, Color Box Packing
(Type Z) Solo, Color Box Packing

BRUSHLESS MOTOR



Features

1. Brushless motor;
2. Ultra-slim body design;
3. Anti-restart function;
4. Adjustable 0-45° bever cutting angle;
5. 2-speed.



Up to 67 cuts of 1200×13mm plywood with a 4.0Ah battery pack

Accessories & Package

• Saw Blade • Suspension Strap • Hex Wrench
• Fixing Plate • Color Box Packing

KDMY02-185(TYPE FK/BM/DM/Z)

20V MAX

CORDLESS BRUSHLESS CIRCULAR SAW



Battery	20V MAX/5.0Ah×2/4.0Ah×2 /4.0Ah×1/Solo
Max. Power Output	850W
No-load Speed	5000/min
Blade Dia.	Φ185mm
Blade Bore	Φ20 mm
Max.Cutting Capacity	0° 65mm
	45° 45mm
Max.Cutting Angle	45°
Net Weight	4.1/4.1/4.1/3.5kg

(Type FK) 5.0Ah×2, 4A Charger, Color Box Packing
(Type BM) 4.0Ah×2, 2A Charger, Color Box Packing
(Type DM) 4.0Ah×1, 2A Charger, Color Box Packing
(Type Z) Solo, Color Box Packing

BRUSHLESS MOTOR



Features

1. Brushless motor;
2. Ultra-compact body;
3. Anti-restart and electronic brake function;
4. Adjustable 0-45° bevel cutting angle;
5. Max.cutting Capacity: 0° 65mm.



Up to 100 cuts of 200×40mm pine board with a 4.0Ah battery pack

Accessories & Package

• Hex Wrench • Fixing Plate • Saw Blade (TYPE Z: Not Included)
• Color Box Packing

KDMY140S(TYPE FK/EM/Z)

20V MAX

CORDLESS BRUSHLESS CIRCULAR SAW



Battery	20V MAX/5.0Ah×2/4.0Ah×2/Solo
Max. Power Output	800W
No-load Speed	Low 4200/min
	High 6700/min
Blade Dia.	Φ140mm
Blade Bore	Φ20 mm
Max.Cutting Capacity	0° 51mm
	45° 35mm
Max.Cutting Angle	45°
Net Weight	2.3/2.3/1.7kg

(Type FK) 5.0Ah×2, 4A Charger , Color Box Packing
(Type BM) 4.0Ah×2, 2A Charger, Color Box Packing
(Type Z) Solo, Color Box Packing

BRUSHLESS MOTOR



Features

1. Brushless motor;
2. Ultra-slim body design;
3. Anti-restart function;
4. Adjustable 0-45° bevel cutting angle;
5. 2-speed.



Up to 95 cuts of 200×40mm pine board with a 4.0Ah battery pack

Accessories & Package

• Saw Blade • Suspension Strap • Hex Wrench • Fixing Plate
• Operation Instructions • Color Box Packing

RECOMMENDED ACCESSORIES

SUITABLE FOR CORDLESS CIRCULAR SAW



Suitable for cordless circular saw
. longer life
. higher efficiency
. higher precision

TCT Saw Blade(Sharp Type)						Packing	Product Code
Diameter	Tooth Thickness (mm)	Aperture(mm)	Number of Teeth	Tooth Shape	Application Scenarios	PCS/CTN	
125(5")	1.5	20	24T	ATB	Wood	100	30570600056
140(5-1/2")	1.6	20	24T	ATB	Wood	100	30570600095
165(6-1/2")	1.5	20	24T	ATB	Wood	50	30570600054
185(7")	1.6	20	24T	ATB	Wood	50	30570600055

KDMY165S(TYPE FK/BM/BDM/Z)

20V MAX

CORDLESS BRUSHLESS CIRCULAR SAW

NEW



Battery	20V MAX/5.0Ah×2/4.0Ah×2/4.0Ah×1/Solo
Max. Power Output	840W
No-load Speed	5000/min
Blade Dia.	Φ165mm
Blade Bore	Φ20 mm
Max.Cutting Capacity	0° 59mm
	45° 43mm
	50° 39mm
Max.Cutting Angle	50°
Net Weight	3.8/3.8/3.8/3.2kg

(Type FK) 5.0Ah×2, 4A Charger, Color Box Packing
(Type BM) 4.0Ah×2, 2A Charger, Color Box Packing
(Type BDM) 4.0Ah×1, 2A Charger, Color Box Packing
(Type Z) Solo, Color Box Packing

BRUSHLESS MOTOR



Features

1. Brushless motor;
2. Ultra-compact body;
3. Adjustable 0-50° bevel cutting angle.



Up to 100 cuts of 200×40mm pine board with a 4.0Ah battery pack

Accessories & Package

• Hex Wrench • Fixing Plate • Operation Instructions
• Saw Blade (Type Z:not included) • Color Box Packing

KDJF15(TYPE EK/Z)

12V

CORDLESS SABRE SAW



Battery	12V MAX/2.0Ah×2/Solo
Max. Power Output	150W
Stroke Length	14.5mm
Max. Cutting Depth	Metal 8mm
	Wood 65mm
	Pipe Φ50mm
No-load Strokes	0-3000/min
Net Weight	1.2/1.0kg

(Type EK) 2.0Ahx2, 3A Charger
(Type Z) Solo, Color Box Packing



Features

Quick change system, adjustable speed.



Up to 8 cuts of 200×40mm pine board with a 2.0Ah battery pack

Accessories & Package

BIM Saw Blade (Metal) • HCS Saw Blade (wood)
• Plastic Case Packing (Except Type Z)

*Specifications may differ from country to country.


KDJF22(TYPE FK/EM/DM/Z)

20V MAX

CORDLESS BRUSHLESS RECIPROCATING SAW

BRUSHLESS MOTOR SVEC





Tool-less blade change system
for convenient blade insertion and ejection



SVC: super vibration control technology
effectively reducing the fatigue of the operators

BRUSHLESS MOTOR

Brushless motor
high efficiency, powerful and durable

Stepless speed adjustment
applicable to different working conditions



One-handed operation design
well balanced and easy to control



Up to 45 cuts of 200×40mm pine board with a 4.0Ah battery pack


Accessories & Package

• Blade(Metal) • Plastic Case Packing(Except Type Z)

Battery	20V MAX/5.0Ah×2/4.0Ah×2 /4.0Ah×1/Solo
Max. Power Output	450W
Stroke Length	22mm
Max. Cutting Depth	Metal 15mm Wood 180mm Pipe Φ100mm
No-load Strokes	0-3000/min
Net Weight	2.4/2.4/2.4/1.8kg

(Type FK)5.0Ahx2, 4A Charger
(Type EM)4.0Ahx2, 2A Charger
(Type DM)4.0Ahx1, 2A Charger
(Type Z)Solo, Color Box Packing

No-load reciprocating vibration frequency



KDMQ85(TYPE FK/EM/EDM/Z)

20V MAX

CORDLESS BRUSHLESS JIG SAW

NEW



BRUSHLESS MOTOR

Battery	20V MAX/5.0Ah×2/4.0Ah×2/4.0Ah×1/Solo
Max. Power Output	420W
No-load Speed	800-3500/min
Length of Strokes	26mm
Max. Cutting Depth	Steel 10mm Aluminium 20mm Wood 120mm
Max. Cutting Angle	45°
Net Weight	2.8/2.8/2.8/2.2kg

(Type FK)5.0Ahx2, 4A Charger
(Type EM)4.0Ahx2, 2A Charger
(Type EDM)4.0Ahx1, 2A Charger
(Type Z)Solo, Color Box Packing

Features

1. Tool-less blade change system: Allow for faster blade installation and removal;
2. 4 orbital-action settings+6-speed adjustment: Improved working efficiency and applicable to various cutting conditions;
3. D-shape rubberizd handle: Easy to carry and comfort able to hold;
4. External dust collection equipment can be connected;
5. Adjustable metal base plate: Applicable to different working conditions.



Up to 85 cuts of 200×40mm pine board with a 4.0Ah battery pack

Accessories & Package

• Saw Blade(2pcs)(T144D, T118A) • Plastic Case Packing(Except Type Z)

KDJJ1.6(TYPE AM/Z)

20V MAX

CORDLESS BRUSHLESS METAL SHEAR



BRUSHLESS MOTOR

Battery	20V MAX/2.0Ah×2/Solo
MAX. Power Output	400W
No-load Speed	0-2500/min
Shearing Capacity	Aluminium 1.6mm Stainless Steel 0.8mm
Net Weight	1.7/1.4kg

(Type AM)2.0Ahx2, 2A Charger
(Type Z)Solo, Color Box Packing

Features

1. Accurate cuts with maximum cutting depth of 1.6 mm in aluminium;
2. Variable speed trigger for extra control during cutting.



Up to 113 cuts of 1m×0.4mm iron plate with a 2.0Ah battery pack

Accessories & Package

• Allen key(4mm*1/2.5mm*1) • Plastic Case Packing(Except Type Z)

KDJF32(TYPE FK/EM/Z)

20V MAX

CORDLESS BRUSHLESS RECIPROCATING SAW

COMING SOON



Battery	20V MAX/5.0Ah×2/4.0Ah×2/Solo
Max. Power Output	900W
No-load Speed	0-2800 /min
Length of Strokes	32mm
Max. Cutting Depth	Steel 20mm Wood 255mm Pipe Φ130mm
Base Plate Adjustment	3
Net Weight	3.9/3.9/3.3kg

(Type FK)5.0Ahx2, 4A Charger
(Type EM)4.0Ahx2, 2A Charger
(Type Z)Solo, Color Box Packing

BRUSHLESS MOTOR

Features

1. Brushless motor;
2. 4 orbital-action settings+6-speed adjustment: Improved working efficiency and applicable to various cutting conditions;
3. 32mm stroke length delivers fast and effortless cutting in a wide range of materials;
4. Adjustable metal base plate: Applicable to different working conditions.



Up to 85 cuts of 200×40mm pine board with a 4.0Ah battery pack

Accessories & Package

• BIM Saw Blade(Metal) • HCS Saw Blade(wood)
• Plastic Case Packing(Except Type Z)

KDJJ2.5(TYPE EM/Z)

20V MAX

CORDLESS BRUSHLESS METAL SHEAR




BRUSHLESS MOTOR

Battery	20V MAX/4.0Ah×2/Solo
MAX. Power Output	700W
No-load Speed	1500/min
Shearing Capacity	Aluminium 3.2mm Stainless steel 2.5mm
Net Weight	2.8/2.2kg

(Type EM)4.0Ahx2, 2A Charger
(Type Z)Solo, Color Box Packing

Features

1. Accurate cuts with maximum cutting depth of 3.2mm in aluminium;
2. Brushless motor,More powerful and Higher efficiency.



Up to 28 cuts of 1m×2mm iron plate with a 4.0Ah battery pack

Accessories & Package

• Allen key(4mm*1/2.5mm*1) • Color Box Packing

*Specifications may differ from country to country.

KDMD20(TYPE FK/EM/DM/Z)

20V MAX

CORDLESS BRUSHLESS OSCILLATING MULTI-TOOL

BRUSHLESS MOTOR



Tool-less blade change system
for convenient blade insertion and ejection



6-speed adjustment
applicable to different working conditions



Brushless motor
high efficiency,
powerful and durable



Accessories & Package

• Cut Saw Blade BIM&HCS(2pcs) • Segment Saw Blade • Scraper • Sanding Plate • Abrasive Paper(15pcs) • Plastic Case Packing (Except Type Z)

Battery	20V MAX/5.0Ah×2/4.0Ah×2/2.0Ah×1/Solo
Max. Power Output	400W
Oscillations Frequency	6000-18000/min
Oscillation Angle	3.2°
Net Weight	2.0/2.0/1.7/1.4kg

(Type FK)5.0Ahx2, 4A Charger
(Type EM)4.0Ahx2, 2A Charger
(Type DM)2.0Ahx1, 2A Charger
(Type Z)Solo, Color Box Packing

RECOMMENDED ACCESSORIES

SUITABLE FOR CORDLESS CIRCULAR SAW



HCS Plunge Cut Saw Blade (wood) ——32mm(1-1/4")
Suitable for cutting wood and PVC pipes
Product Code: 30572600010



BIM Plunge Cut Saw Blade (wood and Soft Metal)——32mm(1-1/4")
Suitable for cutting wood and soft metals
Product Code: 30572600001



Sanding Plate——Φ88mm
Connecting Oscillating Multi-tool and Sanding Sheet
Product Code: 30572600004



HM Seg Saw Blade——Φ85mm(3-1/4")
Routing joints on wall and floor tiles
Removing mortar or tile adhesive
Product Code: 30572600003



Scraper——51×26mm
Removing mortar or tile adhesive
Removing mortar and concrete residues
Removing hard, brittle carpet adhesive residues
Product Code: 30572600002



Sanding Sheet ——(p60/p80/p100/p120/p240)
Suitable for sanding wood and wooden materials
Product Code:
P60: 30572600005 P120: 30572600008
P80: 30572600006 P240: 30572600009
P100: 30572600007

KDYD35S(TYPE AM/Z)

20V MAX

CORDLESS BRUSHLESS PRUNER

NEW BRUSHLESS MOTOR

SK5 steel blade
sharp and durable

Brushless motor
more powerful and higher efficiency



Rubberized handle
comfortable to hold

Dual safety switch
effectively avoid false start

Features

1. Brushless motor,More powerful and Higher efficiency;
2. SK5 steel blade, sharp and durable;
3. Leather-grain rubberized body, making it comfortable to hold;
4. Dual safety switch, effectively avoid false start;
5. Electronic shift function, match various applications.



Accessories & Package

• Wrench • Hex Wrench • Whetstone • Lubricating oil • Blade Guard • Color Box Packing

Battery	20V MAX/2.0Ah×2/Solo		
Max. Power Output	450W		
Shearing Capacity	1st gear	Hard Branches	Φ20mm
		Soft Branches	Φ20mm
	2nd gear	Hard Branches	Φ25mm
		Soft Branches	Φ25mm
	3rd gear	Hard Branches	Φ25mm
		Soft Branches	Φ30mm
	4th gear	Hard Branches	Φ25mm
		Soft Branches	Φ35mm
Net Weight	1.3/1.0kg		

(Type AM)2.0Ah×2, 2.0A Charger, Color Box Packing
(Type Z)Solo, Color Box Packing

KDVC800(TYPE DM/Z)

20V MAX

CORDLESS BRUSHLESS VACUUM CLEANER

BRUSHLESS MOTOR



Battery	20V MAX/4.0Ah×1/Solo
Max. Power Output	200W
Capacity	8L(water：3L)
Max. Vacuum Pressure	16kPa
Net Weight	3.2/2.6kg

(Type DM)4.0Ah×1, 2.0A Charger, Color Box Packing
(Type Z)Solo, Color Box Packing

Features

1. Wet/dry HEPA filter;
2. Telescopic hose, up to 2m long;
3. Intelligent water full detection to prevent excessive water absorption;
4. Shoulder strap, easy to carry.



Accessories & Package

• Flexible Pipe • Shoulder Strap • Wide Suction Nozzle • Flat Suction Nozzle • Color Box Packing

KDCS20061(TYPE FK/BM/Z)

20V MAX

CORDLESS BRUSHLESS CHAIN SAW

NEW COMING SOON BRUSHLESS MOTOR



Battery	20V MAX/5.0Ah×2/4.0Ah×2/Solo
Max. Power Output	750W
No-load Speed	8m/s
Max. Length of Guide Bar	150mm(6")
Net Weight	1.8/1.8/1.2kg

(Type FK)5.0Ah×2, 4.0A Charger, Color Box Packing
(Type BM)4.0Ah×2, 2.0A Charger, Color Box Packing
(Type Z)Solo, Color Box Packing

Features

1. 600W powerful brushless motor;
2. Lightweight and compact body;
3. Efficient heat dissipation air vents, effectively extending the lifetime of product;
4. Automatic oil pumping system, effectively extending the life of the chain.
5. Tool-free saw chain tensioning, for convenient operation and maintenance.



Accessories & Package

• Saw Chain • Guide Bar • Bar Protector • Color Box Packing

*Specifications may differ from country to country.

KDML20081(TYPE FK/EM/DM/Z)

20V MAX

CORDLESS BRUSHLESS CHAIN SAW

BRUSHLESS MOTOR



Battery	20V MAX/5.0Ah×2/4.0Ah×2/4.0Ah×1 /Solo
Max. Power Output	700W
No-load Speed	10m/s
Max. Length of Guide Bar	200mm(8")
Net Weight	2.3/2.3/2.3/1.7kg

(Type FK)5.0Ah×2, 4.0A Charger, Color Box Packing
(Type EM)4.0Ah×2, 2.0A Charger, Color Box Packing
(Type DM)4.0Ah×1, 2.0A Charger, Color Box Packing
(Type Z)Solo, Color Box Packing



Features

1. 2.3kg light-weight and Ultra-compact body;
2. Protective cover design, blocking sawdust and to ensure users safety;
3. Tool-free saw chain tensioning.

Accessories & Package

• Oil Bottle • Saw Chain • Guide Bar • Bar Protector
• Color Box Packing

KDPM50(TYPE EK/Z)

12V

CORDLESS BLIND RIVETING GUN



Battery	12V MAX/2.0Ah×2/Solo
Max. Power Output	150W
Stroke	20mm
Capacity	Φ2.4 - Φ5.0mm For All-purpose
	Φ2.4 - Φ6.0mm For Aluminum Blind Rivet
Max. Tension	10000N
Net Weight	1.6/1.4kg

(Type EK)2.0Ahx2, 3A Charger
(Type Z)Solo, Color Box Packing



Features

1. Mandrel catch container for convenient collect mandrel;
2. 20mm stroke sets most rivets in one stroke;
3. Capable of pulling aluminum, steel, and stainless steel rivets.

Accessories & Package

• Nosepiece(5pcs)• Mandrel Part(2pcs)• Magnetic Ring • Wrench
• Plastic Case Packing(Except Type Z)

KDCS20122(TYPE FK/BM/Z)

20V MAX

CORDLESS BRUSHLESS CHAIN SAW

BRUSHLESS MOTOR



Battery	20V MAX/5.0Ah×2/4.0Ah×2/Solo
Max. Power Output	1100W
No-load Speed	15m/s
Max. Length of Guide Bar	300mm
Net Weight	2.9/2.9/2.3kg

(Type FK)5.0Ah×2, 4.0A Charger, Color Box Packing
(Type BM)4.0Ah×2, 2.0A Charger, Color Box Packing
(Type Z)Solo, Color Box Packing



Features

1. Ultra-compact body and light-weight;
2. 15m/s max. chain speed for efficient cutting;
3. Tool-free saw chain tensioning, for convenient operation and maintenance;
4. Automatic oil pumping system to improve chain life;
5. Brake system, safe and reliable.

Accessories & Package

• Oil Bottle • Saw Chain • Guide Bar • Bar Protector
• Color Box Packing

KDPJ12(TYPE EK/Z)

12V

CORDLESS CAULK GUN



Battery	12V MAX/2.0Ah×2/Solo
Max. Power Output	150W
Max. Pushing Force	3400N
Feed Speed	0-12.9mm/s
Stroke	213/355mm
Sealant Type	Cartridge 300ml
	Film Type Pack 600ml
Net Weight	1.85/1.65kg

(Type EK)2.0Ahx2, 3A Charger
(Type Z)Solo, Color Box Packing



Features

1.6-speed gear shift optimizes flow rate from 0-12.9mm/s;
2.Deliver 3400N of pushing force for the highest viscosity materials.

Accessories & Package

• 600mL Sealant Pipe Holder • Suspension Strap
• Plastic Case Packing(Except Type Z)

KDQF32(TYPE FK/BM/DM/Z)

20V MAX


CORDLESS BRUSHLESS BLOWER

BRUSHLESS MOTOR



Battery	20V MAX/5.0Ah×2/4.0Ah×2 /4.0Ah×1/Solo	
Max. Power Output	380W	
No-load Speed	Low	11000/min
	Middle	15000/min
	High	18000/min
Air Volume	Low	67CFM(1.9m³/min)
	Middle	92CFM(2.6m³/min)
	High	110CFM(3.11m³/min)
Net Weight	1.9/1.9/1.9/1.3kg	

(Type FK)5.0Ah×2, 4A Charger, Color Box Packing
(Type BM)4.0Ah×2, 2A Charger, Color Box Packing
(Type DM)4.0Ah×1, 2A Charger, Color Box Packing
(Type Z)Solo, Color Box Packing



Features

1. Compact and lightweight design;
2. Two function: blowing and vacuuming;
3. Rubberized handle, comfortable to hold;
4. 3-speed variable speed control, applicable to different working conditions.

Accessories & Package

• Dust Extraction Connector • Blowpipe • Dust bag
• Color Box Packing

KDGG500(TYPE DM/Z)

20V MAX

CORDLESS GREASE GUN



Battery	20V MAX/2.0Ah×1/Solo
Max. Power Output	260W
Max. Working Pressure	10000PSI
Oil Injection Rate	High gear 170g/min
	High gear 110g/min
Length Of Hose	1000mm
Tank Capacity	500cc
Net Weight	3.2/2.8kg

(Type DM)2.0Ah×1, 2A Charger, Plastic Case Packing
(Type Z)Solo, Plastic Case Packing



Features

1. Oil volume and pressure control system;
2. Relief valve design, safer to use;
3. 10000PSI ultra-high pressure oil injection pipe, high safety factor;
4. 2-speed control design, meet different requirements.

Accessories & Package

• Plastic Case Packing

*Specifications may differ from country to country.

KDKIT25(TYPE EK)

CORDLESS BRUSHLESS COMBO KIT


NEW

12V





**D-stack stacking boxes can be sold separately*



Accessories & Package

• KDJZ23-10i • KDPL04-8 • 12VMAX Lithium-Ion battery 2.0Ah×2 • 3A Charger • D-STACK stacking box

Battery	12V MAX/2.0Ah×2
Include	KDJZ23-10i & KDPL04-8
Battery Charge Time	40/min
Gross Weight	4.5kg

125mm



IMPACT DRIVER

125mm compact body

perfect control in narrow spaces



1 **1st gear** 0-460/min

2 **2nd gear** 0-1600/min

HAMMER DRILL

mechanical variable 2-speed transmission (0-460 & 0-1600/min) for a wide range of drilling, fastening and hammer drilling applications

BRUSHLESS MOTOR

high-efficiency, powerful and durable

KDKIT26(TYPE EK)

CORDLESS BRUSHLESS COMBO KIT

NEW BRUSHLESS MOTOR

20V MAX

STOP





Accessories & Package

• KDJZ2060i • KDPL208 • 20MAX Lithium-Ion battery 4.0Ah*2 • 4A Charger • D-STACK stacking box

Battery	20VMAX/4.0Ah×2
Include	KDJZ2060i&KDPL208
Battery Charge Time	65min
Gross Weight	6.2kg



HAMMER DRILL

mechanical variable 2-speed transmission (0-600 & 0-2300/min) for a wide range of drilling, fastening and hammer drilling applications



IMPACT DRIVER

compact and ergonomic design at 107mm long weighs only 0.9kg

BRUSHLESS MOTOR

high-efficiency, powerful and durable

KDKIT28(TYPE EK)

CORDLESS BRUSHLESS COMBO KIT

NEW BRUSHLESS MOTOR

20V MAX

STOP





Accessories & Package

• KDJZ2060i • KDPB358 • 20MAX Lithium-Ion battery 4.0Ah*2 • 4A Charger • D-STACK stacking box

Battery	20VMAX/4.0Ah×2
Include	KDJZ2060i&KDPB358
Battery Charge Time	65min
Gross Weight	6.6kg



HAMMER DRILL

powerful brushless motor delivers 60N.m of max torque with a compact body of 152mm



IMPACT WRENCH

powerful brushless motor delivers 358N.m of max torque with a compact body of 129mm

BRUSHLESS MOTOR

high-efficiency, powerful and durable

KDKIT29(TYPE EK)

CORDLESS BRUSHLESS COMBO KIT

NEW BRUSHLESS MOTOR

20V MAX

STOP





Accessories & Package

• KDPL208 • KDPB358 • 20MAX Lithium-Ion battery 4.0Ah*2 • 4A Charger • D-STACK stacking box

Battery	20VMAX/4.0Ah×2
Include	KDPL208&KDPB358
Battery Charge Time	65min
Gross Weight	6.6kg



IMPACT DRIVER

Powerful brushless motor delivers 208N.m of max torque with a compact body of 107mm



IMPACT WRENCH

powerful brushless motor delivers 358N.m of max torque with a compact body of 129mm

BRUSHLESS MOTOR

high-efficiency, powerful and durable

**Specifications may differ from country to country.*

AUTOMOTIVE SOLUTIONS

1 IMPACT DRIVER


KDPL04-8


KDPL208


KDPL05-8

2 RATCHET WRENCH


KDPB04-10


KDPB05-10

3 POLISHER


KDSP02-180



4 VACUUM CLEANER


KDVC800

5 IMPACT WRENCH


KDPB80


KDPB358


KDPB488


KDPB698


KDPB968


KDPB1218


KDPB1288


KDPB1718

*Specifications may differ from country to country.

AC TOOL

*Specifications may differ from country to country.

KPL03-6

CONSTANT TORQUE SCREWDRIVER

NEW COMING SOON BRUSHLESS MOTOR



Rated Power Input	80W
No-load Speed	1st gear 0-1050/min
	2nd gear 0-1230/min
Max. Screw Dia.	
Machine Screw	M2.5-M5.0
Self Drilling Screw	ST2.6-ST5.5
Torque Range	0.5-3.0N.m
Net Weight	0.9kg

Features
1. High accuracy;
2. Overload Protection;
3. Compact body: Easy to carry and comfortable to hold .

Accessories & Package
• Driver Bit • Power Adapter • Color Box Packing

KPL8

IMPACT SCREWDRIVER



Rated Power Input	300W
No-load Speed	0-2200/min
Rated Impact Frequency	0-3000/min
Max. Torque	98N.m
Net Weight	1.3kg

Features
1. Adjustable speed, Forward and reverse rotation;
2. Rubberized handle.

Accessories & Package
• Double Cross Screwdrive Bit • Carbon Brush • Color Box Packing





KPB12

ELECTRIC WRENCH



Rated Power Input	300W
No-load Speed	1800/min
Rated Impact Frequency	2000/min
Capacities(Bolt Size)	M8-M12mm
Square Drive	12.7x12.7mm(1/2")
Max. Fastening Torque	188N.m
Net Weight	2.1kg

Features
1. Metal gear box;
2. Rocker type reversing switch.

Accessories & Package
• Socket 18×12.5L • Socket Pin • O Ring • Carbon Brush • Color Box Packing

KPB16

ELECTRIC WRENCH



Rated Power Input	450W
No-load Speed	1800/min
Rated Impact Frequency	2000/min
Capacities(Bolt Size)	M10-M16mm
Square Drive	12.7x12.7mm(1/2")
Fastening Torque Range	240-300N.m
Net Weight	2.6kg

Features
1. Metal gear box;
2. Rocker type reversing switch.

Accessories & Package
• Socket 24×12.5L • Socket Pin • O Ring • Carbon Brush • Color Box Packing

KPB30

ELECTRIC WRENCH



Rated Power Input	1050W
No-load Speed	1400/min
Rated Impact Frequency	1500/min
Capacities(Bolt Size)	M24-M30mm
Square Drive	25.4x25.4mm(1")
Fastening Torque Range	400-900N.m
Net Weight	10.0kg

Features
1. Maximum output torque 900N.m;
2. Rubberized front;
3. Meta gear box;
4. Rocker type reversing switch.

Accessories & Package
• Socket 36mm • Socket Pin • O Ring • Auxiliary Handle Assembly
• Carbon Brush • Plastic Case Packing

KPB32

ELECTRIC WRENCH



Rated Power Input	1050W
No-load Speed	1400/min
Rated Impact Frequency	1500/min
Capacities(Bolt Size)	M22-M30mm
Square Drive	25.4x25.4mm(1")
Fastening Torque Range	400-900N.m
Net Weight	10.3kg

Features
1. Maximum output torque 950N.m, with extended output shaft;
2. Rubberized front;
3. Meta gear box;
4. Rocker type reversing switch.

Accessories & Package
• Socket 36mm • Socket Pin • O Ring • Auxiliary Handle Assembly
• Carbon Brush • Plastic Case Packing

KPB20C

ELECTRIC WRENCH



Rated Power Input	340W
No-load Speed	1700/min
Rated Impact Frequency	2000/min
Capacities(Bolt Size)	M12-M20mm
Square Drive	12.7x12.7mm(1/2")
Max. Fastening Torque	294N.m
Net Weight	3.2kg

Features
1. Rubberized front;
2. Metal gear box;
3. Rocker type reversing switch.

Accessories & Package
• Socket 24×12.5L • Socket Pin • O Ring • Carbon Brush • Color Box Packing

KPB22C

ELECTRIC WRENCH



Rated Power Input	620W
No-load Speed	1700/min
Rated Impact Frequency	1600/min
Capacities(Bolt Size)	M16-M22mm
Square Drive	19x19mm(3/4")
Max. Fastening Torque	588N.m
Net Weight	5.0kg

Features
1. Rubberized front;
2. Metal gear box;
3. Rocker type reversing switch.

Accessories & Package
• Socket 32×19L • Socket Pin • O Ring • Auxiliary Handle Assembly
• Carbon Brush • Plastic Case Packing

KPB24E

SHEAR WRENCH



Rated Power Input	1050W
No-load Speed	18/min
Max. Fastening Torque	1100N.m
Net Weight	8.0kg

Features
1. M16, M20, M22, M24, various sleeve assemblies are available;
2. Maximum output torque 1100N.m.

Accessories & Package
• Slotter Screw Driver • M22 Outer / Inner Socket Assembly • Carbon Brush
• Iron Carrying Case

KJZ03-6

ELECTRIC DRILL



Rated Power Input	420W
No-load Speed	0-4200/min
Max. Drilling Capacity	
Steel	Φ6.5mm
Wood	Φ15mm
Net Weight	1.0kg

Features
1. 420W high power;
2. Ergonomic body design, Small and compact;
3. Stepless speed control, Forward and reverse rotation.

Accessories & Package
• Chuck Wrench • Carbon Brush • Color Box Packing

*Specifications may differ from country to country.

COMPACT BUT POWERFUL



YouTube
Watch the video

KJZ10-10/ KJZ10-10K

ELECTRIC DRILL

KJZ10-10

KJZ10-10K

HIGH-STRENGTH CHUCK
sturdy and durable

STEPLESS SPEED ADJUSTMENT
applicable to different working conditions

RUBBERIZED HANDLE
comfortable to hold

ERGONOMIC DESIGN
reducing operator fatigue

EFFICIENT HEAT DISSIPATION AIR VENTS EFFECTIVELY
extending the lifetime of product

KJZ06-10

ELECTRIC DRILL



Rated Power Input	380W
No-load Speed	0-1400/min
Max. Drilling Capacity	
Steel	Φ10mm
Wood	Φ15mm
Net Weight	1.9kg

Features
1. Angular structure design, Easy to use in narrow space;
2. Large paddle switch.

Accessories & Package
• Auxiliary Handle • Chuck Wrench • Carbon Brush • Color Box Packing

KJZ10-10

ELECTRIC DRILL



Rated Power Input	460W
No-load Speed	0-3200/min
Max. Drilling Capacity	
Steel	Φ10mm
Wood	Φ25mm
Net Weight	1.3kg

Features
1. High-strength chuck, Prevent loosing and work more steadily;
2. Stepless speed adjustment, forward and reverse rotation control, Meet different working conditions;
3. Large ventilation vents, Efficient heat dissipation;
4. Rubberized handle, Anti-vibration and anti-slip, comfortable for gripping;
5. Ergonomic body design, Reduce operator fatigue.

Accessories & Package
• Chuck Wrench • Carbon Brush • Color Box Packing

KJZ10-10K

ELECTRIC DRILL



Rated Power Input	460W
No-load Speed	0-3200/min
Max. Drilling Capacity	
Steel	Φ10mm
Wood	Φ25mm
Net Weight	1.3kg

Features
1. High-strength chuck, Prevent loosing and work more steadily;
2. Stepless speed adjustment, forward and reverse rotation control, Meet different working conditions;
3. Large ventilation vents, Efficient heat dissipation;
4. Rubberized handle, Anti-vibration and anti-slip, comfortable for gripping;
5. Ergonomic body design, Reduce operator fatigue.

Accessories & Package
• Carbon Brush • Color Box Packing

KJZ07-13

ELECTRIC DRILL



Rated Power Input	710W
No-load Speed	0-900/min
Max. Drilling Capacity	
Steel	Φ13mm
Wood	Φ38mm
Net Weight	2.4kg

Features
1. Double-geared drive, high torque output;
2. Adjustable speed, Forward and reverse rotation.

Accessories & Package
• Auxiliary Handle • Chuck Wrench • Carbon Brush • Color Box Packing

KZJ16

ELECTRIC IMPACT DRILL

Drill Hammer Drill

Two functions
applicable to various working conditions

Rubberized handle
comfortable to hold



High strength gear box
sturdy and durable

710W Powerful motor

Accessories & Package
• Auxiliary Handle • Depth Gauge • Chuck Wrench • Carbon Brush • Color Box Packing

Rated Power Input	710W
No-load Speed	0-3000/min
Rated Impact Frequency	0-45000/min
Max. Drilling Capacity	Steel Φ13mm
	Concret Φ16mm
	Wood Φ30mm
Net Weight	2.0kg

*Specifications may differ from country to country.

KJZ04-16

ELECTRIC DRILL



Rated Power Input	1650W
No-load Speed	1100/min
Max. Chucking Capacity	16mm
Max. Drilling Capacity	
Steel	Φ16mm
Wood	Φ36mm
Net Weight	3.6kg

Features
1. 1650W high power: High load capacity;
2. Strong chucking capacity: Max. Chucking Capacity 16mm;
3. High speed design: High working efficiency;
4. Multi-function: Suitable for mixing, drilling and other application scenarios;
5. Compact body: Easy to carry and comfortable to hold.

Accessories & Package
• Auxiliary Handle • Chuck Wrench • Carbon Brush • Color Box Packing



KZJ20

ELECTRIC IMPACT DRILL



Rated Power Input	720W
	Low Speed High Speed
No-load Speed	0-1150 0-2800/min
Rated Impact Frequency	0-23000 0-56000/min
Max. Drilling Capacity	Steel Φ13 Φ8mm
	Brick wall Φ20mm
	Wood Φ40 Φ25mm
Net Weight	2.4kg

Features
1. 2-speed mechanical speed control; 2. Rubberized handle;
3. Adjustable speed, Forward and reverse rotation.

Accessories & Package
• Auxiliary Handle • Depth Gauge • Chuck Wrench • Carbon Brush
• Plastic Case Packing

KZZ90

DIAMOND DRILL WITH WATER SOURCE



Rated Power Input	1350W
No-load Speed	0-2300/min
Max. Drilling Capacity	Φ90mm
Net Weight	4.4kg

Features
1. Light-weight model, Handheld type;
2. Adjustable speed.

Accessories & Package
• Water Pipe • Pipe Connector • Open-end Wrench • Auxiliary Handle
• Shoulder Support Assembly • Carbon Brush • Plastic Case Packing

KZZ02-130

DIAMOND DRILL WITH WATER SOURCE



Rated Power Input	1800W
No-load Speed	1200/min
Max. Drilling Capacity	Φ130mm
Net Weight	11.6kg

Features
Earth leakage protection.

Accessories & Package
• Water Pipe • Pipe Connector • Open-end Wrench • Hex Wrench (2pcs)
• Carbon Brush • Carton Packing

KZZ02-160

DIAMOND DRILL WITH WATER SOURCE



Rated Power Input	1800W
No-load Speed	1900/min
Max. Drilling Capacity	Φ160mm
Net Weight	5.2kg

Features
Light-weight model, Handheld type.

Accessories & Package
• Water Pipe • Pipe Connector • Open-end Wrench • Auxiliary Handle
• Shoulder Support Assembly • Carbon Brush • Plastic Case Packing

KZZ03-160

DIAMOND DRILL WITH WATER SOURCE



Rated Power Input	1800W
No-load Speed	1900/min
Max. Drilling Capacity	Φ160mm
Net Weight	11.7kg

Features
Dual-use, handheld and vertical type.

Accessories & Package
• Water Pipe • Pipe Connector • Open-end Wrench • Hex Wrench
• Auxiliary Handle • Carbon Brush • Carton Packing

KZZ02-200S

DIAMOND DRILL WITH WATER SOURCE



Rated Power Input	3500W
No-load Speed	700/min
Max. Drilling Capacity	Φ200mm
Net Weight	25.0kg

Features
Earth leakage protection.

Accessories & Package
• Water Pipe • Pipe Connector • Open-end Wrench • Hex Wrench (3pcs)
• Carbon Brush • Carton Packing

KZZ200S

DIAMOND DRILL WITH WATER SOURCE



Rated Power Input	3300W
No-load Speed	500/min
Max. Drilling Capacity	Φ200mm
Net Weight	22.0kg

Features
Earth leakage protection.

Accessories & Package
• Water Pipe • Pipe Connector • Hex Wrench (3pcs) • Carbon Brush
• Carton Packing

KZZ250

DIAMOND DRILL WITH WATER SOURCE



Rated Power Input	3800W
No-load Speed	580/min
Max. Drilling Capacity	Φ250mm
Net Weight	25.0kg

Features
1. 3800W high power; 2. Overload protection;
3. Earth leakage protection.

Accessories & Package
• Water Pipe • Pipe Connector • Open-end Wrench • Hex Wrench (3pcs)
• Carbon Brush • Carton Packing

RECOMMENDED ACCESSORIES

DIAMOND CORE BIT



High quality diamond particles
sharp and durable
Excellent welding process
more powerful

Specification	Working Length	Connection Thread	Product Code
Φ 63×370	310	M22	30571100011
Φ 102×350	290	M22	30571100015
Φ 200×450	390	M22	30571100111
Φ 63×365	310	1-1/4"	30571100126
Φ 102×365	300	1-1/4"	30571100129
Φ 200×455	390	1-1/4"	30571100120

*Specifications may differ from country to country.

KZZ02-250

DIAMOND DRILL WITH WATER SOURCE



Rated Power Input	3800W
No-load Speed	390/1100/min
Max. Drilling Capacity	Φ250mm
Net Weight	25.0kg

Features

1. 3800W high power; 2. Earth leakage protection;
3. 2-speed mechanical speed control and Overload protection.

Accessories & Package

• Water Pipe • Pipe Connector • Open-end Wrench • Hex Wrench (3pcs)
• Carbon Brush • Carton Packing

KZZ02-250A

DIAMOND DRILL WITH WATER SOURCE



Rated Power Input	3800W
No-load Speed	390/1100/min
Max. Drilling Capacity	Φ250mm
Net Weight	25.5kg

Features

1. 3800W high power; 2. With roller bracket; 3. Earth leakage protection;
4. 2-speed mechanical speed control and Overload protection.

Accessories & Package

• Water Pipe • Pipe Connector • Open-end Wrench • Hex Wrench (3pcs)
• Carbon Brush • Carton Packing

KJC16

MAGNETIC DRILL



Rated Power Input	900W
Max. Drilling Capacity	Φ16mm
Magnetism	11500N
No-load Speed	450/min
Max. Stroke	140mm
Connector	Mt2 Shank
Net Weight	11.5kg

Features

1. Portable and efficient;
2. Fuse overload protection.

Accessories & Package

• Open-end Wrench • Safety Belt • Hex Wrench • Drill Chuck Wrench • Fuse
• Carbon Brush • Plastic Case Packing



KJC23

MAGNETIC DRILL



Rated Power Input	1500W
Max. Drilling Capacity	
Twist Drill Bit	Φ23mm
Core Drill Bit	Φ50mm
Magnetism	15000N
No-load Speed	390/min
Max. Stroke	220mm
Connector	Mt2 Shank
Net Weight	21.0kg

Features

1. Two functions: twist Drill and core Drill;
2. Fuse overload protection.

Accessories & Package

• Core Drill Bit (22mm) • Core Drill Bit Joint Assembly • Wedge Iron • Safety Belt • Hex Wrench (2pcs) • Drill Chuck Wrench • Drill Chuck • Extension Rod for Morse Taper Bush with Tang • Fuse • Oiler Assembly • Carbon Brush • Iron Carrying Case

KJC02-23

MAGNETIC DRILL



Rated Power Input	1600W
Max. Drilling Capacity	
Twist Drill Bit	Φ23mm
Core Drill Bit	Φ50mm
Max.Tapping Capacity	M20(Sold Separately)
Magnetism	15000N
No-load Speed	130-260/260-520/min
Max. Stroke	220mm
Connector	Mt3 Shank
Net Weight	24.0kg

Features

1. Triple function: Twist Drill, Core Drill and Tapping;
2. Soft start, 2-speed mechanical speed control;
3. Electronic constant speed control, maintains constant speed under load;
4. Electronic overload protection, safety release clutch.

Accessories & Package

• Joint Assembly for MT3 Core • Wedge Iron • Safety Belt • Open-end Wrench
• Hex Wrench (2pcs) • Chuck Wrench • Drill Chuck • Center Pin • Long Center Pin
• Extension Rod for Morse Taper Bush with Tang • Short Center Pin
• Morse Reduction Sleeve • Oiler Assembly • Carbon Brush • Plastic Case Packing

KJC30

MAGNETIC DRILL (CORE DRILL)



Rated Power Input	900W
Max. Drilling Capacity	Φ30mm
Max. Drilling Depth	35mm
Magnetism	11500N
No-load Speed	450/min
Max. Stroke	140mm
Connector	Straight ShankΦ19mm
Net Weight	11.5kg

Features

1. Core Drill only;
2. Fuse overload protection.

Accessories & Package

• Core Drill Bit (22mm) • Safety Belt • Open-end Wrench
• Hex Wrench (2pcs) • Fuse • Carbon Brush • Plastic Case Packing

KJC02-30

MAGNETIC DRILL



Rated Power Input	900W
Max. Drilling Capacity	
Twist Drill Bit	Φ13mm
Core Drill Bit	Φ30mm
Magnetism	11500N
No-load Speed	450/min
Max. Stroke	140mm
Net Weight	12.0kg

Features

1. Two functions: core drill and twist drill; 2. Fuse overload protection.

Accessories & Package

• Core Drill Bit (22mm) • Core Drill Bit Joint Assembly • Safety Belt
• Open-end Wrench • Double Open-end Wrench • Hex Wrench (2pcs)
• Chuck Wrench • Drill Chuck • Protecting Set • Fuse • Oiler Assembly
• Carbon Brush • Plastic Case Packing

TWIST DRILLING/ TAPPING/ CORE DRILLING DONE BY ONE MACHINE



KJC02-23

MAGNETIC DRILL



DOUBLE-COIL ELECTROMAGNETIC SUCTION CUP

15000N Powerful magnetism



WATERPROOF AND DUSTPROOF -SEALED LARGE BUTTONS



1 GEAR
low speed, high torque 130-260/min

2 GEAR
high speed, low torque 260-520/min



EXTENDED ROCKER ARM LIFT BAR

easy to operate



TWIST DRILLING / TAPPING / CORE DRILLING



DOUBLE DOVETAIL GROOVE GUIDEWAY

precise guidance

*Specifications may differ from country to country.

Pictures						
Models		KDZC04-24 20VMAX	KRH20V-26 20VMAX	KRH20V-28 20VMAX	KZC05-26B	KZC04-28
Specifications	Rated power Input	500W(Max.output power)	750W(Max.output power)	850W(Max.output power)	800W	820W
	No-load Speed	0-1000/min	0-1125/min	0-780/min	0-1200/min	0-1200/min
	Rated Impact Frequency	0-4500/min	0-5100/min	0-4500/min	0-4000/min	0-4200/min
	Impact Energy	2.8J	2.8J	3.6J	3.0J	3.3J
	Net Weight	3.2kg(with 4.0Ah battery)	4.3kg(with 8.0Ah battery)	4.8kg(with 8.0Ah battery)	2.93kg	2.75kg
	Tool Holder	SDS-PLUS	SDS-PLUS	SDS-PLUS	SDS-PLUS	SDS-PLUS
Drilling Diameter in concrete (mm)		Total range / Optimal 6 14 24	6 8 18 26	6 8 22 28	Total range / Optimal 6 16 26	6 8 18 28
Modes	Drill Function	●	●	●	●	●
	Rotary Hammer function	●	●	●	●	●
	Demolition Function	●	●	●	●	●
Adjustable Speed		●	●	●	●	●
Drilling/Chiselling ratio		10% Drilling, 90% Chiselling	20% Drilling, 80% Chiselling	20% Drilling, 80% Chiselling	10% Drilling, 90% Chiselling	10% Drilling, 90% Chiselling
Working direction		↕	↕	↕	↕	↕
Features		Drills up to **48pcs** Φ8×80mm holes in C40 concrete on one 4.0Ah battery charge	Drills up to **87pcs** Φ10×70mm holes in C40 concrete on one 8.0Ah battery charge	Drills up to **45pcs** Φ16×70mm holes in C40 concrete on one 8.0Ah battery charge	The drilling efficiency: about **20%** higher than KZC02-20	The drilling efficiency: about **20%** higher than KZC05-26B
Heavy Duty			HEAVY DUTY	HEAVY DUTY		HEAVY DUTY
Recommended application scenarios	Home decoration	■■■	■■		■■■	■■■
	Outdoor installation	■■■	■■■	■■	■	■
	Steel drilling	■	■		■	■
	Auxiliary planting of steel bars		■	■■	■■	■■■
	Medium anchor hole drilling		■	■■■		
	Tile demolition	■	■	■■	■	■■
	Reinforcement by planting steel bars			■■		■■
	Concrete demolition			■■		

Pictures of application scenarios


Home decoration


Outdoor installation


Steel drilling


Auxiliary planting of steel bars


Medium anchor hole drilling


Tile demolition


Reinforcement by planting steel bars


Concrete demolition

The data comes from Dongcheng laboratory approved by CNAS/TUV, etc.The data is for reference only.

*Specifications may differ from country to country.

Pictures							
Models		KZC03-26SH	KZC02-28SH	KZC06-28B	KRH1200-30	KZC03-38	KZC45
Specifications	**Rated power Input**	750W	960W	1200W	1200W	1100W	1500W
	No-load Speed	700/min	1000/min	1200/min	0-930/min	320/min	0-305/min
	Rated Impact Frequency	3200/min	5000/min	5800/min	0-5300/min	2900/min	1370-2700/min
	Impact Energy	3.0J	3.2J	4.7J	3.7J	7.9J	15.0J
	Net Weight	5.0kg	5.0kg	4.7kg	4.6kg	6.2kg	8.2kg
	Tool Holder	SDS-PLUS	SDS-PLUS	SDS-PLUS	SDS-PLUS	SDS-Max	SDS-Max
Drilling Diameter in concrete (mm)		Total range / Optimal: 6 8 18 26	6 8 18 28	6 8 20 28	6 10 25 30	Total range / Optimal: 10 18 32 38	10 24 40 45
Modes	**Drill Function**	○	○	○	●	○	○
	Rotary Hammer function	●	●	●	●	●	●
	Demolition Function	●	●	●	●	●	●
Adjustable Speed		○	○	○	●	○	●
Drilling/Chiselling ratio		20% Drilling / 80% Chiselling	10% Drilling / 90% Chiselling	20% Drilling / 80% Chiselling	20% Drilling / 80% Chiselling	30% Drilling / 70% Chiselling	40% Drilling / 60% Chiselling
Working direction		↑	↑	↑	↑	↱	↱
Features		◆ The Lifetime: about **30%** longer than KZC03-26B; ◆ Improved product structure to prevent oil leakage	The drilling efficiency: about **10%** higher than traditional Φ25mm models	The drilling efficiency: about **25%** higher than KZC07-26B		Light-weight model: **22%** lighter than KZC38	Max.drilling capacity Φ45mm
Heavy Duty				HEAVY DUTY	HEAVY DUTY	HEAVY DUTY	HEAVY DUTY
Recommended application scenarios	**Auxiliary planting of steel bars**	■					
	Fire pipeline installation	■■■	■■	■■	■■	■	
	Medium anchor hole drilling	■■■	■■■	■■■	■■	■■	■
	waterproofing and plugging hole	■■	■■	■■	■■	■■■	■
	Tile demolition	■■	■■	■■	■		
	Reinforcement by planting steel bars		■■	■■■	■■	■■	■■
	Engineering application		■	■■	■■■	■■	■■■
	Concrete demolition	■	■■	■■	■■	■■	■■■

Pictures of application scenarios



Auxiliary planting of steel bars



Fire pipeline installation



Medium anchor hole drilling



waterproofing and plugging hole



Tile demolition



Reinforcement by planting steel bars



Elevator installation



Concrete demolition

The data comes from Dongcheng laboratory approved by CNAS/TUV, etc.The data is for reference only.

*Specifications may differ from country to country.

WORKS BETTER THAN YOU EXPECT



KZC05-26B

HAMMER DRILL



SDS PLUS



FORWARD AND REVERSE SWITCH
wider application



STEPLESS SPEED ADJUSTMENT
applicable to different working conditions

Drill Rotary hammer Demolition

3-MODE OPERATION

KZC03-26SH

ELECTRIC ROTARY HAMMER



Rated Power Input	750W
Impact Energy	3.0J
No-load Speed	700/min
Rated Impact Frequency	3200/min
Max. Drilling Capacity	Concrete Φ26mm
Net Weight	5.0kg

Features
1. Upgraded model from KZC03-26, for longer lifetime, optimized sealing structure;
2. Two functions: rotary hammer and demolition;
3. New safety release clutch;
4. SDS-PLUS.

Accessories & Package
• Grease • Dust Cap • O Ring (2pcs) • Auxiliary Handle • Depth Gauge
• Wrench • Carbon Brush • Plastic Case Packing



KZC05-26B

HAMMER DRILL



Rated Power Input	800W
Impact Energy	3.0J
No-load Speed	0-1200/min
Rated Impact Frequency	0-4000/min
Max. Drilling Capacity	Concrete Φ26mm
Net Weight	2.93kg

Features
1. Adjustable speed, Forward and reverse rotation;
2. 3-Mode operation, drill, rotary hammer and demolition;
3. SDS-PLUS.

Accessories & Package
• Auxiliary Handle • Depth Gauge • Carbon Brush • Plastic Case Packing

KZC02-28SH

ELECTRIC ROTARY HAMMER



Rated Power Input	960W
Impact Energy	3.2J
No-load Speed	1000/min
Rated Impact Frequency	5000/min
Max. Drilling Capacity	Concrete Φ28mm
Net Weight	5.0kg

Features
1. 960W high-quality motor ;
2. Two functions: demolition, rotary hammer;
3. New safety release clutch;
4. SDS-PLUS.

Accessories & Package
• Grease • Dust Cap • O Ring (2pcs) • Auxiliary Handle • Depth Gauge
• Plastic Case Packing

KZC04-28

HAMMER DRILL

HEAVY DUTY



Rated Power Input	820W
Impact Energy	3.3J
No-load Speed	0-1300/min
Rated Impact Frequency	0-4200/min
Max. Drilling Capacity	Concrete Φ28mm
Net Weight	2.75kg

Features
1. High efficient drilling system;
2. 3-Mode operation: Drill, rotary hammer and demolition;
3. Light-weight and compact, More suitable for home decoration, ceiling, etc;
4. Mechanical reversing design of carbon brush, For fast switch of forward and reverse rotation;
5. Reliable safety clutch design, Effectively protect the safety of operators.

Accessories & Package
• Auxiliary Handle • Depth Gauge • Carbon Brush • Plastic Case Packing

KZC06-28B

ELECTRIC ROTARY HAMMER

HEAVY DUTY



Rated Power Input	1200W
Impact Energy	4.7J
No-load Speed	1200/min
Rated Impact Frequency	5800/min
Max. Drilling Capacity	Concrete Φ28mm
Net Weight	4.7kg

Features
1. 1200w high speed motor, making drilling efficiency higher;
2. 20000 holes test life, more durable;
3. 2-Mode operation, rotary hammer and demolition;
4. DVR new vibration absorbing system;
5. SDS-PLUS.

Accessories & Package
• Grease • Dust Cap • O Ring (2pcs) • Auxiliary Handle • Depth Gauge • Wrench
• Carbon Brush • Plastic Case Packing



*Specifications may differ from country to country.

ENDLESS PURSUIT OF EFFICIENCY



KZC06-28B

ELECTRIC ROTARY HAMMER

HEAVY DUTY

- 1200W POWERFUL MOTOR
- NEW INDUSTRIAL STRUCTURE DESIGN
- ADVANCED SAFETY CLUTCH SYSTEM
  protecting the machine and user when the drill bit gets stuck
- NEW SAFETY CLUTCH FUNCTION
  automatically stop when the steel bar is pressed
- DVR: VIBRATION REDUCTION TECHNOLOGY
  improving operation comfort
- Rotary hammer, Demolition
  2-MODE OPERATION

SUPERIOR QUALITY: OIL LUBRICATED AND MAINTENANCE FREE

YouTube Watch the video



NEW

KRH1200-30

ELECTRIC ROTARY HAMMER

HEAVY DUTY

- 1200W POWERFUL MOTOR
- MECHANICAL CLUTCH AND ELECTRONIC SPRAIN PROTECTION
- DVR: VIBRATION REDUCTION TECHNOLOGY
  improving operation comfort
- Drill, Rotary hammer, Demolition
  3-MODE OPERATION
  drill, rotary hammer and demolition
- QUICK CHANGE CHUCK

*Specifications may differ from country to country.

KRH1200-30

ELECTRIC ROTARY HAMMER

NEW HEAVY DUTY DIER DSC



Rated Power Input	1200W
Impact Energy	3.7J
No-load Speed	0-930/min
Rated Impact Frequency	0-5300/min
Max. Drilling Capacity	Concrete Φ30mm
Net Weight	4.6kg

Features

1. 1200w high speed motor, making drilling efficiency higher;
2. DVR new vibration absorbing system;
3. Mechanical clutch and electronic anti-torsion, double protection for your safety ;
4. 3-Mode operation, drill, rotary hammer and demolition;
5. With quick change chuck.

Accessories & Package

• Grease • Oil Absorber Cloth • Auxiliary Handle • Depth Gauge • Carbon Brush • Plastic Case Packing



KZC03-38

ELECTRIC ROTARY HAMMER

HEAVY DUTY



Rated Power Input	1100W
Impact Energy	7.9J
No-load Speed	320/min
Rated Impact Frequency	2900/min
Max. Drilling Capacity	Concrete Φ38mm
Net Weight	6.2kg

Features

1. Safety clutch function;
2. 2-Mode operation, rotary hammer and demolition;
3. SDS-MAX.

Accessories & Package

• Auxiliary Handle • Plastic Case Packing

KZC45

ELECTRIC ROTARY HAMMER

HEAVY DUTY



Rated Power Input	1500W
Impact Energy	15.0J
No-load Speed	0-305/min
Rated Impact Frequency	1370-2700/min
Max. Drilling Capacity	Concrete Φ45mm
Net Weight	8.2kg

Features

1. Safety clutch function; 2. Soft start;
3. 2-Mode operation, rotary hammer and demolition;
4. SDS-MAX.

Accessories & Package

• Auxiliary Handle • Chuck Oil • Carbon Brush • Plastic Case Packing

RECOMMENDED ACCESSORIES

HAMMER DRILL BIT



Tungsten Carbide-tipped Bits

. Sharp Blade with High Hardless: Durable & Wear-Resistant;
. Optimal Heat Treatment Process: For High Tenacity and Hardness;
. U-Type Flute: Smooth Chip Removal & Powerful Drilling.

Specification	Tool Holder	Product Code
Φ 6×110	SDS-Plus	30570200004
Φ 6×160	SDS-Plus	30570200003
Φ 8×110	SDS-Plus	30570200114
Φ 8×160	SDS-Plus	30570200001
Φ 10×160	SDS-Plus	30570200002
Φ 12×160	SDS-Plus	30570200005

PERCUSSION HAMMER SERIES

Mode	Product Picture	Specifications					Cylinder Diameter (mm)	DVR	Lubrication Method	Variable Speed	Recommended Applications	Features
		Power (W)	Rated Impact Frequency (/min)	Impact Energy (J)	Net Weight (kg)	Tool Holder						
KZG6S		1050	2900	10.0	6.8	HEX17	Φ30		GREASE		DECORATION &SLOTTING	Portable Efficient Durable
KZG06-6S		1400	3900	16.8	6.8	HEX17	Φ35	●	GREASE		DECORATION &SLOTTING	Portable Efficient Durable
KZG07-6		1600	2900	22	7.3	HEX17	Φ40	●	GREASE		DECORATION &SLOTTING	Portable Efficient Durable
KZG07-6SM		1600	2900	22	7.9	SDS-MAX	Φ40	●	GREASE		DECORATION &SLOTTING	Portable Efficient Durable
KZG10		1500	900-1890	16.0	10.4	SDS-MAX	Φ40		GREASE	6-speed	DECORATION SLOTTING &DEMOLITIONG	Multiple Portable Efficient Durable
KZG02-15		1010	1400	40.7	16	HEX30	Φ45		OIL		DEMOLITION	High impact capacity
KZG04-15S		1700	1450	40	14	HEX30	Φ54	●	GREASE		DEMOLITION	High impact capacity
KZG16		1700	1300	45	18.8	HEX30	Φ58	●	GREASE		DEMOLITION	High impact capacity

The data comes from DongCheng Laboratory approved by CNAS/TUV,etc.The data is for reference only.

*Specifications may differ from country to country.

SURGING POWER, STRONGER PERCUSSION

YouTube Watch the video



KZG07-6

PERCUSSION HAMMER

1600W POWERFUL MOTOR

DVR: VIBRATION REDUCTION TECHNOLOGY
improving operation comfort



40mm CYLINDER
easy to complete demolition



OPTIMIZE THE AIR OUTLET AND HEAT SINK
efficient heat dissipation, improving the service life



HIGH STRENGTH SLEEVE
sturdy and durable

KZG06-6S

PERCUSSION HAMMER



Φ35mm cylinder
easy to complete demolition

DVR: Vibration Reduction Technology
improving operation comfort



High Strength Sleeve
sturdy and durable

360° Rotatable Auxiliary handle
reducing work fatigue

1400W powerful motor



Accessories & Package
• Grease • Auxiliary Handle • Special Wrench • Carbon Brush
• Plastic Case Packing

Rated Power Input	1400W
Impact Energy	16.8J
Rated Impact Frequency	3900/min
Net Weight	6.8kg

KZG6S

PERCUSSION HAMMER



Rated Power Input	1050W
Impact Energy	10.0J
Rated Impact Frequency	2900/min
Net Weight	6.8kg

Features
1. High quality piston rubber ring;
2. Hex 17mm.

Accessories & Package
• Grease • Auxiliary Handle • Special Wrench • Carbon Brush • Plastic Case Packing

KZG07-6

PERCUSSION HAMMER



Rated Power Input	1600W
Impact Energy	22J
Rated Impact Frequency	2900/min
Net Weight	7.3kg

Features
1. DVR: Vibration reduction technology, improve operation comfort;
2. Optimize the air outlet and heat sink, efficient heat dissipation, improving the service life;
3. High strength sleeve, precision clamping to prevent looseness and work more stably;
4. 40mm cylinder, large impact and strong crushing capacity.

Accessories & Package
• Grease • Auxiliary Handle • Special Wrench • Carbon Brush • Plastic Case Packing



*Specifications may differ from country to country.

KZG07-6SM

PERCUSSION HAMMER

NEW



Rated Power Input	1600W
Impact Energy	22J
Rated Impact Frequency	2900/min
Net Weight	7.9kg

Features
1. 40mm diameter cylinder, strong crushing capacity;
2. DVR handle shock absorption： Shockproof cushioning ; Improve operation comfort;
3. High strength sleeve： Precise clamping to prevent looseness and work more stably;
4. Optimize the air outlet and heat sink： Efficient heat dissipation, which improves service life;
5. Auxiliary handle： It can rotate 360° to reduce work fatigue.

Accessories & Package
• Point chisel(Φ18x280mm) • flat chisel(Φ18x280mm) • Grease • oil absorber cloth
• Auxiliary Handle • Special Wrench • Carbon Brush • Iron Carrying Case

KZG10

PERCUSSION HAMMER



Rated Power Input	1500W
Impact Energy	16.0J
Rated Impact Frequency	900-1890/min
Net Weight	10.4kg

Features
1. Variable speed;
2. SDS-MAX.

Accessories & Package
• Grease • Auxiliary Handle • Special Wrench • Carbon Brush • Plastic Case Packing

KZG04-15S

PERCUSSION HAMMER



Rated Power Input	1700W
Impact Energy	40J
Rated Impact Frequency	1450/min
Net Weight	15kg

Features
1. Upgraded model from KZG04-15, for longer lifetime, optimized sealing structure;
2. 1700W surging power, higher destructive power;
3. Effectively vibration control system;
4. Hex 30mm.

Accessories & Package
• Grease • Auxiliary Handle • Special Wrench • Carbon Brush • Plastic Case Packing



KZG02-15

PERCUSSION HAMMER



Rated Power Input	1010W
Impact Energy	40.7J
Rated Impact Frequency	1400/min
Net Weight	16.0kg

Features
1. Double insulated;
2. Large trigger switch;
3. Hex 30mm.

Accessories & Package
• Oiler • Wrench • Hex Wrench • Carbon Brush • Iron Carrying Case



KZG16


PERCUSSION HAMMER



Rated Power Input	1700W
Impact Energy	45J
Rated Impact Frequency	1300/min
Net Weight	18.8kg

Features
1. 1700W surging power, higher destructive power;
2. Effectively vibration control system;
3. Robust structure design, more durable;
4. Hex 30mm.

Accessories & Package
• Grease • Auxiliary Handle • Hex Wrench • Carbon Brush • Plastic Case Packing



RECOMMENDED ACCESSORIES

CHISELS



Specification	Tool Holder	Model	Product Code
Φ14×250	SDS-Plus	Point Chisel	30570300009
Φ14×250	SDS-Plus	Flat Chisel	30570300010
Φ17×280	Hex	Flat Chisel	30570300002
Φ17×280	Hex	Point Chisel	30570300001
Φ18×400	SDS-Max	Flat Chisel	30570300005
Φ18×400	SDS-Max	Point Chisel	30570300004

*Specifications may differ from country to country.

ANGLE GRINDERS OVERVIEW

Products	Max.wheel Size	Rated Power Input(W)	Switch	Auto-stop Carbon Brush	Electronic Constant Speed	Constant Power	Slim Body	Optimal Applications	Heavy Duty	Special Features
KSM100BL	100mm	1200W	Rear toggle switch				Slim body	Metal Working		Brushless Motor
KSM03-100S	100mm	950W	Slide switch				Slim body	Metal Working		Optional function:Anti-restart function
KSM13-100	100mm	820W	Rear toggle switch	●			Slim body	Metal Working		
KSM13-100B	100mm	820W	Slide switch	●			Slim body	Metal Working		Optional function:Anti-restart function
KSM16-100	100mm	1250W	Slide switch			●	Slim body	Cutting	HEAVY DUTY	Brushless Motor
KSM17-100B	100mm	1100W	Slide switch	●			Slim body	Cutting	HEAVY DUTY	Optional function: Anti-restart
KSM17-100P	100mm	1100W	Paddle switch	●			Slim body	Metal Working	HEAVY DUTY	
KSM03-115S	115mm	950W	Slide switch				Slim body	Metal Working		Optional function:Anti-restart function
KSM13-115B	100mm	820W	Slide switch	●			Slim body	Metal Working		Optional function:Anti-restart function
KSM16-115	115mm	1250W	Slide switch			●	Slim body	Cutting	HEAVY DUTY	Brushless Motor
KSM17-115B	115mm	1100W	Slide switch	●			Slim body	Cutting	HEAVY DUTY	Optional function: Anti-restart
KSM17-115P	115mm	1100W	Paddle switch	●			Slim body	Metal Working	HEAVY DUTY	
KSM02-125B	125mm	1200W	Trigger switch					Metal Working		
KSM03-125S	125mm	950W	Slide switch				Slim body	Metal Working		Optional function:Anti-restart function
KSM05-125	125mm	1500W	Trigger switch	●	●			Metal Working	HEAVY DUTY	
KSM16-125	125mm	1250W	Slide switch			●	Slim body	Cutting	HEAVY DUTY	Brushless Motor
KSM17-125B	125mm	1100W	Slide switch	●			Slim body	Metal Working	HEAVY DUTY	Optional function: Anti-restart
KSM17-125P	125mm	1100W	Paddle switch	●			Slim body	Metal Working	HEAVY DUTY	
KSM150A	150mm	1200W	Trigger switch					Metal Working		
KSM04-150S	150mm	2000W	Trigger switch	●				Cutting	HEAVY DUTY	
KSM05-150	150mm	1500W	Trigger switch	●	●			Metal Working	HEAVY DUTY	Soft start、Anti-restart
KSM180BL	180mm	2600W	Trigger switch					Metal Working	HEAVY DUTY	Soft start、Brushless motor
KSM05-180S	180mm	Rated Current Input : 13A	Trigger switch	●				Stone Working	HEAVY DUTY	Optional function: soft start
KSM05-230S	230mm	Rated Current Input : 13A	Trigger switch	●				Stone Working	HEAVY DUTY	Optional function: soft start

*Specifications may differ from country to country.

BUILT FOR TOUGH JOBS



KSM03-100S/ KSM03-115S/ KSM03-125S

ANGLE GRINDER

ø59 mm



950W ENERGY-GATHERING MOTOR
efficient and high overload resistance

HIGH STRENGTH GEARS
for long lifetime

LABYRINTH DUSTPROOF STRUCTURE
effectively extending the lifetime of products



2-MOTION SLIDE SWITCH
convenient and safe to operate



186mm ULTRA SLIM BODY
comfortable to hold and easy to control

ULTRA-COMPACT AND POWERFUL



KSM17-100B/ KSM17-115B/ KSM17-125B

ANGLE GRINDER

ø58 mm

HEAVY DUTY



1100W ENERGY-GATHERING MOTOR
efficient and high overload resistance

AUTO STOP CARBON BRUSH
effectively extend the lifetime of motors



183mm ULTRA SLIM BODY
comfortable to hold and easy to control



DETACHABLE DUSTPROOF FILTER
more convenient for cleaning



HIGH STRENGTH GEARS
for long lifetime

*Specifications may differ from country to country.

KSM100BL (4")

BRUSHLESS ANGLE GRINDER

NEW BRUSHLESS MOTOR



Rated Power Input	1200W
Rated Speed	10000/min
Max.Wheel Dia.	Φ100mm
Spindle Thread	M10
Net Weight	1.6kg

Features
1. 163mm ultra slim body, Comfortable to hold and easy to control;
2. 1200W Brushless motor, efficient and durable;
3. Labyrinth dustproof structure.

Accessories & Package
• Auxiliary Handle • Wrench • Wheel Guard • Color Box Packing

KSM03-100S (4")

ANGLE GRINDER

NEW



Rated Power Input	950W
Rated Speed	13000/min
Max.Wheel Dia.	Φ100mm
Spindle Thread	M10
Net Weight	1.8kg

Features
1. New energy-gathering motor, higher efficiency and overload resistance;
2. Compact gear housing with high strength gears, more convenient plus longer lifetime;
3. Ultra slim body, only186mm circumference of grip portion;
4. Spindle lock, Slide switch.

Accessories & Package
• Auxiliary Handle • Wrench • Wheel Guard • Color Box Packing

KSM03-115S (4-1/2")

ANGLE GRINDER

NEW



Rated Power Input	950W
Rated Speed	11800/min
Max.Wheel Dia.	Φ115mm
Spindle Thread	M14
Net Weight	1.9kg

Features
1. New energy-gathering motor, higher eefficiency and overload resistance;
2. Compact gear housing with high strength gears, more convenient plus longer lifetime;
3. 186mm ultra slim body Comfortable to hold and easy to control;
4. Spindle lock, Slide switch.

Accessories & Package
• Auxiliary Handle • Wrench • Wheel Guard • Color Box Packing

KSM13-115B (4-1/2")

ANGLE GRINDER



Rated Power Input	820W
Rated Speed	11800/min
Max.Wheel Dia.	Φ115mm
Spindle Thread	M14
Net Weight	1.5kg

Features
1. 180mm ultra slim body Comfortable to hold and easy to control;
2. Labyrinth dustproof structure;
3. Auto stop carbon brush;
4. Spindle lock, Slide switch.

Accessories & Package
• Auxiliary Handle • Wrench • Wheel Guard • Carbon Brush • Color Box Packing

KSM13-100 (4")

ANGLE GRINDER



Rated Power Input	820W
Rated Speed	13000/min
Max.Wheel Dia.	Φ100mm
Spindle Thread	M10
Net Weight	1.5kg

Features
1. 180mm ultra slim body Comfortable to hold and easy to control;
2. Labyrinth dustproof structure;
3. Auto stop carbon brush.

Accessories & Package
Wrench • Wheel Guard • Carbon Brush • Color Box Packing

KSM13-100B (4")

ANGLE GRINDER



Rated Power Input	820W
Rated Speed	13000/min
Max.Wheel Dia.	Φ100mm
Spindle Thread	M10
Net Weight	1.5kg

Features
1. 180mm ultra slim body Comfortable to hold and easy to control;
2. Labyrinth dustproof structure;
3. Auto stop carbon brush.

Accessories & Package
• Auxiliary Handle • Wrench • Wheel Guard • Carbon Brush • Color Box Packing

KSM16-115 (4-1/2")

BRUSHLESS ANGLE GRINDER

NEW BRUSHLESS MOTOR HEAVY DUTY



Rated Power Input	1250W
Rated Speed	10000/min
Max.Wheel Dia.	Φ115mm
Spindle Thread	M14
Net Weight	1.8kg

Features
1. Brushless motor, efficient and durable;
2. Triple automatic safety protection;
3. High strength gears, for longer lifetime;
4. Ultra slim body design, more comfortable to hold.

Accessories & Package
• Auxiliary Handle • Wrench • Wheel Guard • Color Box Packing

KSM17-115B (4-1/2")

ANGLE GRINDER

HEAVY DUTY



Rated Power Input	1100W
Rated Speed	11800/min
Max.Wheel Dia.	Φ115mm
Spindle Thread	M14
Net Weight	2.0kg

Features
1. New energy-gathering motor;
2. High strength gears;
3. Ultra slim body;
4. Detachable dustproof filter, effective extension of the machine's life;
5. Auto stop carbon brush.

Accessories & Package
• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing

KSM16-100 (4")

BRUSHLESS ANGLE GRINDER

NEW BRUSHLESS MOTOR HEAVY DUTY



Rated Power Input	1250W
Rated Speed	10000/min
Max.Wheel Dia.	Φ100mm
Spindle Thread	M10
Net Weight	1.7kg

Features
1. Brushless motor, efficient and durable;
2. Triple automatic safety protection;
3. High strength gears, for longer lifetime;
4. Ultra slim body design, more comfortable to hold.

Accessories & Package
• Auxiliary Handle • Wrench • Wheel Guard • Color Box Packing



KSM17-115P (4-1/2")

ANGLE GRINDER

NEW HEAVY DUTY



Rated Power Input	1100W
Rated Speed	11800/min
Max.Wheel Dia.	Φ115mm
Spindle Thread	M14
Net Weight	2.0kg

Features
1. New energy-gathering motor, more efficient and higher overload resistance;
2. 183mm ultra slim body Comfortable to hold and easy to control;
3. Auto stop carbon brush;
4. Large paddle switch, effectively protect the safety of the operator.

Accessories & Package
• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing

KSM02-125B (5")

ANGLE GRINDER



Rated Power Input	1200W
Rated Speed	11800/min
Max.Wheel Dia.	Φ125mm
Spindle Thread	M14
Net Weight	3.0kg

Features
1. 1200W high power;
2. Spindle lock, Large trigger switch.

Accessories & Package
• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing

KSM17-100B (4")

ANGLE GRINDER

HEAVY DUTY



Rated Power Input	1100W
Rated Speed	13000/min
Max.Wheel Dia.	Φ100mm
Spindle Thread	M10
Net Weight	1.9kg

Features
1. Ultra slim body, more comfortable to hold;
2. New energy-gathering motor, more efficient and higher overload resistance;
3. Auto stop carbon brush, effectively extend the lifetime of motor;
4. High strength gears, more durable;
5. Detachable dustproof filter, effective extension of the machine's life.

Accessories & Package
• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing

KSM17-100P (4")

ANGLE GRINDER

NEW HEAVY DUTY



Rated Power Input	1100W
Rated Speed	13000/min
Max.Wheel Dia.	Φ100mm
Spindle Thread	M10
Net Weight	1.9kg

Features
1. New energy-gathering motor, more efficient and higher overload resistance;
2. Ultra slim body, only183mm circumference of grip portion;
3. Auto stop carbon brush;
4. Large paddle switch, effectively protect the safety of the operator.

Accessories & Package
• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing

KSM03-125S (5")

ANGLE GRINDER

NEW



Rated Power Input	950W
Rated Speed	11800/min
Max.Wheel Dia.	Φ125mm
Spindle Thread	M14
Net Weight	1.9kg

Features
1. New energy-gathering motor, higher eefficiency and overload resistance;
2. Compact gear housing with high strength gears, more convenient plus longer lifetime;
3. Ultra slim body, only186mm circumference of grip portion;
4. Spindle lock, Slide switch.

Accessories & Package
• Auxiliary Handle • Wrench • Wheel Guard • Color Box Packing

KSM05-125 (5")

ANGLE GRINDER

HEAVY DUTY



Rated Power Input	1500W
Rated Speed	11800/min
Max.Wheel Dia.	Φ125mm
Spindle Thread	M14
Net Weight	2.3kg

Features
1. 1500W super power;
2. Electronic constant speed control;
3. Auto stop carbon brush;
4. Anti-restart and soft start function;
5. Spindle lock, Large trigger switch.

Accessories & Package
• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing

*Specifications may differ from country to country.

KSM16-125 (5")

BRUSHLESS ANGLE GRINDER

NEW BRUSHLESS MOTOR HEAVY DUTY



Rated Power Input	1250W
Rated Speed	10000/min
Max.Wheel Dia.	Φ125mm
Spindle Thread	M14
Net Weight	1.8kg

Features

1. Brushless motor, efficient and durable;
2. Triple automatic safety protection;
3. High strength gears, for longer lifetime;
4. Ultra slim body design, more comfortable to hold.

Accessories & Package

• Auxiliary Handle • Wrench • Wheel Guard • Color Box Packing

KSM17-125B (5")

ANGLE GRINDER

HEAVY DUTY



Rated Power Input	1100W
Rated Speed	11800/min
Max.Wheel Dia.	Φ125mm
Spindle Thread	M14
Net Weight	2.0kg

Features

1. New energy-gathering motor;
2. High strength gears;
3. Ultra slim body;
4. Detachable dustproof filter, effective extension of the machine's life;
5. Auto stop carbon brush.

Accessories & Package

• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing

KSM17-125P (5")

ANGLE GRINDER

NEW HEAVY DUTY



Rated Power Input	1100W
Rated Speed	11800/min
Max.Wheel Dia.	Φ125mm
Spindle Thread	M14
Net Weight	2.0kg

Features

1. New energy-gathering motor, more efficient and higher overload resistance;
2. Ultra slim body, only183mm circumference of grip portion;
3. Auto stop carbon brush;
4. Large paddle switch, effectively protect the safety of the operator.

Accessories & Package

• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing



KSM150A (6")

ANGLE GRINDER



Rated Power Input	1200W
Rated Speed	9000/min
Max.Wheel Dia.	Φ150mm
Spindle Thread	M14
Net Weight	3.2kg

Features

1. 1200W high quality motor with excellent heat-resistance;
2. Labyrinth dustproof structure; protect the drive gear and bearings from contamination for longer tool life;
3. Spindle lock, Large trigger switch.

Accessories & Package

• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing

KSM04-150S (6")

ANGLE GRINDER

HEAVY DUTY



Rated Power Input	2000W
Rated Speed	10000/min
Max.Wheel Dia.	Φ150mm
Spindle Thread	M14
Net Weight	3.6kg

Features

1.2000W super power, more efficient cutting and grinding;
2.High strength gears, for longer lifetime;
3.Auto stop carbon brush, effectively extend the lifetime of motor.

Accessories & Package

• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing



KSM05-150 (6")

ANGLE GRINDER

HEAVY DUTY



Rated Power Input	1500W
Rated Speed	9000/min
Max.Wheel Dia.	Φ150mm
Spindle Thread	M14
Net Weight	2.4kg

Features

1. 1500W super power;
2. Electronic constant speed control;
3. Auto stop carbon brush;
4. Anti-restart and soft start function;
5. Spindle lock, Large trigger switch.

Accessories & Package

• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing

BORN FOR HEAVY DUTY




KSM05-180S/ KSM05-230S

ANGLE GRINDER


HEAVY DUTY



LOAD ENDURANCE



OVERLOAD RESISTANCE (3500W)





DUAL VIBRATION CONTROL SYSTEM

reducing arm fatigue

HEAVY DUTY

3000W POWERFUL MOTOR

especially suitable for heavy-duty working conditions



AUTO STOP

AUTO STOP CARBON BRUSH

effectively extend the lifetime of motors

*Specifications may differ from country to country.

KSM180BL (7")

BRUSHLESS ANGLE GRINDER

NEW BRUSHLESS MOTOR



Rated Power Input	2600W
Rated Speed	8500/min
Max.Wheel Dia.	Φ180mm
Spindle Thread	M14
Net Weight	5.8kg

Features

1. 2,600W high brushless motor;
2. The LED tool-status indicator tracks the tool status;
3. Low maintenance and reduced tool downtime;
4. High strength gears: For longer lifetime;
5. Spindle lock, Large trigger switch.

Accessories & Package

• Auxiliary Handle • Wrench • Wheel Guard • Color Box Packing

KSM05-180S (7")

ANGLE GRINDER HEAVY DUTY



Rated Current Input	13A
Rated Speed	8400/min
Max.Wheel Dia.	Φ180mm
Spindle Thread	M14
Net Weight	5.3kg

Optional Function: Soft Start

Features

1. Heavy-duty grade;
2. Labyrinth dustproof structure;
3. Dual vibration absorbing system: vibration absorbing body and auxiliary handle;
4. Auto stop carbon brush;
5. Spindle lock, Large trigger switch.

Accessories & Package

• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing

KSM05-230S (9")

ANGLE GRINDER HEAVY DUTY



Rated Current Input	13A
Rated Speed	6600/min
Max.Wheel Dia.	Φ230mm
Spindle Thread	M14
Net Weight	5.4kg

Optional Function: Soft Start

Features

1. Heavy-duty grade;
2. Labyrinth dustproof structure;
3. Dual vibration absorbing system: vibration absorbing body and auxiliary handle;
4. Auto stop carbon brush;
5. Spindle lock, Large trigger switch.

Accessories & Package

• Auxiliary Handle • Wrench • Carbon Brush • Wheel Guard • Color Box Packing



RECOMMENDED ACCESSORIES

CUT OFF WHEEL & GRINDING WHEEL



Specification	Material	Colour	Net	Product Code
105×1.2×16	A46T-BF	Black	Double	30572100008
105×1.2×16	A46T-BF	Green	Double	30572100009
107×1.0×16	A46T-BF	Green	Double	30572100014



Specification	Material	Packing (pcs)	Product Code
100×6×16	A24T-BF	200	30570500017
115×6×22.23	A24T-BF	150	30570500015
125×6×22.23	A24T-BF	150	30570500016

KSP02-180S

POLISHER



Rated Power Input	950W
No-load Speed	600-2100/min
Wheel Size	Φ180mm
Spindle Thread	M14 / 5/8"-11UNC
Net Weight	2.3kg

Features

1. 950W High Power;
2. Electronic constant speed control, maintains constant speed under load;
3. Adjustable speed.

Accessories & Package

• Wool Bonnet • Wrench • Auxiliary Handle • Color Box Packing



KSP06-180

POLISHER

NEW

Electronic constant speed
maintains constant speed under load

6- speed adjustment (600/1000/1500/2000/2500/3000/min)
meeting different working conditions

Anti-restart
effectively protecting the surface of workpieces



2.4kg lightweight body
30% lighter than conventional polisher

Four-finger trigger switch with lock-on button
comfortable to grip and suitable for long time use



Accessories & Package

• Polishing Sponge • D-shape Auxiliary Handle • Carbon Brush
• Color Box Packing

Rated Power Input	1400W
No-load Speed	600-3000/min
Wheel Size	Φ180mm
Spindle Thread	M14
Net Weight	2.4kg

KSJ04-10

DIE GRINDER



Rated Power Input	120W
No-load Speed	35000/min
Max. Grinding Wheel Dia.	Φ10mm
Max. Collet Size	3mm
Net Weight	0.56kg

Features

1. Small and compact;
2. Barrel structure, sturdy and durable;
3. Large aperture air outlets;
4. External carbon brush, convenient replacement.

Accessories & Package

• Wrench • Carbon Brush • Color Box Packing

KSJ04-25E

DIE GRINDER



Rated Power Input	260W
No-load Speed	13000-26700/min
Max. Grinding Wheel Dia.	Φ25mm
Max. Collet Size	6mm
Net Weight	1.1kg

Features

1. Chuck type with short neck design: For increased maneuverability;
2. Electronic speed control: easy to match the materials with optimal speed.

Accessories & Package

• Chuck Wrench • Carbon Brush • Color Box Packing

*Specifications may differ from country to country.

BUILT FOR HEAVY LOADS ESPECIALLY FOR GRINDING IN TIGHT SPACES (KSJ08-25L)



KSJ08-25/ KSJ08-25L

DIE GRINDER



710W POWERFUL MOTOR
efficient and high overload resistance

ANTI-SLIP SLIM BARREL
comfortable to hold

AUTO STOP

AUTO STOP CARBON BRUSH
effectively extend the lifetime of motors

08-25L
EXTENDED OUTPUT SHAFT
suitable for grinding in tight spaces

DETACHABLE DUSTPROOF FILTER
convenient for cleaning

KSJ08-25

DIE GRINDER



Rated Power Input	710W
No-load Speed	33000/min
Max. Grinding Wheel Dia.	Φ25mm
Max. Collet Size	6mm
Net Weight	1.7kg

Features
1. 710W high power, deliver 33000 no-load RPM for grinding applications;
2. Metal box, more sturdy and durable;
3. Slim front, Comfortable to hold;
4. Detachable dustproof net, reduce damage to motor and bearing.

Accessories & Package
• Wrench • Carbon Brush • Color Box Packing

KSJ08-25L

DIE GRINDER



Rated Power Input	710W
No-load Speed	33000/min
Max. Grinding Wheel Dia.	Φ25mm
Max. Collet Size	6mm
Net Weight	2.0kg

Features
1. 710W high power, deliver 33000 no-load RPM for grinding applications;
2. Metal box, more sturdy and durable;
3. Slim front, Comfortable to hold;
4. Detachable dustproof net, reduce damage to motor and bearing;
5. Extended output shaft, suitable for grinding in narrow space.

Accessories & Package
• Wrench • Carbon Brush • Color Box Packing

KSA02-125

RANDOM ORBIT SANDER

NEW

15%

380W powerful motor
sanding efficiency increased by 15%

6-speed adjustment
meeting different working conditions



139mm

139mm low-profile body
delivering optimal tool maneuverability

Whole rubberized body
comfortable to hold

External vacuum cleaner connector
inner diameter：Φ32mm

2.7mm

2.7mm large random orbit action
for high removal rate

Advanced efficient collection system
dust collection efficiency increased by 10%



Accessories & Package
• Dust Bag • Color Box Packing

Rated Power Input	380W
No-load Speed	8000-12800/min
Pad Size	Φ125mm
Net Weight	1.5kg

KSA125

RANDOM ORBIT SANDER



Rated Power Input	300W
No-load Speed	4000-12000/min
Pad Size	Φ125mm
Net Weight	1.4kg

Features
1. Whole rubberized body, deliver multiple grip styles;
2. 6-speed electronic gear shift, meet different working conditions;
3. Large 3mm random orbit action, for faster and super smooth sanding;
4. Efficient through-the-pad dust collection system, for a cleaner work environment.

Accessories & Package
• Dust Bag • Carbon Brush • Color Box Packing

KSB02-100

ORBITAL SANDER



Rated Power Input	200W
Orbits Frequency	14000/min
Pad Size	100×110mm
Net Weight	1.3kg

Features
1. Efficient through-the-pad dust collection system: For a cleaner work environment;
2. Dust proof rocker switch: convenient and durable;
3. Large clamping lever: For quick and easy paper installation;
4. Contoured rubberized palm grip design: For improved comfort.

Accessories & Package
• Dust Bag • Carbon Brush • Color Box Packing

*Specifications may differ from country to country.

KSB04-100S

ORBITAL SANDER



Rated Power Input	240W
Orbits Frequency	14000/min
Pad Size	100×110mm
Net Weight	1.2kg

Features

1. Upgraded efficiency and lifetime: multiple parts improvements makes high durability;
2. Low vibration design: improve comfort at the source;
3. Rubberized body: various holding positions are rubberized for comfortable holding.

Accessories & Package

• Color Box Packing

KSB03-234

ORBITAL SANDER

NEW



Rated Power Input	420w
Orbits Frequency	11500/min
Pad Size	114×234mm
Net Weight	2.9kg

Features

1. Anit-vibration design for comfort operation;
2. Rubber-covered body, Self- Dust collecion;
3. Labyrinth dustproof structure;
4. Large clamping lever: For quick and easy paper installation.

Accessories & Package

• Dust Bag • Perforated Plate • Color Box Packing

KSB03-185

ORBITAL SANDER

Efficient heat dissipation air vents
effectively extending the lifetime of machine

Trigger switch with lock-on button
suitable for long time use



Ergonomic design
providing multiple grip positions and reducing operators' fatigue

Large clamping lever
for quick and easy paper installation

Low vibration design
for reduced arm fatigue



Accessories & Package

• Color Box Packing

Rated Power Input	320W
Orbits Frequency	14000/min
Pad Size	93×185mm
Net Weight	1.7kg

KST610

BELT SANDER



Rated Power Input	1200W
Belt Speed	500m/min
Wheel Size	100×610mm
Net Weight	5.8kg

Features

Dust bag design, Suitable for larger area sanding operation.

Accessories & Package

• Abrasive Belt (AP80) • Dust Bag Assembly • Carbon Brush • Color Box Packing

KSF02-180

DRYWALL SANDER



Rated Power Iuput	750W
No-load Speed	1500-2700/min
Grinding Disc Dia.	Φ180mm
Net Weight	2.3kg

Features

1. LED double band, No blind spot;
2. Self-vacuum function;
3. Adjustable speed.

Accessories & Package

• Auxiliary Handle • Dust Cleaning Hose Assembly • Dust Bag • Cannulate Sockolet • Abrasive Paper Assembly • Carbon Brush • Color Box Packing

KMY02-185SH

ELECTRIC CIRCULAR SAW





Dust extraction port for external vacuum cleaner



0-45° adjustable bevel cutting angle



0-66mm cutting depth



Accessories & Package

• Hex Wrench • Fixing Plate • Auxiliary Handle • Hex Socket Head Screw • Handle Connecting Plate • Carbon Brush • Saw Blade • Color Box Packing

Rated Power Input	1100W
No-load Speed	5600/min
Blade Dia.	Φ185mm
Blade Bore	Φ20mm
Max. Cutting Capacity	66mm
Max. Cutting Angle	45°
Net Weight	3.8kg

KMY07-185

ELECTRIC CIRCULAR SAW



Rated Power Input	1500W
No-load Speed	5300/min
Blade Dia.	Φ185mm
Blade Bore	Φ20mm
Max. Cutting Capacity	64mm
Max. Cutting Angle	45°
Net Weight	4.1kg

Features

1. 1500W high power;
2. Light-weight model, adjustable bevel cutting angle around 0-45°;
3. Large dust outlet for smooth discharge;
4. Double handle, labor saving and high efficiency.

Accessories & Package

• Hex Wrench • Fixing Plate • Saw Blade • Color Box Packing

KMY02-235

ELECTRIC CIRCULAR SAW



Rated Power Input	2000W
No-load Speed	4100/min
Blade Dia.	Φ235mm
Blade Bore	Φ25.4mm
Max. Cutting Capacity	90° 85mm
	45° 60mm
Max. Cutting Angle	50°
Net Weight	6.5kg

Features

1. 2000W high power;
2. light-weight model, adjustable bevel cutting angle around 0-45°.

Accessories & Package

• Hex Wrench • Fixing Plate • Carbon Brush • Color Box Packing

RECOMMENDED ACCESSORIES

TCT SAW BLADE



Tungsten-cobalt alloy teeth
durable and powerful

High-quality body
high toughness; stable and reliable

TCT Saw Blade						Product Code
Diameter	Tooth Thickness (mm)	Aperture (mm)	Number of Teeth	Tooth Shape	Application Scenarios	
105 (4")	1.8	20	30T	ATB	Wood	30570600003
125 (5")	1.8	20	40T	ATB	Wood	30570600002
180 (7")	1.8	25.4	40T	ATB	Wood	30570600059
180 (7")	1.8	25.4	60T	ATB	Wood	30570600001

*Specifications may differ from country to country.



KJF02-30

RECIPROCATING SAW



Rated Power Input	1300W
No-load Strokes	0-2900/min
Length of Strokes	30mm
Max. Cutting Capacity	
Steel Pipe	Φ130mm
Wood	Φ255mm
Net Weight	3.8kg

Features

1. 1300W super power; 2. Ergonomic body design;
3. Toolless blade change system; 4. Electronic constant speed;
5. Adjustable depth and angle base design.

Accessories & Package

• Saw Blade (Wood) • Saw Blade(Iron) • Carbon Brush • Plastic Case Packing

KMQ65K

JIG SAW



Rated Power Input	600W
No-load Strokes	500-3000/min
Bevel Cutting Angle	0-45°Left/ Right
Max. Cutting Capacity	Steel 10mm
	Wood 65mm
Net Weight	2.5kg

Features


1. 600W powerful motor; 2. Tool-less blade change system;
3. 4 orbital-action setting; 4. 6-speed adjustment;
5. 0-45° bevel angle adjustable.

Accessories & Package

• Saw Blade (3pcs)(T144D, B-10, T118A) • Anti-cracking Baseplate
• Hex Wrench • Plastic Liner Panel • Carbon Brush • Plastic Case Packing

KMQ85S

JIG SAW






Accessories & Package

• Saw Blade (3pcs)(T144D, T111C, T118A) • Hex Wrench • Blade Gauge • Plastic Base • Plastic Case Packing

Rated Power Input	580W
No-load Strokes	500-3100/min
Bevel Cutting Angle	0-45°Left/ Right
Max. Cutting Capacity	Steel 10mm
	Wood 85mm
Net Weight	2.7kg

LOAD ENDURANCE TEST



POWER MAKES EFFICIENCY

YouTube
Watch the video



KZE06-110
KZE03-125

MARBLE CUTTER

1800W POWERFUL MOTOR
high cutting efficiency



0-45° BEVEL CUTTING
to meet different cutting requirements



EFFICIENT HEAT DISSIPATION AIR VENTS
effectively extending the lifetime of the product

LABYRINTH DUSTPROOF STRUCTURE
effectively extending the lifetime of product

*Specifications may differ from country to country.

KZE02-110

MARBLE CUTTER



Rated Power Input	1240W
Blade Dia.	Φ110mm
Blade Bore	Φ20mm
Max. Cutting Capacity	30mm
No-load Speed	13000/min
Net Weight	3.1kg

Features

1. 1240W powerful motor, delivering 13000/min cutting speed for various cutting applications;
2. 30mm Max. cutting capacity;
3. Efficient heat dissipation air vents, effectively extending the lifetime of the product.

Accessories & Package

• Socket Wrench • Wrench • Carbon Brush • Color Box Packing

KZE02-110S

MARBLE CUTTER



Rated Power Iuput	1400W
Blade Dia.	Φ110mm
Blade Bore	Φ20mm
Max. Cutting Capacity	30mm
Bevel Cutting Angle	0-45°
No-load Speed	13850/min
Net Weight	3.0kg

Features

1. 1400W, higher cutting efficiency;
2. Labyrinth dustproof structure;
3. Rear barbed wire.

Accessories & Package

Socket Wrench • Wrench • Carbon Brush • Diamond Swe Blade • Color Box Packing

KZE03-125

MARBLE CUTTER



Rated Power Iuput	1800W
No-load Speed	13500/min
Blade Dia.	Φ125mm
Blade Bore	Φ22.2mm
Max. Cutting Capacity	38.5mm
Bevel Cutting Angle	0-45°
Net Weight	3.3kg

Features

1. 1800W high power;
2. 0-45° bevel cutting, Adjustable cutting depth;
3. Efficient heat dissipation air vents, effectively extending the lifetime of the product;
4. Labyrinth dustproof structure.

Accessories & Package

• Socket Wrench • Wrench • Color Box Packing

KZE180S

MARBLE CUTTER



Rated Power Iuput	1900W
No-load Speed	5500/min
Blade Dia.	Φ180mm
Blade Bore	Φ25.4mm
Max.Cutting Capacity	58mm
Net Weight	7.0kg

Features

1. 1900W powerful motor, high efficiency cutting;
2. Efficient heat dissipation air vents, effectively extending the lifetime of product;
3. Ergonomic design, auxiliary handle, easier work;
4. Adjustable cutting depth, meet different working condition.

Accessories & Package

• Socket Wrench • Auxiliary Handle • wrench • Carbon Brush
• Color Box Packing

KZE06-110

MARBLE CUTTER



Rated Power Input	1800W
Blade Dia.	Φ110mm
Blade Bore	Φ20mm
Max. Cutting Capacity	30mm
Bevel Cutting Angle	0-45°
No-load Speed	13500/min
Net Weight	3.3kg

Features

1. 1800W high power;
2. 0-45° bevel cutting, Adjustable cutting depth;
3. Efficient heat dissipation air vents, effectively extending the lifetime of the product;
4. Labyrinth dustproof structure.

Accessories & Package

• Socket Wrench • Wrench • Carbon Brush • Color Box Packing



KZR125S

GROOVE CUTTER



Rated Power Input	1800W
Blade Dia.	Φ125mm
No-load Speed	13000/min
Max. Cutting Depth	37.5mm
Max. Cutting Width	50mm
Net Weight	4.1kg

Features

1. 1800W high power;
2. Efficient heat dissipation air vents, effectively extending the lifetime of the product;
3. Labyrinth dustproof structure.

Accessories & Package

• Diamond Cutting Disc (Dry Cut) 2pcs • Socket Wrench • Open-end Wrench
• Auxiliary Handle • Carbon Brush • Color Box Packing

KZR195BL

BRUSHLESS GROOVE CUTTER

BRUSHLESS MOTOR



Rated Power Iuput	13A
No-load Speed	7500/min
Blade Dia.	Φ195mm
Max.Cutting Capacity	63mm
Net Weight	2.7kg

Features

1. High quality and powerful brushless PM motor;
2. Multiple protection system, effectively extending the lifetime of product;
3. 2.7kg lightweight body, easy to operate;
4. Ergonomic handle, for comfortable grip.

Accessories & Package

• Socket Wrench • Wrench • Color Box Packing

RECOMMENDED ACCESSORIES

DIAMOND SAW BLADE——SUITABLE FOR MARBLE CUTTER







Specification	Application Scenarios	Product Code
115×20×1.8mm	General Purpose	30570100044
112×20×2.0mm (No.5)	Granite , Marble	30570100005
105×20×1.2mm	Vitrified Brick	30570100045

KJX255

ELECTRIC MITER SAW



Rated Power Input		1650W	
Hole Dia. of Blade		Φ25.4mm	
No-load Speed		4600/min	
Blade Dia.		Φ255mm	
Net Weight		12.0kg	
Max.Cutting Capacity (HxW)	Miter Angle	0°	45° Left and Right
	Bevel Angle		
	0°	93x135mm	93x94mm
	45°Left	53x135mm	49x94mm

Features

1. Precision machined aluminum base;
2. Dust bag for a cleaner work environment;
3. Gear drive structure.

Accessories & Package

• Vertical Vise • Holder Assembly (2pcs) • Dust Bag Assembly
• Socket Wrench • Triangle Ruler • Carbon Brush • Carton Packing



KJX05-255

BRUSHLESS MOTOR

ELECTRIC BRUSHLESS MITRE SAW

NEW



Rated Power Input		1100W	
Hole Dia. of Blade		Φ25.4mm	
No-load Speed		4500/min	
Blade Dia.		Φ255mm	
Net Weight		11.0kg	
Max.Cutting Capacity (HxW)	Miter Angle	0°	45° Left and Right
	Bevel Angle		
	0°	80x110mm	80x77mm
	45°Left	45x110mm	45x77mm

Features

1. Brushless motor;
2. Constant speed control;
3. Press the safety switch;
4. Bevel cutting.

Accessories & Package

• Dust bag assembly • Holder Assembly • Vertical Vise • Socket Wrench
• Triangle Ruler • Carton Packing

KJX06-255

SLIDE COMPOUND MITER SAW



Rated Power Input		1650W	
Hole Dia. of Blade		Φ25.4mm	
No-load Speed		4600/min	
Blade Dia.		Φ255mm	
Net Weight		18.5kg	
Max.Cutting Capacity (HxW)	Miter Angle	0°	45° Left and Right
	Bevel Angle		
	0°	94x315mm	94x223mm
	45°Left	49x315mm	49x223mm

Features

1. Double sliding structures which lead to greater cutting range and higher cutting accuracy; 2. Gear drive structure; 3. Dust collecting mouth design, External vacuum cleaner available.

Accessories & Package

• Saw Blade 250(10")×2.8×100T • Vertical Vise • Holder Assembly (2pcs) • Dust Bag Assembly • Socket Wrench • Triangle Ruler • Carbon Brush • Carton Packing

*Specifications may differ from country to country.

STRONG POWER FOR SMOOTH CUTTING



YouTube
Watch the video

KJG09-355

ELECTRIC CUT-OFF MACHINE



2600W POWERFUL MOTOR
for high efficiency cutting



EFFICIENT HEAT DISSIPATION SYSTEM
effectively extending the lifetime of product



TOOL-LESS VISE ADJUSTMENT
for quick workpiece clamping



ERGONOMIC D-SHAPED HANDLE
for comfortable operation



HIGH STRENGTH BASE
for increased durability

KJG04-355S

ELECTRIC CUT-OFF MACHINE



Rated Power Input	2200W
No-load Speed	3800/min
Miter Cutting Angle	0-45°
Max.Cutting Capacity	
Pipe	Φ115mm
Profiled Bar	115x130mm
Wheel Size	Φ355x3xΦ25.4mm
Net Weight	15.6kg

Features
1. 2200W powerful motor, high efficiency cutting;
2. Efficient heat dissipation air vents, effectively extending the lifetime of product;
3. Ergonomic D-shaped handle, for more comfortable operation;
4. Thickened and reinforced base, for increased durability.

Accessories & Package
• Wrench • Carbon Brush • Color Box Packing



KJG09-355

ELECTRIC CUT-OFF MACHINE

NEW



Rated Power Input	2600W
No-load Speed	3900/min
Miter Cutting Angle	0-45°
Max. Cutting Capacity	
Pipe	Φ115mm
Profiled Bar	115x130mm
Wheel Size	Φ355x3xΦ25.4mm
Net Weight	14.5kg

Features
1. 2600W powerful motor, high efficiency cutting;
2. Efficient heat dissipation system, effectively extending the lifetime of product;
3. Ergonomic D-shaped handle, for comfortable operation;
4. High strength base, for increased durability.

Accessories & Package
• Wrench • Color Box Packing



RECOMMENDED ACCESSORIES

CUT OFF WHEEL



High-quality resin
strong and durable

Thickening steel ring
more powerful and safer

Specification	Material	Net	Packing (pcs)	Product Code
355×2.5×25.4mm	A30T-BF	Single	30	30572100012

*Specifications may differ from country to country.

KJJ25

ELECTRIC SHEAR



Rated Power Input	710W
No-load Strokes	2200/min
Max.Cutting Capacities	
Steel 400N/mm²	2.5mm
Steel 600N/mm²	2.0mm
Steel 800N/mm²	1.0mm
Aluminum 250N/mm²	3.2mm
Min.Cutting Radius	45mm
Net Weight	2.3kg

Features
1. 710W high power;
2. Shearing smoothly.

Accessories & Package
• Hex Wrench • Gauge • Color Box Packing

KJJ32

ELECTRIC SHEAR



Rated Power Input	710W
No-load Strokes	1600/min
Max.Cutting Capacities	
Steel 400N/mm²	3.2mm
Steel 600N/mm²	2.5mm
Steel 800N/mm²	1.0mm
Aluminum 250N/mm²	3.5mm
Min.Cutting Radius	50mm
Net Weight	3.8kg

Features
1. 710W high power;
2. D-shape handle, convenient for long time shearing.

Accessories & Package
• Hex Wrench • Gauge • Carbon Brush • Color Box Packing

KJH32

ELECTRIC NIBBLER



Rated Power Input	620W
No-load Strokes	1300/min
Max.Cutting Capacities	
Steel 400N/mm²	3.2mm
Steel 600N/mm²	2.5mm
Min.Cutting Radius	
Inner Dia.	120mm
Outer Dia.	128mm
Net Weight	3.8kg

Features
1. D-shape handle, convenient for long time shearing;
2. Punch-cutting smoothly.

Accessories & Package
• Spacer Shim • Wrench • Carbon Brush • Color Box Packing

KMD320

MULTI-TOOL



Rated Power Input	320W
Speed Shifting Gears	6(1-2-3-4-5-6)
Oscillation Angle	3°
Oscillation Frequency	11000-20000/min
Net Weight	1.3kg

Features
1. Match different accessories, widely applications;
2. 6-speed, Electronic constant speed control;
3. Rubber-covered body.

Accessories & Package
• Adaptor for Tool Holder • HCS Plunge Cut Saw Blade • BIM Plunge Cut Saw Blade
• Segment Saw Blade • Scraper • Abrasive Paper (12pcs)(P60, P80, P120, P240)
• Sanding plate • Hex Wrench • File Holder Assembly • Color Box Packing

KMB82

ELECTRIC PLANER



Rated Power Input	500W
Max.Planing Width	82mm
Max.Planing Depth	1mm
No-load Speed	16000/min
Net Weight	2.6kg

Features
1. 500W powerful motor, high efficiency planing;
2. Double rolling blades, easy planing wood;
3. Belt drive, good toughness and wear resistance, easy to replace.

Accessories & Package
• Sharpening Holder Assembly • Blade Gauge • Socket Wrench
• Guide plate Assembly • Carbon Brush • Color Box Packing



KMB110

ELECTRIC PLANER



Rated Power Input	840W
Max.Planing Width	110mm
Max.Planing Depth	2mm
No-load Speed	16500/min
Net Weight	4.2kg

Features
1. Max single planing depth is 2mm;
2. Planing smoothly.

Accessories & Package
• Sharpening Holder Assembly • Socket Wrench • Carbon Brush • Color Box Packing

KMP04-6B

TRIMMER



Rated Power Input	550W
No-load Speed	30000/min
Max. Milling Cutter Dia.	Φ6.35mm
Net Weight	1.8kg

Features
1. 550W high power;
2. Base with adjustable bevel trimming angle around -30°-45°;
3. Durable aluminum housing.

Accessories & Package
• Wrench (2pcs) • Carbon Brush • Color Box Packin

KMP04-6

TRIMMER



External carbon brush
convenient replacement

High strength aluminum body
sturdy and durable



Fitted with different 6.35 mm (1/4") milling cutters
meeting multiple applications

Transparent housing
convenient to observe the trimming situation



One wrench to hold it in place
One wrench to loosen the collet



Mounting milling cutter



Locking Collet



Accessories & Package
• Wrench (2pcs) • Straight Guide • Templet Guide
• Trimmer Guide Assembly • Carbon Brush
• Color Box Packing

Rated Power Input	550W
No-load Speed	30000/min
Max. Milling Cutter Dia.	Φ6.35mm
Net Weight	1.6kg

KMR8S

WOOD ROUTER



Rated Power Input	900W
Max. Milling Cutter Dia.	Φ8mm
No-load Speed	26000/min
Net Weight	2.9kg

Features
Upgraded model from KMR8, for smoother routing.

Accessories & Package
• Wrench (2pcs) • Straight Guide Assembly • Collet Cone • Carbon Brush
• Color Box Packing

KMR02-12

WOOD ROUTER



Rated Power Input	1850W
Max. Milling Cutter Dia.	Φ12.7mm
No-load Speed	22000/min
Net Weight	6.0kg

Features
1. 1850W high power;
2. Depth Pre-Conditioning precise control;
3. Thickened base strong and durable.

Accessories & Package
• Wrench (2pcs) • Straight Guide • Retainer Base Assembly
• Templet Guide • Trimmer Guide Assembly • Collet (6.35mm)
• Collet (9.52mm) • Carbon Brush • Color Box Packing

KMR06-12

WOOD ROUTER



Rated Power Input	2000W
Max. Milling Cutter Dia.	Φ12.7mm
No-load Speed	9000-22000/min
Net Weight	5.8kg

Features
1. Combines high power and high precision;
2. Electronic constant speed control;
3. Variable speed;
4. Soft start function;
5. Built-in fan of labyrinth structure.

Accessories & Package
• Wrench (2pcs) • Straight Guide • Retainer Base Assembly
• Templet Guide • Trimmer Guide Assembly • Invert Adjustment Screw
• Collet (6.35mm) • Collet (9.52mm) • Carbon Brush • Color Box Packing

KMR06-12B

WOOD ROUTER

NEW



Rated Power Input	2000W
Max. Milling Cutter Dia.	Φ12.7mm
No-load Speed	23500/min
Net Weight	5.6kg

Features
1. High power and high precision;
2. Built-in fan of labyrinth structure.

Accessories & Package
• Wrench (2pcs) • Straight Guide • Retainer Base Assembly
• Templet Guide • Trimmer Guide Assembly • Invert Adjustment Screw
• Collet (6.35mm) • Collet (9.52mm) • Carbon Brush • Color Box Packing

*Specifications may differ from country to country.

POWER ALONG THE ROUTE



KMR06-12

WOOD ROUTER

2000W POWERFUL MOTOR



6-SPEED ELECTRONIC GEAR SHIFT
meeting different working conditions

LABYRINTH DUSTPROOF STRUCTURE
effectively extending the lifetime of products

ELECTRONIC CONSTANT SPEED CONTROL
maintaining constant speed under load

SOFT START FUNCTION
smooth start-up



KVC15

VACUUM CLEANER



Rated Power Input	1200W
Capacity	15L
Max. Vacuum Pressure	17.5kPa
Max. Air Volume	28L/s
Cooling System	Recycle
Net Weight	7.6kg

Features
Wet/Dry Fabric Filter.

Accessories & Package
• Dust Cleaning Brush • Water Cleaning Brush • Sofa Cleaning Piece
• Flat Suction Nozzle • Round Brush • Telescopic Steel Pipe • Vacuum Hose
• Long Joint for Steel Pipe • Hose Connection Accembly • Carton Packing

KVC30

VACUUM CLEANER



Rated Power Input	1200W
Capacity	30L
Max. Vacuum Pressure	18.5kPa
Max. Air Volume	30L/s
Cooling System	Recycle
Net Weight	8.8kg

Features
Wet/Dry Fabric Filter.

Accessories & Package
• Dust Cleaning Brush • Water Cleaning Brush • Flat Suction Nozzle
• Round Brush • Curved Steel Pipe (2pcs) • Vacuum Hose
• Long Joint for Steel Pipe • Hose Connection • Carton Packing

KVC60

VACUUM CLEANER



Rated Power Input	2300W (dual motors)
Capacity	60L
Max. Vacuum Pressure	17.5kPa
Max. Air Volume	42L/s
Cooling System	Recycle
Net Weight	24kg

Features
Wet/Dry Fabric Filter.

Accessories & Package
• Dust Cleaning Brush • Water Cleaning Brush • Flat Suction Nozzle
• Round Brush • Curved Steel Pipe (2pcs) • Vacuum Hose
• Long Joint for Steel Pipe • Hose Connection • Carton Packing

KVC80

VACUUM CLEANER



Rated Power Input	3200W (Three motors)
Capacity	80L
Max. Vacuum Pressure	18.5kPa
Max. Air Volume	48L/s
Cooling System	Recycle
Net Weight	26.5kg

Features
Wet/Dry Fabric Filter.

Accessories & Package
• Dust Cleaning Brush • Water Cleaning Brush • Flat Suction Nozzle
• Round Brush • Curved Steel Pipe (2pcs) • Vacuum Hose
• Long Joint for Steel Pipe • Hose Connection • Carton Packing

KQF32

BLOWER VACUUM



Rated Power Input	680W
No-load Speed	8300-16300/min
Air Volume	56-113CFM(1.6-3.2m³/min)
Net Weight	1.8kg

Features
Adjustable speed, Dust bag design.

Accessories & Package
• Blowpipe Assembly • Dust Bag Assembly • Carbon Brush
• Color Box Packing

KML405S

ELECTRIC CHAIN SAW

NEW



Rated Power Input	2000W
No-load Speed	420m/min
Max. Length Of Guide Bar	405mm(16")
Net Weight	5.6kg

Features
1. 2000W powerful motor;
2. Aluminum gearbox, sturdy and durable;
3. 420 m/min chain speed;
4. Widened baffle design, Block sawdust and protect user safety.

Accessories & Package
• Saw Chain • Guide Bar • screwdriver • Socket Wrench • Color box packing

*Specifications may differ from country to country.

KML04-405

ELECTRIC CHAIN SAW



Rated Power Input	1800W
No-load Speed	800m/min
Max. Length Of Guide Bar	405mm(16")
Net Weight	4.5kg

Features

1. 1800W high power;
2. 800m/min high speed cutting;
3. Safety braking function, Soft start;
4. Automatic oil pumping;
5. Rubberized handle, comfortable to hold.

Accessories & Package

• Saw Chain • Guide Bar • Link Plate Cover • Socket Wrench • Fixed Collar • File
• Cross Screwdriver • Olier • Carbon Brush • Color Box Packing



KQU02-160

ELECTRIC MIXER



Rated Power Input	1010W
No-load Speed	620/min
Stirring Paddle Dia.	160mm
Stirring Paddle Thread Dia.	M12
Net Weight	2.7kg

Features

Two stirring paddles are optional.

Accessories & Package

• Stirring Paddle Assembly(Φ160mm) • Auxiliary Handle • Color Box Packing

KQU02-160B

ELECTRIC MIXER



Rated Power Input	1010W
No-load Speed	620/min
Stirring Paddle Dia.	160mm
Stirring Paddle Thread Dia.	M12
Net Weight	2.7kg

Features

Two stirring paddles are optional.

Accessories & Package

• Stirring Paddle Assembly(Φ120mm) • Auxiliary Handle • Carbon Brush
• Color Box Packing

KQU06-160

ELECTRIC MIXER



Rated Power Input	2000W
No-load Speed	500/min
Stirring Paddle Dia.	160mm
Stirring Paddle Thread Dia.	M14
Net Weight	5.1kg

Features

1. 2000W high power;
2. High torque, suitable for thick materials.

Accessories & Package

• Stirring Paddle Assembly Φ220mm(Individually Packed in Carton)
• Auxiliary Handle • Carbon Brush • Color Box Packing

KQB03-2000

HEAT GUN



Rated Power Input	2000W
Temperature	
Low Temperature	50℃
Middle Temperature	50-630℃
High Temperature	50-630℃
Air Flow	
Low Temperature	300L/min
Middle Temperature	300L/min
High Temperature	500L/min
Net Weight	0.7kg

Features

1. 3-gear adjustable temperature and air flow;
2. With digital display.

Accessories & Package

• Flat Wind Tube • Round Wind Tube • Color Box Packing

KQB04-2000

HEAT GUN



Rated Power Input	2000W
Temperature	
Low Temperature	50℃
Middle Temperature	50-480℃
High Temperature	50-600℃
Air Flow	
Low Temperature	210-250L/min
Middle Temperature	210-250L/min
High Temperature	340-380L/min
Net Weight	0.8kg

Features

1. 3-gear adjustable temperature and air flow;
2. Ruberized handle.

Accessories & Package

• Flat Wind Tube • Round Wind Tube • Color Box Packing

DCK

AIR COMPRESSOR
OIL-FREE
MUTING

PNEUMATIC TOOL

*Specifications may differ from country to country.

OVERVIEW OF AIR COMPRESSOR

Mode	Product Picture	Product Parameters						Product Features			
		Power (W)	Capacity (L)	Displacement (L/min)	Filling Time (S)	Number Of Nail Guns That Can Be Connected Simultaneously (30mm Size Nail Gun)	Noise (dB)	Portable	Fast Filling	Low Noise	Speed Regulation
KQE1680/15		1680	15	100	38	4	72	●	●		
KQE1680/30		1680	30	100	71	4	72		●		
KQE1680×2/50		1680×2	50	200	71	7	76		●		
KQE1680×3/90		1680×3	90	300	96	11	80		●		
KQE1680×4/120		1680×4	120	400	102	15	80		●		
KQE1600/12		1600	12	110	38-20	5	53-79	●	●	●	●
KQE1600/24		1600	24	110	75-32	5	53-79		●	●	●

KQE1680/15

OIL-FREE AIR COMPRESSOR

NEW



Rated Power Input	1680W
Max Working Pressure	8bar
Rated Speed	2850/min
Capacity	15L
Max. Displacement	100L/min
Net Weight	16.4kg

Features

1. 1680W induction motor, efficient and durable;
2. Double tube air inlet; faster inflation speed;
3. Oil-free design, providing cleaner air source;
4. High quality noise reduction module, providing a quiet working environment.

Accessories & Package

• Foot Pad Assembly (4pcs) • Carton Packing

KQE1680/30

OIL-FREE AIR COMPRESSOR

NEW



Rated Power Input	1680W
Max Working Pressure	8bar
Rated Speed	2850/min
Capacity	30L
Max. Displacement	100L/min
Net Weight	19.5kg

Features

1. 1680W induction motor, efficient and durable;
2. Double tube air inlet; faster inflation speed;
3. Oil-free design, providing cleaner air source;
4. High quality noise reduction module, providing a quiet working environment.

Accessories & Package

• Foot Pad Assembly • Wheel Assembly (2pcs) • Carton Packing

KQE1680×2/50

OIL-FREE AIR COMPRESSOR

NEW



Rated Power Input	1680W×2
Max Working Pressure	8bar
Rated Speed	2850/min
Capacity	50L
Max. Displacement	200L/min
Net Weight	37.1kg

Features

1. 1680W induction motor, efficient and durable;
2. Double tube air inlet; faster inflation speed;
3. Oil-free design, providing cleaner air source;
4. High quality noise reduction module, providing a quiet working environment.

Accessories & Package

• Foot Pad Assembly (2pcs) • Wheel Assembly (2pcs) • Carton Packing

KQE1680×3/90

OIL-FREE AIR COMPRESSOR

NEW



Rated Power Input	1680W×3
Max Working Pressure	8bar
Rated Speed	2850/min
Capacity	90L
Max. Displacement	300L/min
Net Weight	63kg

Features

1. 1680W induction motor, efficient and durable;
2. Double tube air inlet; faster inflation speed;
3. Oil-free design, providing cleaner air source;
4. High quality noise reduction module, providing a quiet working environment.

Accessories & Package

• Wheel Assembly (4pcs) • Carton Packing

KQE1680×4/120

OIL-FREE AIR COMPRESSOR

NEW



Rated Power Input	1680W×4
Max Working Pressure	8bar
Rated Speed	2850/min
Capacity	120L
Max. Displacement	400L/min
Net Weight	87.2kg

Features

1. 1680W induction motor, efficient and durable;
2. Double tube air inlet; faster inflation speed;
3. Oil-free design, providing cleaner air source;
4. High quality noise reduction module, providing a quiet working environment.

Accessories & Package

• Wheel Assembly (4pcs) • Carton Packing

KQE1600/12

DOUBLE-TUBE OIL-FREE AIR COMPRESSOR



Rated Power Input	1600W
Working Pressure	8bar
Rated Speed	1350-2900/min
Capacity	12L
Max. Displacement	110L/min
Net Weight	14.7kg

Features

1. Brushless external rotor motor, lightweight body high power;
2. Double tube air intake, faster inflation speed;
3. Infinitely adjustable speed to meet different usage scenarios;
4. Oil-free and silent design, providing cleaner air source.

Accessories & Package

• Muffler (2pcs) • Foot Pad Assembly (4pcs) • Carton Packing

KQE1600/24

DOUBLE-TUBE OIL-FREE AIR COMPRESSOR



Rated Power Input	1600W
Working Pressure	8bar
Rated Speed	1350-2900/min
Capacity	24L
Max. Displacement	110L/min
Net Weight	17.3kg

Features

1. Brushless external rotor motor, lightweight body high power;
2. Double tube air intake, faster inflation speed;
3. Infinitely adjustable speed to meet different usage scenarios;
4. Oil-free and silent design, providing cleaner air source.

Accessories & Package

• Muffler (2pcs) • Foot Pad Assembly • Wheel Assembly (2pcs) • Carton Packing



*Specifications may differ from country to country.