DCK

NEW

POWERED BY Li-ION TECHNOLOGY

20V MAX

EXTREME PERFORMANCE WITH ULTRA COMPACT DESIGN

BRUSHLESS MOTOR
delivering up to 90N.m of torque and 2200/min no-load speed



DSC

DSC: SAFETY CONTROL TECHNOLOGY
protecting the machine and user when the drill bit gets stuck

19+2



19+2 TORQUE SETTING
for a variety of applications

SELF-TAPPING MODE
soft start for accurate positioning



13mm (1/2") RATCHET METAL CHUCK
sturdy and durable

2 SPEED

2-SPEED ADJUSTMENT
high torque for screw driving, high speed for drilling

BRUSHLESS MOTOR



TARGET USERS

Wood Workers
Door or Window Installer
Decoration Workers
Electricians

www.dcktool.com

DCK Global

KDJZ2090i
(TYPE EM/AM/Z)

CORDLESS BRUSHLESS DRIVER/ HAMMER DRILL

TYPE EM (4.0Ah×2 Battery Packs, 2A Charge, Plastic Case Packing)
TYPE AM (2.0Ah×2 Battery Packs, 2A Charge, Plastic Case Packing)
TYPE Z (Solo, Color Box Packing)

Battery		20V MAX/4.0Ah×2/2.0Ah×2/Solo
Max. Chucking Capacity		13mm
Max. Power Output		700W
No-load Speed	1st gear	0-500/min
	2nd gear	0-2200/min
Rated Impact Frequency		0-34500/min
Max. Drilling Dia.	Steel	Φ13mm
	Brick wall	Φ13mm
	Wood	Φ52mm
Torque Setting		19+2
Max. Torque		90N.m
Net Weight		1.9/1.7/1.3kg

DCK

NEW

POWERED BY Li-ION TECHNOLOGY

20V MAX

EXCELLENT IN SUSTAINED HEAVY-DUTY WORK

BRUSHLESS MOTOR
delivering up to 160N.m of torque and 2100/min no-load speed



DSC: SAFETY CONTROL TECHNOLOGY
protecting the machine and user when the drill bit gets stuck

19+1



19+1 TORQUE SETTING
for a variety of applications

SELF-TAPPING MODE
soft start for accurate positioning



13mm(1/2") RATCHET METAL CHUCK
sturdy and durable

2 SPEED

2-SPEED ADJUSTMENT
high torque for screw driving, high speed for drilling

BRUSHLESS MOTOR



www.dcktool.com

DCK Global

TARGET USERS

Wood Workers
Door or Window Installer
Decoration Workers
Electricians

KDJZ20160
(TYPE FK/EM/Z)

CORDLESS BRUSHLESS DRIVER DRILL

TYPE FK (5.0Ah×2 Battery Packs, 4A Charge, Plastic Case Packing)
TYPE EM (4.0Ah×2 Battery Packs, 2A Charge, Plastic Case Packing)
TYPE Z (Solo, Color Box Packing)

Battery		20V MAX/5.0Ah×2/4.0Ah×2/Solo
Max. Chucking Capacity		13mm
Max. Power Output		1000W
No-load Speed	1st gear	0-500/min
	2nd gear	0-2100/min
Max. Drilling Dia.	Steel	Φ13mm
	Wood	Φ65mm
Torque Setting		19+1
Max. Torque		160N.m
Net Weight		2.4/2.4/1.8kg


DCK

NEW

POWERED BY Li-ION TECHNOLOGY

20V MAX

HIGH TORQUE WITH COMPACT BODY




BRUSHLESS MOTOR

delivering up to 598N.m fastening torque
and 800N.m nut-busting torque



EFFICIENT HEAT DISSIPATION AIR VENTS

effectively extending
the lifetime of machine







3-SPEED & TORQUE ADJUSTMENT

meeting different
working requirements



150mm COMPACT BODY

perfect control in narrow space



SMART LOOSEN & TIGHTEN MODE

preventing nuts from
accidentally falling off
/ over-tightening

TARGET USERS

Railway Maintainers
Truck Repairers

www.dcktool.com

DCK Global

KDPB598
(TYPE FK/EM/Z)

CORDLESS BRUSHLESS IMPACT WRENCH

TYPE FK (5.0Ah×2 Battery Packs,
4A Charge, Plastic Case Packing)
TYPE EM (4.0Ah×2 Battery Packs,
2A Charge, Plastic Case Packing)
TYPE Z (Solo, Color Box Packing)

Battery	20V MAX/5.0Ah×2/4.0Ah×2/Solo
Max. Power Output	650W
Square Drive Size	12.7mm(1/2")
Standard Bolt Size	M10-M24
No-load Speed	L gear 0-1500/min
	M gear 0-1850/min
	H gear 0-2400/min
Impact Frequency	L gear 0-1950/min
	M gear 0-2450/min
	H gear 0-2900/min
Max. Torque	L gear 431N.m
	M gear 507N.m
	H gear 598N.m
Nut-Busting Torque	800N.m
Net Weight	2.2/2.2/1.6kg

DCK

NEW

POWERED BY Li-ION TECHNOLOGY

20V MAX

240mm LARGE DIAMETER BLADE PROVIDES HIGH AIRFLOW

240mm LARGE DIAMETER BLADE
for high airflow



360° ADJUSTABLE AIR DIRECTION

2 SPEED

2-SPEED ADJUSTMENT
meeting different working conditions

2.3kg LIGHTWEIGHT BODY
convenient to carry



TARGET USERS

Construction Site
Home Use
Outdoor Work

www.dcktool.com DCK Global

KDFS240B
(TYPE Z)

CORDLESS FAN

TYPE Z (Solo, Color Box Packing)

Battery		20V MAX/ Solo
Rated Power		20W
No-load Speed		
	Low	1500/min
	High	2250/min
Blade Dia.		240mm
Net Weight		2.3kg