DCA


NEW

20V MAX Lithium-Ion

DCA Global

MULTI-FREQUENCY VIBRATION FOR EFFICIENT TILE LEVELING

MULTI-FREQUENCY VIBRATION
Quickly level the tiles



ERGONOMIC HANDLE
For comfortable operation

Φ190mm LARGE SUCTION CUP
Delivering 100kg suction power



DIGITAL DISPLAY
Real-time monitoring
of vibration gear

12-GEAR VIBRATION ADJUSTMENT
Meeting different working conditions

Target Users: Decoration Worker

ADCP20190

CORDLESS TILE VIBRATION LEVELING MACHINE

TYPE(BDM/Z)

[Type BDM] 4.0Ahx1, 2A Charger
[Type Z] Solo, Carton Packing

Battery	20V MAX/4.0Ah×1/Solo
Max. Power Output	76W
Suction Cup Dia.	190mm
Vibrate Setting	12 gears
Net Weight	2.6/2.0kg



www.dcatools.com

DCA

NEW

EC BRUSHLESS

20V MAX Lithium-Ion

DCA Global

EFFICIENT CUTTING WITH COMPACT BODY

900W POWERFUL BRUSHLESS MOTOR



SAFETY BRAKING SYSTEM
Preventing accidental cutting
safe and reliable

TOOL-FREE SAW CHAIN TENSIONING
For convenient operation
and maintenance

AUTOMATIC OIL PUMPING SYSTEM
Effectively extending
the lifetime of chain



EFFICIENT HEAT DISSIPATION AIR VENTS
Effectively extending
the lifetime of products

Target Users: Lumberjack, Household

ADCS20121

CORDLESS BRUSHLESS CHAIN SAW

TYPE(FK/BM/Z)

[Type FK] 5.0Ahx2, 4A Charger
[Type BM] 4.0Ahx2, 2A Charger
[Type Z] Solo, Carton Packing

Battery	20V MAX/5.0Ah×2/4.0Ah×2/Solo
Max. Power Output	900W
No-load Speed	12m/s
Max. Length of Guide Bar	300mm(12")
Net Weight	2.2/2.2/1.6kg



www.dcatools.com

DCA

NEW

EC BRUSHLESS

20V MAX Lithium-Ion

DCA Global

EFFORTLESS HANDLING, EXTREME CUTTING


750W POWERFUL BRUSHLESS MOTOR
High efficiency, powerful and durable



PROTECTIVE COVER DESIGN
To blocking sawdust and protect users

AUTOMATIC OIL PUMPING SYSTEM
Effectively extending the lifetime of chain

1.8kg LIGHT-WEIGHT AND ULTRA-COMPACT BODY (WITH A 4.0Ah BATTERY)
For comfortable operation



TOOL-FREE SAW CHAIN TENSIONING
For convenient operation and maintenance

Target Users: Fruit Tree Pruners , Gardeners

ADCS20061-2

CORDLESS BRUSHLESS PRUNING SAW

TYPE(FK/BM/Z)

[Type FK] 5.0Ahx2, 4A Charger
[Type BM] 4.0Ahx2, 2A Charger
[Type Z] Solo, Carton Packing

Battery	20V MAX/5.0Ah×2/4.0Ah×2/Solo
Max. Power Output	750W
No-load Speed	8m/s
Max. Length of Guide Bar	150mm(6")
Net Weight	1.8/1.8/1.2kg



www.dcatools.com

DCA

NEW

DCA Global

EASY TO TRANSPORT AND LONG RUNNING TIME

RATED OUTPUT POWER 2.5kW

AIR FILTER

Purifies intake air to protect the engine

DOUBLE SAFETY PROTECTION

Overload protection and
low oil Auto-shutdown



OHV (OVERHEAD VALVE) ENGINE

Fuel-efficient and built
for long-lasting durability

STURDY EXTERNAL PROTECTION FRAME

Protect the generator from
collision damage during use

Target Users: Emergency Backup, Outdoor Adventures, Mobile Jobs&Sites, etc.

4 Stroke Engine | Gasoline

AF3600B

GASOLINE GENERATOR

Power	Single-cylinder/4-stroke/Forced-air-cooled 170F
Displacement	212cc
Rated Output Voltage	220-240V/110-120V
Rated Frequency	50/60Hz
Rated Output	2.5kW
Max Output	2.8kW
Start Method	recoil
Fuel Tank Capacity	15L
Net Weight	41.0kg



www.dcatools.com

DCA

NEW

DCA Global

EASY TO TRANSPORT AND LONG RUNNING TIME

RATED OUTPUT POWER 4.8kW

AIR FILTER

Purifies intake air to protect the engine

DOUBLE SAFETY PROTECTION

Overload protection and
low oil Auto-shutdown



OHV (OVERHEAD VALVE) ENGINE

Fuel-efficient and built
for long-lasting durability

STURDY EXTERNAL PROTECTION FRAME

Protect the generator from
collision damage during use

Target Users: Emergency Backup, Outdoor Adventures, Mobile Jobs&Sites, etc.

4 Stroke Engine | Gasoline

AF6500B

GASOLINE GENERATOR

Power	Single-cylinder/4-stroke/Forced-air-cooled 190F
Displacement	420cc
Rated Output Voltage	220-240V/110-120V
Rated Frequency	50/60Hz
Rated Output	4.8kW
Max Output	5.0kW
Start Method	recoil
Fuel Tank Capacity	25L
Net Weight	73.0kg



www.dcatools.com

DCA

NEW

DCA Global


ONE TRIMMER FOR MULTIPLE APPLICATIONS

STRONG ALUMINUM BODY
Sturdy and durable

DEGREE SCALE ON THE BODY
More precise processing depth



FITTED WITH DIFFERENT 6.35 mm (1/4") MILLING CUTTERS
Meeting multiple applications



TRANSPARENT HOUSING
convenient to observe the trimming situation



Target Users: Woodworkers

AMP04-6S
TRIMMER

Rated Power Input	550W
No-load Speed	30000/min
Max. Milling Cutter Dia.	Φ6.35mm
Net Weight	1.8kg



www.dcatools.com

DCA


NEW

DCA Global

POWERFUL AND EFFICIENT, SAFE AND DURABLE

1450W INDUCTION MOTOR
Efficient and durable

8bar WORKING PRESSURE OUTPUT



DUAL-CYLINDER COMPRESSION DESIGN
For fast inflation



OIL-FREE DESIGN
Providing clean air source

HIGH QUALITY NOISE REDUCTION MODULE
Providing a quiet working environment

Target Users: Car Repairman, Factory Painter, Woodworker, Decorator

AQE1450×3/90
OIL-FREE AIR COMPRESSOR

Rated Power Input	1450W×3
Rated Speed	2850/min
Working Pressure	8bar
Capacity	90L
Displacement	261L/min
Net Weight	63.0kg



www.dcatools.com

DCA


NEW

DCA Global


POWERFUL AND EFFICIENT, SAFE AND DURABLE

1450W INDUCTION MOTOR
Efficient and durable

8bar WORKING PRESSURE OUTPUT



DUAL-CYLINDER COMPRESSION DESIGN
For fast inflation



OIL-FREE DESIGN
Providing clean air source

HIGH QUALITY NOISE REDUCTION MODULE
Providing a quiet working environment

Target Users: Car Repairman, Factory Painter, Woodworker, Decorator

AQE1450×4/120
OIL-FREE AIR COMPRESSOR

Rated Power Input	1450W×4
Rated Speed	2850/min
Working Pressure	8bar
Capacity	120L
Displacement	348L/min
Net Weight	87.2kg



www.dcatools.com

DCA

NEW

DCA Global

A GREAT HELPER IN STONE PROCESSING

2600W POWERFUL MOTOR
Efficient and high overload resistance



FOUR-FINGER TRIGGER SWITCH WITH LOCK-ON BUTTON
Comfortable to grip and suitable for long time use

LABYRINTH DUSTPROOF STRUCTURE
Effectively extending the lifetime of products



HIGH STRENGTH GEARS
For long service life

AUTO STOP CARBON BRUSH
Effectively extending the lifetime of motor

Target Users: Stone Worker, Metal Workers

ASM230B
ANGLE GRINDER

Rated Power Input	2600W
Rated Speed	6600/min
Max. Wheel Dia.	Φ230mm
Spindle Thread	M14
Net Weight	5.8kg



DCA

NEW

DCA Global

PROFESSIONAL CUTTING, DURABLE AND EFFICIENT

3200W POWERFUL MOTOR
For high-efficiency cutting



RUBBERIZED HANDLE
Comfortable to hold

150mm

CUTTING DEPTH ADJUSTMENT
Maximum cutting depth: 150mm



RUBBER ROLLER
For efficient and
effortless operation

RUBBER DUSTPROOF GUARD
Blocking dust and protecting users

Target Users: Stone Processing Plant Workers

AZE425
MARBLE CUTTER

Rated Power Input	3200W
No-load Speed	4100/min
Blade Dia.	Φ425mm
Max. Cutting Capacity	150mm
Net Weight	15.8kg



DCA

NEW

DCA Global

FLEXIBLE TO MEET VARIOUS SCENARIOS

1600W POWERFUL MOTOR



STEPLESS SPEED ADJUSTMENT

Applicable to different working conditions

WATER SEAL-FREE DESIGN

Ensuring leak-proof performance and enhanced durability



ALUMINUM GEARBOX

Sturdy and durable

OVERLOAD PROTECTION

Protecting the machine and user when the machine gets overload

Target Users: Oil Fume Pipeline Worker, Air Conditioning Installation Worker

AZZ02-120

DIAMOND DRILL WITH WATER SOURCE

Rated Power Input	1600W
No-load Speed	0-2000/min
Max. Drilling Capacity	Φ120mm(Brick Wall)
	Φ76mm(Concrete)
Net Weight	4.0kg



www.dcatools.com