DCK

NEW

20V MAX LITHIUM-ION

HIGH TORQUE WITH LIGHT-WEIGHT BODY

125mm

125mm COMPACT BODY
Perfect control in narrow space



BRUSHLESS MOTOR
Delivering up to 168N.m of torque

SELF-TAPPING MODE
Soft start for accurate positioning

3-SPEED CONTROL
Applicable to different working conditions

BRUSHLESS MOTOR

www.dcktool.com DCK Global

TARGET USERS

Woodworkers
Decoration Workers

KID20V-168
(TYPE EM/AM/Z)

CORDLESS BRUSHLESS IMPACT DRIVER

TYPE EM (4.0Ah×2 Battery Packs, 2A Charger,Plastic Case Packing);
TYPE AM (2.0Ah×2 Battery Pack, 2A Charger,Plastic Case Packing);
TYPE Z (Solo, Color Box Packing)

Battery	20VMax/4.0Ah×2/2.0Ah×2/Solo
Max. Power Output	450W
Standard Bolt Size	M5-M16
Clamping Capacity	6.35mmHex
No-load Speed	L gear 0-1200/min
	M gear 0-2100/min
	H gear 0-3300/min
Impact Frequency	L gear 0-1300/min
	M gear 0-3500/min
	H gear 0-4300/min
Max. Fastening Torque	168N.m
Net Weight	1.4/1.1/0.8kg

DCK

NEW

20V MAX LITHIUM-ION

GOOD CHOICE FOR MULTIPLE CUTTING

BRUSHLESS MOTOR
Delivering up to 2800/min no-load speed



TWO-FINGER TRIGGER SWITCH
Easy to operation

TOOL-LESS BLADE CHANGE SYSTEM
Convenient blade insertion and ejection



ADJUSTABLE BASE PLATE
Applicable to different working conditions



4 ORBITAL-ACTION SETTINGS
For increased cutting performance

BRUSHLESS MOTOR

DVSC

TARGET USERS
Woodworkers

www.dcktool.com

DCK Global

KDJF32
(TYPE EM/FK/Z)

CORDLESS BRUSHLESS RECIPROCATING SAW

TYPE EM (4.0Ah×2 Battery Packs, 2A Charger, Plastic Case Packing);
TYPE FK (5.0Ah×2 Battery Packs, 4A Charger, Plastic Case Packing);
TYPE Z (Solo, Color Box Packing)

Battery		20VMax/4.0Ah×2/5.0Ah×2/Solo
Max. Power Output		900W
Stroke		32mm
Max. Cutting Depth	Steel	20mm
	Wood	255mm
	Pipe	Φ130mm
No-load Speed		0-2800/min
Base Plate Adjustment		3
Net Weight		3.9/3.9/3.3kg

DCK

NEW

MASTER SPEED AND PRECISION CONTROL

1400W ENERGY-GATHERING MOTOR
Efficient and high overload resistance

LABYRINTH DUSTPROOF STRUCTURE
Effectively extending the lifetime of products

186mm ULTRA SLIM BODY
Comfortable to hold and easy to control



6-SPEED ADJUSTMENT
Applicable to different working conditions

ELECTRONIC CONSTANT SPEED CONTROL

TARGET USERS

Bricklayer
Welder
Metal Workers

www.dcktool.com DCK Global

KAG1400-100E /115E/125E

ANGLE GRINDER

Rated Power Input	1400W
No-load Speed	3000-13000/3000-11800/3000-11800/min
Max. Wheel Dia.	Φ100/Φ115/Φ125mm
Spindle Thread	M10/M14/M14
Net Weight	1.9/2.0/2.0kg

DCK

NEW

MASTER SPEED AND MORE SAFETY

1400W ENERGY-GATHERING MOTOR
Efficient and high overload resistance

LABYRINTH DUSTPROOF STRUCTURE
Effectively extending the lifetime of products

186mm ULTRA SLIM BODY
Comfortable to hold and easy to control



6-SPEED ADJUSTMENT
Applicable to different working conditions

ELECTRONIC CONSTANT SPEED CONTROL

LARGE PADDLE SWITCH
Effectively protecting the safety of the operators

TARGET USERS

Bricklayer
Welder
Metal Workers

www.dcktool.com DCK Global

KAG1400-100PE /115PE/125PE

ANGLE GRINDER

Rated Power Input	1400W
No-load Speed	3000-13000/3000-11800/3000-11800/min
Max. Wheel Dia.	Φ100/Φ115/Φ125mm
Spindle Thread	M10/M14/M14
Net Weight	1.9/2.0/2.0kg

DCK

NEW

MASTER SPEED AND PRECISION CONTROL

1200W ENERGY-GATHERING MOTOR

Efficient and high overload resistance

LABYRINTH DUSTPROOF STRUCTURE

Effectively extending the lifetime of products

186mm ULTRA SLIM BODY

Comfortable to hold and easy to control



6-SPEED ADJUSTMENT

Applicable to different working conditions

ELECTRONIC CONSTANT SPEED CONTROL

www.dcktool.com DCK Global

TARGET USERS

Bricklayer
Welder
Metal Workers

KAG1200-100E /115E/125E

ANGLE GRINDER

Rated Power Input	1200W
No-load Speed	2800-13000/2800-11800/2800-11800/min
Max.Wheel Dia.	Φ100/Φ115/Φ125mm
Spindle Thread	M10/M14/M14
Net Weight	1.8/1.9/1.9kg

DCK

NEW

20V MAX LITHIUM-ION

POWERFUL AIRFLOW FOR EFFICIENT CLEANING

BRUSHLESS OUTER ROTOR MOTOR

High efficiency, powerful and durable

550CFM MAX. AIR VOLUME

59M/S MAX. AIR SPEED



TURBO MODE AND CRUISE CONTROL

For variety of cleaning tasks and maximum runtime management

2.3Kg LIGHTWEIGHT DESIGN (WITH A 4.0Ah BATTERY)

For effortless operation

BRUSHLESS MOTOR

www.dcktool.com DCK Global

TARGET USERS

Household
Gardener

KDLB20151
(TYPE BM/FDK/Z)

CORDLESS BRUSHLESS BLOWER

TYPE BM (4.0Ah×2 Battery Pack,2A Battery Charger, Color Box Packing);
TYPE FDK (5.0Ah×1 Battery Pack, 4A Battery Charger, Color Box Packing);
TYPE Z (Solo, Color Box Packing)

Battery	20VMax/4.0Ah×2/5.0Ah×1/Z
Max. power output	720W
Max. air speed	59m/s
Max. air volume	550CFM
Net weight	2.3/2.3 /1.7kg

DCK

NEW

20V MAX LITHIUM-ION

LIGHTWEIGHT AND EFFICIENT CUTTING

BRUSHLESS OUTER ROTOR MOTOR
High efficiency, powerful and durable

380mm (15")

380mm (15 ") MAX. CUTTING RANGE
Comfortable to hold and easy to control



2 SPEED

2-SPEED ADJUSTMENT
For excellent power control and runtime management

FOLDABLE DESIGN
For easy storage and portability

HK 3.4Kg LIGHTWEIGHT DESIGN
FDK 3.2Kg LIGHTWEIGHT DESIGN
Z 2.5Kg LIGHTWEIGHT DESIGN
For effortless operation

BRUSHLESS MOTOR

STOP

www.dcktool.com DCK Global

TARGET USERS

Household
Gardener

KDST20152
(TYPE HK/FDK/Z)

CORDLESS BRUSHLESS STRING TRIMMER

TYPE HK (6.0Ah×1 Battery Pack(without battery) 4A Battery Charger, Color Box Packing);
TYPE FDK (5.0Ah×1 Battery Pack, 4A Battery Charger, Color Box Packing)
TYPE Z (Solo, Color Box Packing)

Battery	20V Max/6.0x1/5.0Ahx1/Solo
Max. Power output	450W
No-load speed	
low	4600/min
high	6000/min
Trimming range	330mm(13 ") /380mm(15 ")
Net weight	3.4/3.2/2.5kg