

DCA



EC
BRUSHLESS

12V^{MAX}
Lithium-Ion



LIGHTWEIGHT MEETS FLEXIBILITY



BRUSHLESS MOTOR

Delivering up to 50N.m
of torque and 1800/min
no-load speed



MULTI-FUNCTION HEAD

Meeting different
working conditions



21+1 TORQUE SETTING

For a variety of applications



**REINFORCED TAIL
CAP FOR DURABILITY**



2-SPEED ADJUSTMENT

High torque for screw driving,
high speed for drilling

Target Users: Woodworkers, Door or Window Installer, Decoration Workers, Electricians

ADJZ1250S

**CORDLESS BRUSHLESS
DRIVER DRILL**

TYPE(QK/EK/Z)



[Type QK] 2.0Ahx2, 3A Charger
[Type EK] 2.0Ahx2, 3A Charger
[Type Z] Solo, Carton Packing

Battery	12V MAX/2.0Ahx2/2.0Ahx2/Solo	
Max. Power Output	280W	
Max. Chucking Capacity	10mm	
No-load Speed	Low	0-500/min
	High	0-1800/min
Max. Drilling Dia.	Steel	Φ10mm
	Wood	Φ32mm
Torque Setting	21+1	
Max. Torque	50N·m	
Net Weight	1.05/1.05/0.85kg	



DCA



EC
BRUSHLESS

20^{MAX}V
Lithium-Ion



POWERFUL AND PORTABLE, EFFICIENT AND PRECISE



BRUSHLESS MOTOR

Delivering up to
45N·m of torque

128
mm



128mm COMPACT BODY

Perfect control in narrow space

18⁺

18+1 TORQUE SETTING

For a variety of applications



2-SPEED CONTROL

Applicable to different
working conditions

Target Users: Woodworkers, Decoration Workers

ADPL2045

CORDLESS BRUSHLESS
DRIVER

TYPE(AM/ADM/Z)



[Type AM] 2.0Ahx2, 2A Charger
[Type ADM] 2.0Ahx1, 2A Charger
[Type Z] Solo, Carton Packing

Battery	20V MAX/2.0Ahx2/2.0Ahx1/Solo	
Max. Power Output	270W	
Clamping Capacity	6.35mm Hex	
Torque Setting	18+1	
No-load Speed	Low Gear	0-500/min
	High Gear	0-1900/min
Max. Drilling Dia.	Wood	Φ20mm
Max. Torque	45N·m	
Net Weight	1.0/1.0/0.7kg	



www.dcatools.com

SUITABLE FOR VARIOUS APPLICATIONS



REMOTE CONTROL
Convenient and efficient



SMART PENDULUM SYSTEM
Self levels and indicates
out-of-level condition up to $\pm 3^\circ$



INTELLIGENT DIGITAL DISPLAY
Real-time monitoring of battery



READY-TO-USE
A tool kit contains a Green
Laser Level and essential accessories



Target Users: Installation of Doors and Windows, Tile Placement, Mural Installation

ADTX4V-16T GREEN LASER LEVEL KIT



Battery	4V/4.0Ah
Laser Diode	512nm
Accuracy	$\pm 0.3\text{mm/m}$
Auto-leveling Range	$\pm 3^\circ$
Width of Laser Line	4mm at distance of 10m
Operating Temperature	$-10^\circ\text{C} - 40^\circ\text{C}$
Laser Class	3R
Tripod Thread	1/4"
Net Weight	1.0kg



ENERGY SAVING AND EFFICIENT CUTTING

1.25 kW

MAX. 1.25kW POWER OUTPUT

Powerful and efficient



**HIGH-QUALITY
CARBURETOR**

Reducing fuel
consumption and emissions



ERGONOMIC HANDLE

For comfortable grip



SHOULDER STRAP HOOK

Connect strap and
reduce working fatigue



Target Users: Gardener

AQC427-02

PETROL BRUSH CUTTER

Displacement	42.7mL
Power	2-Stroke Air Cooling
Fuel Tank Capacity	1.2L
Nylon Cutting Range	420mm
Blade Diameter	255mm
Max. Power&Speed	1.25kW/7000/min
Net Weight	7.0kg



ENERGY SAVING AND EFFICIENT CUTTING

1.47_{kW}

MAX. 1.47kW POWER OUTPUT

Powerful and efficient



**HIGH-QUALITY
CARBURETOR**

Reducing fuel
consumption and emissions



ERGONOMIC HANDLE

For comfortable grip



SHOULDER STRAP HOOK

Connect strap and
reduce working fatigue



Target Users: Gardener

AQC517-01

PETROL BRUSH CUTTER

Displacement	51.7mL
Power	2-Stroke Air Cooling
Fuel Tank Capacity	1.2L
Nylon Cutting Range	420mm
Blade Diameter	255mm
Max. Power&Speed	1.47kW/7000/min
Net Weight	7.0kg

