DCA

NEW

12V MAX Lithium-Ion

DCA Global

40N·m HIGH TORQUE DRIVER DRILL

EXTREMELY ATTRACTIVE AND COMPETITIVE



18+1

18+1 TORQUE SETTING

For a variety of applications

2

2-SPEED ADJUSTMENT

High torque for screw driving, high speed for drilling

LED WORKING LIGHT

RUBBERIZED HANDLE

Comfortable to hold

Target Users: Woodworkers, Door or Window Installer, Decoration Workers, Electricians

ADJZ12V-40

CORDLESS DRIVER DRILL

TYPE(DM/EM/CM/C2M/C/C2)

[Type DM] 2.0Ahx1, 1.3A Charger
[Type EM] 2.0Ahx2, 1.3A Charger
[Type CM] 2.0Ahx1 (Type-C), 1.3A Charger
[Type C2M] 2.0Ahx2 (Type-C), 1.3A Charger
[Type C] 2.0Ahx1 (Type-C)
[Type C2] 2.0Ahx2 (Type-C)

Battery		12V MAX/2.0Ah×1/2.0Ah×2/ 2.0Ah×1(Type-C)/2.0Ah×2(Type-C)/ 2.0Ah×1(Type-C)/2.0Ah×2(Type-C)
Max. Power Output		200W
Max. Chucking Capacity		10mm
No-load Speed	Low	0-450/min
	High	0-1700/min
Max. Drilling Dia.	Steel	Φ10mm
	Wood	Φ20mm
Torque Setting		18+1
Max. Torque		40N·m
Net Weight		1.0kg



www.dcatools.com

DCA

NEW

12V MAX Lithium-Ion

DCA Global

40N·m HIGH TORQUE DRIVER/ HAMMER DRILL

EXTREMELY ATTRACTIVE AND COMPETITIVE



18+2

18+2 TORQUE SETTING

For a variety of applications

2

2-SPEED ADJUSTMENT

High torque for screw driving, high speed for drilling

LED WORKING LIGHT

RUBBERIZED HANDLE

Comfortable to hold

Target Users: Woodworkers, Door or Window Installer, Decoration Workers, Electricians

ADJZ12V-40i

CORDLESS DRIVER/HAMMER DRILL

TYPE(DM/EM/CM/C2M/C/C2)

[Type DM] 2.0Ahx1, 1.3A Charger
[Type EM] 2.0Ah×2, 1.3A Charger
[Type CM] 2.0Ahx1 (Type-C), 1.3A Charger
[Type C2M] 2.0Ah×2 (Type-C), 1.3A Charger
[Type C] 2.0Ahx1 (Type-C)
[Type C2] 2.0Ah×2 (Type-C)

Battery	12V MAX/2.0Ah×1/2.0Ah×2/ 2.0Ah×1(Type-C)/2.0Ah×2(Type-C)/ 2.0Ah×1(Type-C)/2.0Ah×2(Type-C)	
Max. Power Output		200W
Max. Chucking Capacity		10mm
No-load Speed	Low	0-450/min
	High	0-1700/min
Rated Impact Frequency		0-6750/0-25500/min
Max. Drilling Dia.	Steel	Φ10mm
	Brick Wall	Φ8mm
	Wood	Φ20mm
Torque Setting		18+2
Max. Torque		40N·m
Net Weight		1.0kg



DCA

NEW

20V MAX Lithium-Ion

DCA Global

ONE-CLICK FOR TILE LEVELING

12-GEAR VIBRATION ADJUSTMENT
Meeting different working conditions

MULTI-FREQUENCY VIBRATION
Quickly level the tiles

ERGONOMIC HANDLE
For comfortable operation

Φ130mm LARGE SUCTION CUP



Target Users: Decoration Worker

ADCP20130B

CORDLESS TILE VIBRATION LEVELING MACHINE

TYPE(ADM/Z)

[Type ADM] 2.0Ahx1, 2A Charger
[Type Z] Solo, Carton Packing

Battery	20V MAX/2.0Ah×1/Solo
Max. Power Output	50W
Suction Cup Dia.	Φ130mm
No-load Speed	3300-9000/min
Vibrate Setting	12
Net Weight	1.71/1.35kg



DCA

NEW EC BRUSHLESS 16V MAX Lithium-Ion

DCA Global

PRUNERS' BEST COMPANIONS

400W HIGH-PERFORMANCE BRUSHLESS MOTOR

LCD SCREEN

Clearly displays blade status, remaining battery, and number of cuts

Cr-V SK5

SK5 ALLOY BLADE

Sharp and durable



TEFLON TREATMENT

Non-stick coating is easy to clean

Application Scenario: Fruit Tree Pruners, Gardeners

ADPR16351

CORDLESS BRUSHLESS PRUNER TYPE(D)

[Type D] 2.0Ahx1, 1.3A Charger

Battery	16V MAX/2.0Ah×1	
Max. Power Output	500W	
Shearing Capacity	1st gear	Φ25mm
	2nd gear	Φ35mm
Net Weight	0.78/1.0kg	



www.dcatools.com

DCA


NEW

DCA Global

ULTRA-POWERFUL AIRFLOW FOR HIGH-EFFICIENCY WORK

63.3cc 2-STROKE ENGINE
Powerful, strong airflow

FLAT NOZZLE AIR OUTLET
More concentrated airflow



TRIGGER WITH CONSTANT SPEED FUNCTION
Reduces finger gripping fatigue

MULTI-POINT SHOCK ABSORPTION STRUCTURE
Effectively dampens engine vibrations transferred to the back

Application Scenario: Household Users & Landscape Maintenance Workers

AQEB633-02
PETROL BLOWER

Power	Single Cylinder/2-Stroke/Air Cooling
Displacement	63.3cc
Max. Power&Speed	2.7kW/7000/min
Max. Air Volume	960m³/h
Max. Speed	88m/s
Net Weight	9.1kg



www.dcatools.com

DCA

NEW

DCA Global

INTEGRATED STORAGE, WIDER CLEANING COVERAGE

INTEGRATED SCROLL SYSTEM
Quick retractable water outlet pipe

MAX. 130bar PRESSURE, 5L/min FLOW OUTPUT
For powerful cleaning



STOP

AUTO-STOP FUNCTION
Saving energy and extending the lifetime of pumps

DUAL CHOICE OF TAP WATER AND SELF-PRIMING
Flexible water access methods

Target Users: Household

AQW1600CX
HIGH-PRESSURE WASHER

Rated Power Input	1600W
Rated Operating Pressure	100bar
Max. Operating Pressure	130bar
Water Temperature	0-40°C
Rated Flow	5L/min
Net Weight	6.9kg



DCA

NEW

DCA Global

COMPACT AND PORTABLE FOR EFFICIENT CLEANING

800W INDUCTION MOTOR
Efficient and durable

MAX. 90bar PRESSURE, 8L/min FLOW OUTPUT
For powerful cleaning

COMPACT BODY DESIGN
Easy to carry and suitable for home use

IPX5 WATERPROOF CONSTRUCTION
For safe operation



DUAL CHOICE OF TAP WATER AND SELF-PRIMING
Flexible water access methods

Target Users: Household

AQW2000GX
HIGH-PRESSURE WASHER

Rated Power Input	800W
Rated Operating Pressure	50bar
Max. Operating Pressure	90bar
Water Temperature	0-40°C
Max Flow	8L/min
Net Weight	9.0kg



DCA

NEW

DCA Global

ENGINEERED FOR SUPERIOR WALL SMOOTHING

810W POWERFUL MOTOR

SELF-VACUUM FUNCTION
Effectively purifying
the operating environment

LED LIGHT STRIP DESIGN
360° dead-zone free

ADJUSTABLE SPEED
Meeting different working conditions



EFFICIENT HEAT DISSIPATION AIR VENTS
Effectively extending
the lifetime of products

Application Scenario: White Cement Wall Grinding, Latex Paint Wall Grinding, Wall Paint Grinding, Putty Grinding

ASF04-180
DRYWALL SANDER

Rated Power Input	810W
No-load Speed	900-2100/min
Grinding Disc Dia.	Φ180mm
Net Weight	2.6kg



www.dcatools.com

DCA

NEW

DCA Global

EFFORTLESS SANDING IN ALL DIRECTIONS

820W POWERFUL MOTOR

SELF-VACUUM FUNCTION
Effectively purifying
the operating environment

ADJUSTABLE SPEED
Meeting different working conditions

LED LIGHT STRIP DESIGN
360° dead-zone free



UPGRADE DUST OUT INTERFACE
Quick and convenient
way for connection

Application Scenario: White Cement Wall Grinding, Latex Paint Wall Grinding, Wall Paint Grinding, Putty Grinding

ASF05-225
DRYWALL SANDER

Rated Power Input	820W
No-load Speed	1150-1950/min
Grinding Disc Dia.	Φ225mm
Net Weight	3.3kg(Without Telescopic Extension Rod)



www.dcatools.com

DCA

NEW

DCA Global

MOW WITH EASE

5-CUTTING HEIGHT ADJUSTMENT
Meeting different working conditions

370mm MAX. CUTTING RANGE



35L GRASS COLLECTING BAG
Meeting the needs of long-time work

LIGHTWEIGHT DESIGN
For effortless storage
and transportation

Target Users: DIY

AYL370
ELECTRIC LAWN MOWER

Rated Power Input	1500W
Cutting Width	370mm
No-load Speed	3300r/min
Bagging Capacity	35L
Cutting Height	25-75mm
Net Weight	12.6kg

